## **B. Summary of Bird Surveys**

Table B1: Summary of bird monitoring (for species of conservation importance and/or wetland-dependence) within the Survey Area (excluding the WRA)

| Common Name                  | Scientific Name (3)    | Wetland<br>Dependent | Conservation<br>Status (1) | Nov 2019<br>Mean <sup>(2)</sup> | Dec 2019<br>Mean (2) | Jan 2020<br>Mean <sup>(2)</sup> | Feb 2020<br>Mean <sup>(2)</sup> | Mar 2020<br>Mean <sup>(2)</sup> | Apr 2020<br>Mean <sup>(2)</sup> |
|------------------------------|------------------------|----------------------|----------------------------|---------------------------------|----------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Little Grebe                 | Tachybaptus ruficollis | Υ                    | LC                         | 7.2                             | 13.4                 | 11.0                            | 12.3                            | 8.3                             | 5.4                             |
| Great Crested Grebe          | Podiceps cristatus     | Υ                    | RC                         | 0.0                             | 0.6                  | 0.2                             | 0.0                             | 0.0                             | 0.0                             |
| Great Cormorant              | Phalacrocorax carbo    | Υ                    | PRC                        | 7.4                             | 20.6                 | 12.8                            | 7.3                             | 4.8                             | 0.0                             |
| Grey Heron                   | Ardea cinerea          | Υ                    | PRC                        | 5.4                             | 5.2                  | 14.4                            | 12.3                            | 6.8                             | 0.4                             |
| Great Egret                  | Ardea alba             | Υ                    | PRC, (RC)                  | 15.2                            | 17.2                 | 8.2                             | 4.5                             | 2.3                             | 10.8                            |
| Little Egret                 | Egretta garzetta       | Υ                    | PRC, (RC)                  | 16.4                            | 6.6                  | 14.6                            | 9.5                             | 9.3                             | 18.0                            |
| Eastern Cattle Egret         | Bubulcus coromandus    | Υ                    | (LC)                       | V                               | 0.0                  | 0.4                             | 0.5                             | 2.8                             | 3.6                             |
| Chinese Pond Heron           | Ardeola bacchus        | Υ                    | PRC, (RC)                  | 9.2                             | 4.0                  | 4.4                             | 4.5                             | 4.8                             | 8.8                             |
| Black-crowned Night<br>Heron | Nycticorax nycticorax  | Y                    | (LC)                       | 0.0                             | 0.0                  | V                               | V                               | 0.0                             | 0.4                             |
| Eurasian Spoonbill           | Platalea leucorodia    | Υ                    | LC                         | 0.0                             | 0.0                  | 0.0                             | V                               | 0.0                             | 0.0                             |
| Black-faced Spoonbill        | Platalea minor         | Υ                    | PGC, EN                    | 0.2                             | 1.8                  | 0.2                             | 2.5                             | 0.3                             | V                               |
| Eurasian Teal                | Anas crecca            | Υ                    | RC                         | 0.0                             | 0.0                  | V                               | V                               | 0.0                             | 0.0                             |
| Northern Shoveler            | Anas clypeata          | Υ                    | RC                         | 0.0                             | 0.0                  | 0.0                             | 0.3                             | 0.0                             | 0.0                             |
| Tufted Duck                  | Aythya fuligula        | Υ                    | LC                         | V                               | 33.8                 | 20.2                            | 0.3                             | 0.0                             | 0.0                             |
| Black Kite                   | Milvus migrans         | Υ                    | (RC)                       | 0.0                             | 0.0                  | V                               | V                               | 0.3                             | 0.2                             |
| Eastern Buzzard              | Buteo japonicus        | Υ                    | -                          | 0.0                             | 0.0                  | V                               | 0.0                             | 0.0                             | 0.0                             |
| White-breasted<br>Waterhen   | Amaurornis phoenicurus | Y                    | -                          | 0.2                             | 0.2                  | 0.6                             | V                               | 0.8                             | 1.4                             |
| Black-winged Stilt           | Himantopus himantopus  | Υ                    | RC                         | 3.2                             | V                    | 0.4                             | 0.0                             | 0.3                             | 8.0                             |
| Common Moorhen               | Gallinula chloropus    | Υ                    | -                          | 0.0                             | 0.2                  | 0.0                             | 0.3                             | 0.3                             | 0.4                             |
| Pied Avocet                  | Recurvirostra avosetta | Y                    | RC                         | 0.0                             | 0.0                  | 4.2                             | 0.3                             | 4.0                             | 9.2                             |
| Pacific Golden Plover        | Pluvialis fulva        | Υ                    | LC                         | 0.0                             | 0.0                  | 0.2                             | 0.0                             | 0.0                             | 0.0                             |
| Little Ringed Plover         | Charadrius dubius      | Υ                    | (LC)                       | 0.0                             | 0.0                  | 0.0                             | V                               | 0.0                             | 0.4                             |

| Common Name                  | Scientific Name (3)      | Wetland<br>Dependent | Conservation<br>Status <sup>(1)</sup> | Nov 2019<br>Mean <sup>(2)</sup> | Dec 2019<br>Mean <sup>(2)</sup> | Jan 2020<br>Mean <sup>(2)</sup> | Feb 2020<br>Mean <sup>(2)</sup> | Mar 2020<br>Mean <sup>(2)</sup> | Apr 2020<br>Mean <sup>(2)</sup> |
|------------------------------|--------------------------|----------------------|---------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Spotted Redshank             | Tringa erythropus        | Υ                    | RC                                    | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.3                             | 0.0                             |
| Common Greenshank            | Tringa nebularia         | Υ                    | RC                                    | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.6                             |
| Marsh Sandpiper              | Tringa stagnatilis       | Υ                    | RC                                    | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.2                             |
| Green Sandpiper              | Tringa ochropus          | Υ                    | -                                     | 0.0                             | 0.0                             | 0.0                             | 0.0                             | V                               | 0.4                             |
| Wood Sandpiper               | Tringa glareola          | Υ                    | LC                                    | V                               | 0.0                             | 0.0                             | 0.0                             | 0.8                             | 0.4                             |
| Common Sandpiper             | Actitis hypoleucos       | Υ                    | -                                     | 2.2                             | 1.2                             | 1.8                             | 0.5                             | 1.8                             | 2.8                             |
| Common Snipe                 | Gallinago gallinago      | Υ                    | -                                     | 0.0                             | 0.0                             | V                               | 0.0                             | V                               | 0.0                             |
| Whiskered Tern               | Chlidonias hybrida       | Υ                    | -                                     | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 0.8                             |
| Pied Kingfisher              | Ceryle rudis             | Υ                    | (LC)                                  | 0.0                             | V                               | 0.4                             | 0.0                             | V                               | 0.4                             |
| Pacific Swift                | Apus pacificus           | N                    | (LC)                                  | 0.0                             | 0.0                             | 0.0                             | V                               | 0.0                             | 0.0                             |
| White-throated<br>Kingfisher | Halcyon smyrnensis       | Y                    | (LC)                                  | 0.2                             | 0.2                             | 0.4                             | V                               | 0.0                             | 0.0                             |
| Common Kingfisher            | Alcedo atthis            | Υ                    | -                                     | 0.6                             | 0.8                             | 0.2                             | 0.3                             | 1.3                             | 0.4                             |
| Eastern Yellow Wagtail       | Motacilla tschutschensis | Υ                    | -                                     | 0.0                             | 2.4                             | 1.6                             | V                               | 0.5                             | 1.4                             |
| Grey Wagtail                 | Motacilla cinerea        | Υ                    | -                                     | 0.0                             | 0.0                             | 0.0                             | V                               | 0.0                             | 0.2                             |
| White Wagtail                | Motacilla alba           | Υ                    | -                                     | 2.4                             | 2.4                             | 1.6                             | 1.8                             | 0.8                             | 2.4                             |
| Red-throated Pipit           | Anthus cervinus          | N                    | LC                                    | 0.0                             | 0.0                             | V                               | 0.0                             | 0.3                             | 0.0                             |
| Zitting Cisticola            | Cisticola juncidis       | Υ                    | LC                                    | 0.0                             | V                               | V                               | V                               | V                               | 0.2                             |
| Red-billed Starling          | Spodiopsar sericeus      | Υ                    | (RC)*                                 | 0.0                             | 0.0                             | V                               | V                               | 0.0                             | 0.0                             |
| White-shouldered<br>Starling | Sturnia sinensis         | Y                    | (LC)                                  | 0.0                             | 0.0                             | 0.0                             | 0.0                             | 1.8                             | 1.8                             |
| Collared Crow                | Corvus torquatus         | Y                    | LC, NT                                | 0.2                             | V                               | 0.0                             | 0.0                             | 0.3                             | 0.0                             |
|                              |                          | No. of S             | pecies Recorded                       | 17                              | 20                              | 28                              | 27                              | 26                              | 27                              |

<sup>(1)</sup> Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)

<sup>(2)</sup> Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA)

<sup>(3)</sup> Follows HK bird list (dated 2017-09-05)

V indicates the species is recorded outside regular surveys

<sup>\*</sup> Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B2: Summary of bird monitoring (for species of conservation importance and/or wetland-dependence) in the WRA

| Common Name                  | Scientific Name (3)        | Wetland<br>Dependen<br>t | Conservation<br>Status (1) | Nov<br>2019<br>Mean <sup>(2)</sup> | Dec<br>2019<br>Mean <sup>(2)</sup> | Jan<br><b>2020</b><br>Mean <sup>(2)</sup> | Feb<br>2020<br>Mean <sup>(2)</sup> | Mar<br><b>2020</b><br>Mean <sup>(2)</sup> | Apr<br>2020<br>Mean <sup>(2)</sup> |
|------------------------------|----------------------------|--------------------------|----------------------------|------------------------------------|------------------------------------|---|------------------------------------|---|------------------------------------|
| Little Grebe                 | Tachybaptus ruficollis     | Υ                        | LC                         | 2.2                                | 1.4                                | 0.2                                       | 1.0                                | 1.3                                       | 0.8                                |
| Great Cormorant              | Phalacrocorax carbo        | Y                        | PRC                        | 1.0                                | 0.6                                | 0.8                                       | 0.8                                | 0.0                                       | 0.0                                |
| Grey Heron                   | Ardea cinerea              | Y                        | PRC                        | 5.4                                | 1.2                                | 1.8                                       | 2.0                                | 0.3                                       | V                                  |
| Great Egret                  | Ardea alba                 | Υ                        | PRC, (RC)                  | 1.8                                | 1.4                                | 3.4                                       | 3.5                                | 0.8                                       | 0.2                                |
| Intermediate Egret           | Egretta intermedia         | Υ                        | RC                         | 0.0                                | V                                  | 0.0                                       | 0.0                                | 0.0                                       | 0.0                                |
| Little Egret                 | Egretta garzetta           | Υ                        | PRC, (RC)                  | 6.0                                | 4.8                                | 16.4                                      | 7.3                                | 11.0                                      | 5.2                                |
| Eastern Cattle Egret         | Bubulcus coromandus        | Υ                        | (LC)                       | 0.0                                | 0.0                                | 0.0                                       | V                                  | 0.0                                       | 0.2                                |
| Chinese Pond Heron           | Ardeola bacchus            | Υ                        | PRC, (RC)                  | 5.6                                | 5.2                                | 3.4                                       | 2.3                                | 2.8                                       | 1.4                                |
| Eurasian Spoonbill           | Platalea leucorodia        | Υ                        | LC                         | 0.0                                | 0.0                                | V   | 0.0                                | 0.0                                       | 0.0                                |
| Black-faced Spoonbill        | Platalea minor             | Υ                        | PGC, EN                    | 0.0                                | 0.0                                | V   | V                                  | 0.0                                       | 0.0                                |
| Western Osprey               | Pandion haliaetus          | Υ                        | RC                         | 0.0                                | 0.0                                | V   | 0.0                                | 0.0                                       | 0.0                                |
| Black-crowned Night<br>Heron | Nycticorax nycticorax      | Υ                        | (LC)                       | 0.0                                | 0.0                                | 0.0                                       | 0.0                                | 0.0                                       | V                                  |
| Black Kite                   | Milvus migrans             | Υ                        | (RC)                       | 0.2                                | 0.0                                | V   | V                                  | V   | V                                  |
| Eurasian Teal                | Anas crecca                | Υ                        | RC                         | 0.0                                | V                                  | 0.0                                       | 0.0                                | 0.0                                       | 0.0                                |
| Peregrine Falcon             | Falco peregrinus           | N                        | (LC)                       | V                                  | V                                  | 0.0                                       | 0.0                                | 0.0                                       | 0.0                                |
| Eastern Buzzard              | Buteo japonicus            | Υ                        | -                          | 0.0                                | 0.0                                | 0.0                                       | V                                  | V   | 0.0                                |
| White-breasted<br>Waterhen   | Amaurornis<br>phoenicurus  | Y                        | -                          | 0.2                                | 0.2                                | 0.4                                       | 0.3                                | 0.3                                       | 1.8                                |
| Common Moorhen               | Gallinula chloropus        | Υ                        | -                          | 0.0                                | V                                  | 0.0                                       | V                                  | 0.3                                       | 0.2                                |
| Greater Painted-snipe        | Rostratula<br>benghalensis | Υ                        | LC                         | 0.0                                | V                                  | 0.0                                       | 0.0                                | 0.0                                       | 0.0                                |
| Pacific Golden Plover        | Pluvialis fulva            | Υ                        | LC                         | 0.0                                | 0.0                                | 0.0                                       | 1.0                                | 0.0                                       | 0.0                                |
| Black-winged Stilt           | Himantopus<br>himantopus   | Υ                        | RC                         | 0.0                                | 0.0                                | 0.0                                       | 0.0                                | 0.3                                       | 1.0                                |
| Little Ringed Plover         | Charadrius dubius          | Y                        | (LC)                       | 0.0                                | 0.0                                | 0.0                                       | V                                  | 0.3                                       | 0.0                                |
| Oriental Pratincole          | Glareola maldivarum        | Υ                        | LC                         | 0.0                                | 0.0                                | 0.0                                       | 0.0                                | 0.0                                       | 4.2                                |
| Common Greenshank            | Tringa nebularia           | Y                        | RC                         | 0.0                                | 0.0                                | 0.0                                       | 0.0                                | 0.0                                       | 0.6                                |
| Green Sandpiper              | Tringa ochropus            | Y                        | -                          | V                                  | 0.2                                | V   | 0.5                                | 1.0                                       | V                                  |

| Common Name                  | Scientific Name (3)           | Wetland<br>Dependen<br>t | Conservation<br>Status (1) | Nov<br>2019<br>Mean <sup>(2)</sup> | Dec<br>2019<br>Mean <sup>(2)</sup> | Jan<br>2020<br>Mean <sup>(2)</sup> | Feb<br>2020<br>Mean <sup>(2)</sup> | Mar<br><b>2020</b><br>Mean <sup>(2)</sup> | Apr<br>2020<br>Mean <sup>(2)</sup> |
|------------------------------|-------------------------------|--------------------------|----------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|---|------------------------------------|
| Wood Sandpiper               | Tringa glareola               | Υ                        | LC                         | 0.0                                | V                                  | 0.0                                | 0.0                                | 0.0                                       | 2.0                                |
| Common Sandpiper             | Actitis hypoleucos            | Y                        | -                          | V                                  | 0.4                                | V                                  | 0.8                                | 1.5                                       | 1.2                                |
| Black-headed Gull            | Chroicocephalus<br>ridibundus | Y                        | PRC                        | 0.0                                | 0.0                                | 0.0                                | 0.0                                | V   | 0.0                                |
| Red-necked Stint             | Calidris ruficollis           | Υ                        | LC                         | 0.0                                | 0.0                                | 0.0                                | 0.0                                | 0.0                                       | 0.4                                |
| Pied Kingfisher              | Ceryle rudis                  | Y                        | (LC)                       | 0.0                                | 0.6                                | V                                  | 0.0                                | 0.0                                       | 0.2                                |
| White-throated<br>Kingfisher | Halcyon smyrnensis            | Y                        | (LC)                       | 0.0                                | V                                  | V                                  | 0.0                                | 0.3                                       | 0.0                                |
| Pacific Swift                | Apus pacificus                | N                        | (LC)                       | 0.0                                | 0.0                                | 0.0                                | V                                  | 0.0                                       | 0.0                                |
| Common Kingfisher            | Alcedo atthis                 | Υ                        | -                          | 1.2                                | 1.2                                | 0.8                                | 0.5                                | 0.3                                       | 0.2                                |
| Eastern Yellow Wagtail       | Motacilla<br>tschutschensis   | Y                        | -                          | 0.0                                | V                                  | 0.0                                | V                                  | V   | 1.2                                |
| White Wagtail                | Motacilla alba                | Y                        | -                          | 0.6                                | 0.8                                | 1.2                                | 1.0                                | 0.3                                       | 1.8                                |
| Chinese Penduline-Tit        | Remiz consobrinus             | Y                        | RC                         | V                                  | 0.0                                | 0.0                                | 0.0                                | V   | 0.0                                |
|                              |                               | No. of S                 | pecies Recorded            | 14                                 | 20                                 | 17                                 | 20                                 | 19  | 21                                 |

<sup>(1)</sup> Conservation status follows that of Fellows et al. (2002) and BirdLife international listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002).

<sup>(2)</sup> Refers to mean number of individuals recorded in each survey in the Survey Area (excluding the WRA).

<sup>(3)</sup> Follows HK bird list (dated 2017-09-05).

V indicates the species is recorded outside regular surveys

<sup>\*</sup> Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

## **Table B3: Conservation Status Categories of Bird Species**

| Code | Category                   | Brief Description   | Source                        |
|------|----------------------------|---|-------------------------------|
| GC   | Global Concern             | Habitat loss/ damage in Hong Kong would pose significant threat to global survival.   | Fellowes et al. (2002)        |
| RC   | Regional Concern           | Habitat loss/ damage in Hong Kong would pose significant threat to regional survival.   |                               |
| LC   | Local Concern              | Habitat loss/ damage in Hong Kong would pose significant threat to local survival.  |                               |
| PGC  | Potential Global Concern   | Large, secure population in Hong Kong is of global significance.  |                               |
| PRC  | Potential Regional Concern | Large, secure population in Hong Kong is of regional significance.  |                               |
| CR   | Critically Endangered      | Best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinction in the wild. | BirdLife International (2017) |
| EN   | Endangered                 | Best available evidence indicates that it meets any of the criteria A to E for Endangered, and it is therefore considered to be facing a high risk of extinction in the wild.                       |                               |
| VU   | Vulnerable                 | Best available evidence indicates that it meets any of the criteria A to E for Vulnerable, and it is therefore considered to be facing a high risk of extinction in the wild                        |                               |
| NT   | Near Threatened            | Does not quality for Critically Endangered or Vulnerable now, but is close to qualifying for or is likely to qualify for a threatened category in the near future.                                  |                               |

Table B4: Summary of Bird Species Recorded at WRA and their Respective Monthly Mean between September 2010 and October 2012

| Common name                  | Scientific name           | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|------------------------------|---------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe                 | Tachybaptus<br>ruficollis | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 3.8        | 0.8        | 0.5        | 0.5        | 0.0        | 0.6        | 0.0        | 1.4        | 1.6        | 0.8        | 1.0        | 1.3        | 0.2        | 0.0        | 0.2        |
| Great Cormorant              | Phalacrocorax<br>carbo    | Υ                     | PRC                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.4        | 1.2        | 0.7        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Heron                   | Ardea cinerea             | Υ                     | PRC                 | 0.0        | 0.0        | 1.0        | 1.6        | 2.0        | 2.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 2.5        | 1.8        | 8.0        | 2.3        | 0.8        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.4        |
| Purple Heron                 | Ardea purpurea            | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret                  | Ardea alba                | Υ                     | PRC, (RC)           | 0.0        | 0.0        | 0.0        | 0.4        | 14.0       | 2.0        | 0.2        | 0.5        | 0.3        | 0.5        | 0.3        | 0.0        | 1.5        | 1.8        | 8.0        | 1.2        | 0.6        | 0.7        | 0.6        | 0.6        | 1.0        | 0.3        | 0.0        | 0.4        | 0.5        | 1.5        |
| Intermediate<br>Egret        | Egretta intermedia        | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 1.7        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 1.5        | 1.5        | 1.0        | 0.6        | 0.7        | 0.6        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.9        |
| Little Egret                 | Egretta garzetta          | Υ                     | PRC, (RC)           | 0.0        | 0.0        | 0.0        | 1.8        | 8.0        | 2.0        | 0.4        | 0.5        | 8.0        | 0.3        | 0.3        | 1.0        | 1.0        | 0.5        | 1.5        | 1.6        | 1.4        | 2.0        | 1.6        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.3        | 1.2        |
| Eastern Cattle<br>Egret      | Bubulcus<br>coromandus    | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 11.8       | 0.0        | 1.3        | 0.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.0        |
| Chinese Pond<br>Heron        | Ardeola bacchus           | Υ                     | PRC, (RC)           | 0.0        | 0.0        | 1.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.3        | 1.5        | 4.2        | 7.8        | 4.5        | 5.3        | 2.4        | 0.3        | 2.3        | 2.6        | 1.4        | 0.8        | 1.0        | 8.0        | 2.0        | 1.8        | 3.6        |
| Yellow Bittern               | lxobrychus<br>sinensis    | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinnamon<br>Bittern          | lxobrychus<br>cinnamomeus | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned<br>Night Heron | Nycticorax<br>nycticorax  | Y                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian<br>Spoonbill        | Platalea<br>leucorodia    | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Spoonbill     | Platalea minor            | Υ                     | PGC, EN             | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 10.3       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck                | Aix galericulata          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon              | Anas penelope             | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 1.6        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal                | Anas crecca               | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            | 0.0        |
| Northern Pintail             | Anas acuta                | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.2        | 7.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern<br>Shoveler         | Anas clypeata             | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck                  | Aythya fuligula           | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                     | Anas querquedula          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey               | Pandion haliaetus         | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged<br>Kite         | Elanus caeruleus          | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                   | Milvus migrans            | N                     | (RC)                | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.3        | 0.2        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.2        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |
| Crested Serpent<br>Eagle     | Spilornis cheela          | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                    | Scientific name                          | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|--------------------------------|--|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Eastern Buzzard                | Buteo japonicus                          | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel                 | Falco tinnunculus                        | N                     | -                   | 0.0        | 0.0        | 1.0        | 0.4        | 1.0        | 0.3        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby                 | Falco subbuteo                           | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon               | Falco peregrinus                         | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted<br>Eagle       | Clanga clanga                            | N                     | GC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle         | Aquila heliaca                           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail                 | Coturnix japonica                        | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake                | Porzana pusilla                          | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted<br>Waterhen     | Amaurornis<br>phoenicurus                | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.8        | 1.3        | 2.6        | 1.3        | 1.5        | 0.3        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.5        | 1.0        | 0.5        | 0.0        | 0.0        |
| Watercock                      | Gallicrex cinerea                        | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common                         | Gallinula                                |                       | 110                 |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |
| Moorhen                        | chloropus                                | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        |
| Pheasant-tailed<br>Jacana      | Hydrophasianus<br>chirurgus              | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-               | Rostratula                               | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| snipe<br>Black-winged<br>Stilt | benghalensis<br>Himantopus<br>himantopus | Υ                     | RC                  | 8.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet                    | Recurvirostra<br>avosetta                | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental<br>Pratincole         | Glareola<br>maldivarum                   | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed<br>Plover        | Charadrius dubius                        | Y                     | (LC)                | 3.0        | 0.0        | 24.5       | 7.4        | 3.8        | 9.0        | 6.8        | 10.5       | 5.5        | 0.5        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover                 | Charadrius<br>alexandrinus               | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted<br>Redshank            | Tringa erythropus                        | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Redshank             | Tringa totanus                           | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper                | Tringa stagnatilis                       | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Greenshank           | Tringa nebularia                         | Y                     | RC                  | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper                | Tringa ochropus                          | Υ                     | -                   | 0.0        | 0.0        | 1.0        | 0.4        | 0.5        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.2        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        |
| Wood Sandpiper                 | Tringa glareola                          | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        |
| Common<br>Sandpiper            | Actitis hypoleucos                       | Υ                     | -                   | 1.0        | 0.0        | 0.5        | 1.0        | 0.0        | 0.5        | 0.6        | 1.0        | 0.3        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.9        |

| Common name                     | Scientific name                 | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|---------------------------------|---------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Eurasian<br>Woodcock            | Scolopax rusticola              | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/<br>Swinhoe's<br>Snipe^ | Gallinago stenura/<br>G. megala |                       | LC                  | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe                    | Gallinago<br>gallinago          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-necked Stint                | Calidris ruficollis             | Υ                     | LC                  | 3.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint                | Calidris<br>temminckii          | V                     | LC                  | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 2.5        | 0.4        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint                 | Calidris subminuta              | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern                  | Chlidonias hybrida              | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon                 | Columba livia                   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian<br>Collared Dove       | Streptopelia<br>decaocto        | INI                   | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove            | Streptopelia<br>orientalis      | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove                 | Streptopelia<br>tranquebarica   | IN                    | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove                    | Spilopelia<br>chinensis         | IN                    | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | 0.0        | DS         | 0.0        | 0.6        |
| Asian Koel                      | Eudynamys<br>scolopaceus        | IN                    | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Coucal#                 | Centropus<br>sinensis           | N                     |                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Eagle<br>Owl           | Bubo bubo                       |                       | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar                | Caprimulgus<br>affinis          | IN                    | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift                   | Apus pacificus                  | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift                     | Apus nipalensis                 | N                     | -                   | 10.0       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher                 | Ceryle rudis                    | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.5        | 0.2        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        |
| Common<br>Kingfisher            | Alcedo atthis                   | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.4        | 0.5        | 0.3        | 0.0        | 0.3        | 0.5        | 1.0        | 0.3        | 1.0        | 0.8        | 0.5        | 8.0        | 1.0        | 0.4        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.4        |
| White-throated<br>Kingfisher    | Halcyon<br>smyrnensis           | INI                   | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        |
| Eurasian<br>Hoopoe              | Upupa epops                     | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow                    | Hirundo rustica                 | N                     | -                   | 25.0       | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 3.0        | 0.0        |

| Common name                        | Scientific name              | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|------------------------------------|------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Red-rumped<br>Swallow              | Hirundo daurica              | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow<br>Wagtail          | Motacilla<br>tschutschensis  | Υ                     | -                   | 0.0        | 0.0        | 14.5       | 10.2       | 15.0       | 23.5       | 8.2        | 11.8       | 1.8        | 0.0        | 0.0        | 0.2        | 0.8        | 1.5        | 2.0        | 1.2        | 0.6        | 0.0        | 4.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Wagtail                       | Motacilla cinerea            | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail                      | Motacilla alba               | Υ                     | -                   | 3.0        | 0.0        | 0.0        | 1.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | DS         | 1.8        | 3.2        |
| Richard's Pipit                    | Anthus richardi              | N                     | -                   | 0.0        | 0.0        | 1.5        | 0.8        | 0.5        | 1.0        | 1.0        | 1.8        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | DS         | 0.0        | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Olive-backed<br>Pipit              | Anthus hodgsoni              | N                     | -                   | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated<br>Pipit              | Anthus cervinus              | N                     | LC                  | 0.0        | 2.0        | 2.5        | 1.2        | 0.5        | 0.5        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.7        |
| Buff-bellied Pipit                 | Anthus rubescens             | N                     | LC                  | 0.0        | 1.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered<br>Bulbul            | Pycnonotus<br>jocosus        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Bulbul                     | Pycnonotus sinensis          | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        |
| Bull-headed<br>Shrike              | Lanius<br>bucephalus         | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike                       | Lanius cristatus             | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed<br>Shrike              | Lanius schach                | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        |
| Oriental Magpie<br>Robin           | Copsychus<br>saularis        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Daurian Redstart                   | Phoenicurus<br>auroreus      | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Stejneger's<br>Stonechat           | Saxicola<br>stejnegeri       | N                     | -                   | 0.0        | 3.0        | 0.5        | 1.0        | 1.0        | 0.8        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked<br>Laughingthrush           | Garrulax<br>perspicillatus   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        |
| Lanceolated<br>Warbler             | Locustella<br>lanceolata     | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's<br>Grasshopper<br>Warbler | Locustella<br>certhiola      | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed<br>Warbler           | Acrocephalus orientalis      | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Thick-billed<br>Warbler            | Acrocephalus<br>aedon        | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed<br>Reed Warbler       | Acrocephalus<br>bistrigiceps | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                      | Scientific name              | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|----------------------------------|------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common<br>Tailorbird             | Orthotomus<br>sutorius       | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola                | Cisticola juncidis           | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 1.5        | 2.5        | 2.5        | 1.0        | 0.4        | 0.0        | 0.3        | 0.8        | 1.8        | 0.2        | 0.3        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        |
| Yellow-bellied<br>Prinia         | Prinia flaviventris          | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 0.8        | 0.4        |
| Plain Prinia                     | Prinia inornata              | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 0.0        | 0.0        |
| Dusky Warbler                    | Phylloscopus fuscatus        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Leaf<br>Warbler         | Phylloscopus<br>proregulus   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed<br>warbler         | Phylloscopus<br>inornatus    | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.4        |
| Chinese<br>Penduline-Tit         | Remiz<br>consobrinus         | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye           | Zosterops<br>japonica        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Bunting                   | Emberiza pusilla             | N                     | -                   | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Bunting           | Emberiza<br>spodocephala     | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Grosbeak              | Eophona<br>migratoria        | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted<br>Munia          | Lonchura<br>punctulata       | N                     | -                   | 20.0       | 0.0        | 0.0        | 0.0        | 2.5        | 0.0        | 15.0       | 7.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | DS         | 1.5        | 0.0        |
| Eurasian Tree<br>Sparrow         | Passer montanus              | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        |
| Red-billed<br>Starling           | Spodiopsar<br>sericeus       | N                     | (RC)*               | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 8.0        | 1.6        | 6.6        | 39.0       | 17.4       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked<br>Starling        | Spodiopsar<br>cineraceus     | N                     | PRC                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 6.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling       | Gracupica<br>nigricollis     | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        |
| White-<br>shouldered<br>Starling | Sturnia sinensis             | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.5        | 2.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Myna                      | Acridotheres tristis         | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Myna                     | Acridotheres<br>cristatellus | N                     | -                   | 3.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | DS         | 0.0        | V          |
| Black-naped<br>Oriole            | Oriolus chinensis            | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo                     | Dicrurus<br>macrocercus      | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        |

| Common name            | Scientific name         | Wetland<br>Dependence | Conservation status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|------------------------|-------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Azure-winged<br>Magpie | Cyanopica cyanus        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie        | Pica pica               | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.3        | 0.0        |
| Large-billed<br>Crow   | Corvus<br>macrorhynchos | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow          | Corvus torquatus        | N                     | LC, NT              | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.5        | 0.0        | 0.3        | 0.0        | 0.8        | 0.8        | 0.8        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        |

Note: Conservation Status follows that of Fellows et. al. (2002)

<sup>^</sup> Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.

V Indicates the species is recorded outside regular surveys.

DS Indicates species recorded during survey.

<sup>#</sup> Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).

<sup>\*</sup> Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B5: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2012 and October 2014

| Common name                  | Scientific name           | Wetland<br>Dependence | Conservation status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug- | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------|---------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe                 | Tachybaptus<br>ruficollis | Y                     | LC                  | 1.0        | 0.8        | 1.2        | 0.4        | 0.6        | 0.4        | 1.5        | 0.5        | 0.0        | 0.6  | 0.5        | 1.2        | 0.6        | 2.2        | 1.8        | 5.3        | 4.5        | 2.4        | 0.8        | 2.0        | 3.2        | 1.8        | 1.6        | 1.4        |
| Great Cormorant              | Phalacrocorax<br>carbo    | Υ                     | PRC                 | 0.8        | 3.8        | 0.8        | 1.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.2        | V          | 0.4        | 0.6        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Grey Heron                   | Ardea cinerea             | Υ                     | PRC                 | 0.8        | 1.3        | 0.8        | 1.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | V          | 1.0        | 2.8        | 2.6        | 1.6        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 1.6        |
| Purple Heron                 | Ardea purpurea            | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret                  | Ardea alba                | Υ                     | PRC, (RC)           | 1.4        | 0.5        | 1.0        | 8.0        | 0.2        | 0.6        | 0.0        | 8.0        | 0.6        | 0.0  | 0.0        | 0.6        | 0.6        | 2.4        | 1.2        | 1.8        | 8.0        | 0.2        | V          | 0.5        | V          | V          | 0.2        | V          |
| Intermediate<br>Egret        | Egretta intermedia        | Υ                     | RC                  | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Little Egret                 | Egretta garzetta          | Υ                     | PRC, (RC)           | 0.8        | 1.8        | 2.2        | 1.4        | 0.6        | 1.2        | 0.6        | 1.8        | 0.4        | 3.4  | 0.5        | 2.2        | 1.4        | 2.4        | 4.4        | 4.0        | 3.8        | 3.2        | 1.2        | 3.3        | 1.8        | 1.3        | 2.6        | 1.6        |
| Eastern Cattle<br>Egret      | Bubulcus<br>coromandus    | Y                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.6        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Pond<br>Heron        | Ardeola bacchus           | Υ                     | PRC, (RC)           | 1.6        | 1.0        | 2.4        | 0.4        | V          | V          | 0.0        | 0.0        | 8.0        | 2.0  | 0.5        | 1.4        | 1.4        | 2.6        | 6.8        | 3.5        | 2.5        | 1.0        | 1.6        | 1.0        | 1.4        | 1.5        | 4.2        | 1.4        |
| Yellow Bittern               | lxobrychus<br>sinensis    | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 1.0        | 2.5        | 0.2        | 1.4  | 1.3        | 0.8        | 0.4        | 0.2        | 0.0        | 0.0        | V          | V          | 0.4        | 1.3        | 1.0        | 8.0        | 0.2        | 0.2        |
| Cinnamon Bittern             | lxobrychus<br>cinnamomeus | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned<br>Night Heron | Nycticorax<br>nycticorax  | Υ                     | (LC)                | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0  | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Eurasian<br>Spoonbill        | Platalea<br>leucorodia    | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Spoonbill     | Platalea minor            | Υ                     | PGC, EN             | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck                | Aix galericulata          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon              | Anas penelope             | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal                | Anas crecca               | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail             | Anas acuta                | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern<br>Shoveler         | Anas clypeata             | Υ                     | RC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 1.2        | 7.0        | 5.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck                  | Aythya fuligula           | Υ                     | LC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                     | Anas querquedula          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey               | Pandion haliaetus         | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged<br>Kite         | Elanus caeruleus          | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                   | Milvus migrans            | Υ                     | (RC)                | 0.0        | 0.3        | 0.0        | 0.0        | 0.6        | 0.0        | 0.2        | 0.3        | 0.0        | 1.2  | 8.0        | 0.2        | 0.2        | 0.0        | V          | 0.5        | 0.8        | 0.4        | 0.6        | 0.3        | 0.6        | 0.0        | 0.0        | 0.4        |

| Common name                | Scientific name             | Wetland C<br>Dependence | onservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|----------------------------|-----------------------------|-------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent<br>Eagle   | Spilornis cheela            | N                       | (LC)                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard            | Buteo japonicus             | Υ                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Common Kestrel             | Falco tinnunculus           | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby             | Falco subbuteo              | Υ                       | (LC)                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Peregrine Falcon           | Falco peregrinus            | N                       | (LC)                  | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted<br>Eagle   | Clanga clanga               | N                       | GC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle     | Aquila heliaca              | Y                       | -                     | 0.0        | 0.0        |            | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail             | Coturnix japonica           | N                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake            | Porzana pusilla             | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted<br>Waterhen | Amaurornis<br>phoenicurus   | Υ                       | -                     | 0.2        | V          | 0.2        | V          | 0.4        | 0.2        | V          | 1.8        | 0.2        | 0.2        | V          | 0.8        | 0.4        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.2        | V          | 1.4        | 0.5        | 0.5        | 0.2        |
| Watercock                  | Gallicrex cinerea           | Υ                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Moorhen          | Gallinula<br>chloropus      | Υ                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pheasant-tailed<br>Jacana  | Hydrophasianus<br>chirurgus | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-<br>snipe  | Rostratula<br>benghalensis  | Y                       | LC                    | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged<br>Stilt      | Himantopus<br>himantopus    | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.6        | V          | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          |
| Pied Avocet                | Recurvirostra<br>avosetta   | Y                       | RC                    | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental<br>Pratincole     | Glareola<br>maldivarum      | Y                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed<br>Plover    | Charadrius dubius           | Υ                       | (LC)                  | 0.0        | V          | 0.4        | 1.0        | 0.2        |            | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        | V          | 0.5        | 8.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 1.2        |
| Kentish Plover             | Charadrius<br>alexandrinus  | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted<br>Redshank        | Tringa erythropus           | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Redshank         | Tringa totanus              | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper            | Tringa stagnatilis          | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Greenshank       | Tringa nebularia            | Υ                       | RC                    | V          | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Green Sandpiper            | Tringa ochropus             | Y                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | V          | V          | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          |
| Wood Sandpiper             | Tringa glareola             | Υ                       | LC                    | V          | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.4        | 0.3        | 0.0        | 0.2        |

| Common name                  | Scientific name                | Wetland (<br>Dependence | Conservation status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------|--------------------------------|-------------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common<br>Sandpiper          | Actitis hypoleucos             | Υ                       | -                   | 0.2        | V          | V          | 0.0        | V          | 0.2        | 0.2        | 0.0        | V          | 0.6        | V          | 0.8        | 1.6        | 0.2        | V          | 0.3        | 1.3        | 0.2        | 0.4        | V          | V          | 0.3        | 2.6        | 4.4        |
| Eurasian<br>Woodcock         | Scolopax rusticola             | Υ                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^    | Gallinago<br>stenura/G. megala | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe                 | Gallinago<br>gallinago         | Υ                       | -                   | 0.0        | ٧          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-necked Stint             | Calidris ruficollis            | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint             | Calidris temminckii            | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        |
| Long-toed Stint              | Calidris subminuta             | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern               | Chlidonias hybrida             | Υ                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon              | Columba livia                  | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian<br>Collared Dove    | Streptopelia decaocto          | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Oriental Turtle<br>Dove      | Streptopelia<br>orientalis     | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove              | Streptopelia<br>tranquebarica  | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove                 | Spilopelia<br>chinensis        | N                       | -                   | 0.4        | 1.2        | 0.4        | 0.0        | 0.2        | 0.2        | 0.4        | 0.5        | 8.0        | 2.8        | 2.0        | 2.6        | 2.6        | 3.0        | 6.2        | 2.3        | 2.0        | 1.0        | 0.6        | 1.6        | 1.2        | 1.3        | 2.2        | 3.6        |
| Asian Koel                   | Eudynamys<br>scolopaceus       | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Coucal#              | Centropus<br>sinensis          | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.2        | 0.2        | 0.0        | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.8        | 0.3        | 8.0        | 0.5        | 0.2        | 0.2        |
| Eurasian Eagle<br>Owl        | Bubo bubo                      | N                       | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar             | Caprimulgus<br>affinis         | N                       | -                   | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift                | Apus pacificus                 | N                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift                  | Apus nipalensis                | N                       | -                   | 0.0        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher              | Ceryle rudis                   | Y                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.4        | V          | 0.3        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Common<br>Kingfisher         | Alcedo atthis                  | Υ                       | -                   | 0.2        | 0.3        | 0.5        | 0.4        | 0.2        | 0.2        | 0.6        | 0.3        | 0.4        | 0.4        | 8.0        | 1.0        | 2.0        | 1.6        | 1.2        | 2.3        | 0.8        | 1.0        | 1.2        | 1.8        | 0.6        | 1.3        | 1.4        | 1.8        |
| White-throated<br>Kingfisher | Halcyon<br>smyrnensis          | Υ                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Eurasian Hoopoe              | Upupa epops                    | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow                 | Hirundo rustica                | N                       | -                   | 0.2        | 1.0        | 0.0        | 0.2        | 9.2        | 23.0       | 11.2       | 0.0        | 1.4        | 1.8        | 1.0        | 0.0        | V          | 0.0        | 0.0        | 0.5        | 7.8        | 15.4       | 18.0       | 1.5        | 1.0        | 1.5        | 0.4        | V          |
| Red-rumped<br>Swallow        | Hirundo daurica                | N                       | -                   | 1.2        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                        | Scientific name              | Wetland C<br>Dependence | onservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------------|------------------------------|-------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Eastern Yellow<br>Wagtail          | Motacilla<br>tschutschensis  | Υ                       | -                     | 0.2        | 0.3        | 1.4        | 2.8        | 2.2        | 2.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.6        | 0.6        | 1.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.2        |
| Grey Wagtail                       | Motacilla cinerea            | Υ                       | -                     | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail                      | Motacilla alba               | Υ                       | -                     | 2.6        | 1.3        | 8.0        | 3.0        | 4.8        | 2.0        | 1.0        | 0.0        | 1.2        | 0.4        | 3.5        | 2.8        | 3.6        | 2.6        | 1.2        | 1.3        | 2.5        | 1.6        | 0.6        | 1.2        | 0.8        | 1.8        | 1.8        | 3.2        |
| Richard's Pipit                    | Anthus richardi              | N                       | -                     | 0.2        | 0.4        | 1.2        | 0.4        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 8.0        | 2.0        | 2.3        | 3.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Olive-backed<br>Pipit              | Anthus hodgsoni              | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.6        | 1.2        | 1.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated<br>Pipit              | Anthus cervinus              | N                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| <b>Buff-bellied Pipit</b>          | Anthus rubescens             | N                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered<br>Bulbul            | Pycnonotus<br>jocosus        | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 2.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.0        | V          | 0.0        | 0.8        | 1.3        | 0.3        | 0.2        | 0.0        | 0.0        | 0.2        | 0.3        | 1.2        | 0.0        |
| Chinese Bulbul                     | Pycnonotus sinensis          | N                       | -                     | 0.0        | 0.2        | 2.0        | 0.2        | 0.2        | 3.2        | 2.0        | 3.8        | 0.0        | 2.4        | 3.5        | 0.2        | 1.8        | 4.0        | 3.8        | 0.5        | 0.8        | 1.6        | 1.8        | 2.3        | 2.2        | 2.3        | 0.4        | 4.6        |
| Bull-headed<br>Shrike              | Lanius bucephalus            | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Brown Shrike                       | Lanius cristatus             | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed<br>Shrike              | Lanius schach                | N                       | -                     | 0.2        | 0.0        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.4        | 0.2        | 0.3        | 0.2        | 0.0        | 0.2        | V          | 0.3        | 0.0        | 0.0        | 0.2        | 0.3        | 0.4        | 0.5        | V          | 0.0        |
| Oriental Magpie<br>Robin           | Copsychus<br>saularis        | N                       | -                     | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.5        | 0.0        | 0.2        | 0.3        | V          | 0.2        | 0.2        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.3        | V          | V          | V          | 0.0        |
| Daurian Redstart                   | Phoenicurus<br>auroreus      | N                       | -                     | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.2        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Stejneger's<br>Stonechat           | Saxicola stejnegeri          | N                       | -                     | 0.4        | 0.4        | 0.8        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.2        | 0.4        | 0.5        | 0.3        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |
| Masked<br>Laughingthrush           | Garrulax<br>perspicillatus   | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.4        | 0.8        | V          | 0.5        | 0.2        | 0.2        | 0.5        | V          | 1.5        | 8.0        | 0.0        |
| Lanceolated<br>Warbler             | Locustella<br>lanceolata     | Υ                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's<br>Grasshopper<br>Warbler | Locustella<br>certhiola      | Y                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed<br>Warbler           | Acrocephalus<br>orientalis   | Υ                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Thick-billed<br>Warbler            | Acrocephalus<br>aedon        | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed<br>Reed Warbler       | Acrocephalus<br>bistrigiceps | Υ                       | -                     | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Tailorbird               | Orthotomus<br>sutorius       | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        |
| Zitting Cisticola                  | Cisticola juncidis           | Υ                       | LC                    | 0.0        | 0.3        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name           | Wetland C<br>Dependence | onservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------|---------------------------|-------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Yellow-bellied<br>Prinia     | Prinia flaviventris       | N                       | -                     | 0.0        | 0.8        | 0.6        | 0.8        | 1.4        | 4.6        | 4.4        | 5.0        | 2.4        | 1.8        | 3.0        | 2.4        | 0.8        | 1.0        | 0.8        | 1.3        | 2.8        | 0.8        | 0.8        | 0.4        | 0.0        | 0.0        | 0.4        | 0.0        |
| Plain Prinia                 | Prinia inornata           | N                       | -                     | 1.2        | 0.4        | V          | 1.4        | 0.2        | 0.2        | 0.2        | 0.5        | 0.8        | 0.4        | 0.3        | 0.0        | 0.4        | 0.0        | 0.2        | V          | 0.8        | 2.0        | 1.0        | 0.0        | 2.6        | 4.3        | 3.4        | 0.0        |
| Dusky Warbler                | Phylloscopus fuscatus     | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        | 0.4        | 0.8        | 1.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          |
| Pallas's Leaf<br>Warbler     | Phylloscopus proregulus   | N                       |                       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler        | Phylloscopus<br>inornatus | N                       | -                     | 0.8        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.5        | 0.0        | V          |
| Chinese<br>Penduline-Tit     | Remiz<br>consobrinus      | Υ                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 4.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye       | Zosterops<br>japonica     | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Little Bunting               | Emberiza pusilla          | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Bunting       | Emberiza<br>spodocephala  | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Grosbeak          | Eophona<br>migratoria     | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted<br>Munia      | Lonchura<br>punctulata    | N                       | -                     | 0.0        | 0.0        | 0.0        | 1.0        | 2.2        | 1.0        | 0.0        | 0.0        | 2.0        | 0.4        | 0.3        | 0.0        | 0.0        | 1.8        | 1.8        | V          | 1.8        | V          | 3.2        | 5.8        | 8.0        | 1.5        | 1.3        | 0.0        |
| Eurasian Tree<br>Sparrow     | Passer montanus           | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 8.8        | 3.6        |
| Red-billed<br>Starling       | Spodiopsar<br>sericeus    | Υ                       | (RC)*                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| White-cheeked<br>Starling    | Spodiopsar cineraceus     | Y                       | PRC                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling   | Gracupica<br>nigricollis  | N                       | -                     | 0.0        | 0.0        | 8.0        | 0.4        | 0.2        | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.8        | 1.6        | 0.8        | 0.5        | 1.8        | 0.2        | 0.2        | V          | 1.0        | 1.0        | 1.2        | 1.4        |
| White-shouldered<br>Starling | Sturnia sinensis          | Y                       | (LC)                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | V          |
| Common Myna                  | Acridotheres tristis      | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Crested Myna                 | Acridotheres cristatellus | N                       | -                     | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 8.0        | 0.2        | 0.0        | 0.0        | 2.0        | 1.8        | 1.4        | 0.5        | 1.3        | 1.0        | 0.6        | 1.0        | 1.2        | 3.5        | 0.2        | 1.8        |
| Black-naped<br>Oriole        | Oriolus chinensis         | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo                 | Dicrurus<br>macrocercus   | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 1.5        | 0.0        | 0.2        |
| Azure-winged<br>Magpie       | Cyanopica cyanus          | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie              | Pica pica                 | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 8.0        | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name       | Scientific name         | Wetland C<br>Dependence | onservation<br>status |     |     | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 |     |     |     | Sep-<br>13 |     |     | Dec-<br>13 |     | Feb-<br>14 |     |     | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 |     | Oct-<br>14 |
|-------------------|-------------------------|-------------------------|-----------------------|-----|-----|------------|------------|------------|------------|------------|-----|-----|-----|------------|-----|-----|------------|-----|------------|-----|-----|------------|------------|------------|------------|-----|------------|
| Large-billed Crow | Corvus<br>macrorhynchos | NI NI                   | -                     | 0.0 | 0.0 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0 | 0.0 | 0.0 | 0.0        | 0.0 | 0.0 | 0.0        | 0.0 | 0.0        | 0.0 | 0.0 | 0.0        | 0.3        | 0.0        | 0.0        | 0.0 | 0.0        |
| Collared Crow     | Corvus torquatus        | Υ                       | LC, NT                | 0.0 | 0.0 | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0 | 0.0 | 0.0 | 0.0        | 0.2 | 0.2 | 0.0        | 0.0 | V          | 0.5 | 0.8 | 0.4        | 0.0        | 0.6        | 0.0        | 0.4 | V          |

Notes: Conservation Status follows that of Fellows et. al. (2002)

<sup>^</sup> Pintail Snip and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.

V Indicates the species is recorded outside regular surveys.

DS Indicates species recorded during survey.

<sup>#</sup> Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).

<sup>\*</sup> Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B6: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2014 and October 2016

| Common name                  | Scientific name           | Wetland<br>Dependence | Conservation status |     | Dec- | Jan-<br>15 | Feb- | Mar- | Apr- | May- | Jun- | Jul-<br>15 | Aug- | Sep- | Oct- | Nov- | Dec- | Jan-<br>16 | Feb- | Mar- | Apr- | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug- | Sep- | Oct- |
|------------------------------|---------------------------|-----------------------|---------------------|-----|------|------------|------|------|------|------|------|------------|------|------|------|------|------|------------|------|------|------|------------|------------|------------|------|------|------|
|                              |                           |                       |                     |     |      |            |      |      |      |      |      |            |      |      |      |      |      |            |      |      |      |            |            |            |      |      |      |
| Little Grebe                 | Tachybaptus<br>ruficollis | Y                     | LC                  | 2.5 | 1.2  | 2.0        | 2.0  | 2.0  | 0.8  | 1.2  | 2.8  | 1.6        | 1.8  | 1.0  | 2.0  | 2.3  | 2.4  | 3.2        | 3.3  | 3.8  | 2.4  | 1.4        | 0.8        | 1.5        | 1.4  | 0.8  | V    |
| Great Cormorant              | Phalacrocorax carbo       | Υ                     | PRC                 | 0.5 | 1.8  | 2.0        | 8.0  | 0.6  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.2  | 0.0  | 0.6  | 0.2        | V    | V    | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.5  |
| Grey Heron                   | Ardea cinerea             | Y                     | PRC                 | 2.3 | 2.6  | 5.3        | 4.8  | 0.8  | V    | 0.0  | 0.0  | 0.0        | 0.0  | 0.4  | 1.8  | 1.3  | 2.0  | 1.2        | 2.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.8  | 0.8  |
| Purple Heron                 | Ardea purpurea            | Υ                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.2  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Great Egret                  | Ardea alba                | Y                     | PRC, (RC)           | 0.5 | 1.6  | 0.8        | 0.3  | V    | 0.3  | V    | 0.0  | 0.2        | 0.3  | 1.8  | 1.0  | 0.3  | 0.4  | 0.8        | 0.3  | 0.6  | 0.2  | 0.2        | 0.2        | 0.3        | 0.6  | 1.0  | 0.8  |
| Intermediate<br>Egret        | Egretta<br>intermedia     | Y                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | V    | 0.0  | 0.0  | 0.0  | V          | V    | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Little Egret                 | Egretta garzetta          | Υ                     | PRC, (RC)           | 3.0 | 3.6  | 5.3        | 3.5  | 4.6  | 6.3  | 1.4  | 0.6  | 0.2        | 1.8  | 2.0  | 1.8  | 2.3  | 4.8  | 8.2        | 3.0  | 1.6  | 2.6  | 1.2        | 2.4        | 2.8        | 4.6  | 3.6  | 6.3  |
| Eastern Cattle<br>Egret      | Bubulcus<br>coromandus    | Υ                     | (LC)                | 0.0 | 0.0  | V          | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.8  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | V    | 0.0        | V          | 0.3        | 0.0  | V    | V    |
| Chinese Pond<br>Heron        | Ardeola<br>bacchus        | Y                     | PRC, (RC)           | 2.0 | 2.8  | 2.3        | 2.8  | 1.2  | 1.8  | 0.6  | 0.8  | 1.8        | 1.3  | 2.8  | 5.4  | 3.3  | 8.2  | 3.6        | 2.0  | 1.8  | 0.6  | 1.2        | 1.6        | 5.3        | 2.6  | 5.6  | 6.3  |
| Yellow Bittern               | lxobrychus<br>sinensis    | Υ                     | (LC)                | 0.3 | 0.2  | 0.0        | 0.0  | 0.2  | 0.5  | 0.4  | 1.6  | 0.6        | 1.0  | 0.6  | 2.6  | 0.3  | 0.8  | 0.4        | 0.5  | 0.2  | 0.6  | 0.6        | 1.4        | 4.8        | 2.0  | 8.0  | 0.8  |
| Cinnamon Bittern             | lxobrychus<br>cinnamomeus | Υ                     | LC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | ٧    | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Black-crowned<br>Night Heron | Nycticorax<br>nycticorax  | Υ                     | (LC)                | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | V    | ٧    | V          | ٧    | 0.0  | V    | 0.0  | 0.0  | 0.0        | V    | 0.0  | 0.0  | 0.2        | V          | 1.8        | 0.4  | V    | 0.0  |
| Eurasian<br>Spoonbill        | Platalea<br>leucorodia    | Υ                     | LC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Black-faced<br>Spoonbill     | Platalea minor            | Υ                     | PGC, EN             | 0.0 | V    | V          | 0.0  | V    | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | V    | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Mandarin Duck                | Aix galericulata          | Υ                     | -                   | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Eurasian Wigeon              | Anas penelope             | Υ                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Eurasian Teal                | Anas crecca               | Υ                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Northern Pintail             | Anas acuta                | Υ                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Northern<br>Shoveler         | Anas clypeata             | Y                     | RC                  | 0.0 | 0.2  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 1.8  | 0.2  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Tufted Duck                  | Aythya fuligula           | Y                     | LC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Garganey                     | Anas<br>querquedula       | Y                     | -                   | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Western Osprey               | Pandion<br>haliaetus      | Y                     | RC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.4  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Black-winged<br>Kite         | Elanus<br>caeruleus       | Υ                     | LC                  | 0.0 | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | V    | 0.0  | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0        | 0.0        | 0.0        | 0.0  | 0.0  | 0.0  |
| Black Kite                   | Milvus migrans            | Υ                     | (RC)                | 0.0 | 0.4  | 0.0        | 0.3  | 0.4  | 0.5  | 0.2  | 0.2  | 0.0        | 0.0  | 0.2  | 0.4  | 0.3  | 0.8  | 0.2        | 0.5  | 1.0  | 0.2  | V          | 0.2        | V          | 0.4  | 0.0  | 0.0  |

| Common name                | Scientific name            | Wetland<br>Dependence | Conservation status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|----------------------------|----------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent Eagle      | Spilornis cheela           | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested<br>Goshawk         | Accipiter<br>trivirgatus   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Greater Spotted Eagle      | Clanga clanga              | Υ                     | GC                  | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial<br>Eagle  | Aquila heliaca             | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard            | Buteo japonicus            | Υ                     | -                   | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel             | Falco<br>tinnunculus       | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon           | Falco<br>peregrinus        | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby             | Falco subbuteo             | Y                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Japanese Quail             | Coturnix<br>japonica       | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake            | Porzana pusilla            | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted<br>Waterhen | Amaurornis phoenicurus     | Υ                     | -                   | 0.5        | V          | 0.8        | 1.0        | 8.0        | 0.3        | V          | V          | 0.2        | V          | 0.2        | 0.6        | 0.0        | 8.0        | 0.4        | V          | 0.4        | 0.4        | 0.8        | 0.2        | 0.3        | 0.4        | 0.6        | 0.3        |
| Watercock                  | Gallicrex<br>cinerea       | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Moorhen          | Gallinula<br>chloropus     | Υ                     | -                   | V          | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        |
| Pheasant-tailed<br>Jacana  | Hydrophasianus chirurgus   | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-<br>snipe  | Rostratula<br>benghalensis | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged<br>Stilt      | Himantopus<br>himantopus   | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.8        | 0.0        | V          | V          | 0.0        | 1.6        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.3        |
| Pied Avocet                | Recurvirostra<br>avosetta  | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental<br>Pratincole     | Glareola<br>maldivarum     | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Pacific Golden<br>Plover   | Pluvialis fulva            | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed<br>Plover    | Charadrius<br>dubius       | Υ                     | (LC)                | 1.8        | 0.2        | 0.8        | 0.5        | 1.6        | 1.8        | 2.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover             | Charadrius<br>alexandrinus | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted<br>Redshank        | Tringa<br>erythropus       | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                 | Scientific name                   | Wetland C<br>Dependence | onservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|-----------------------------|-----------------------------------|-------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common                      | Tringa totanus                    | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Redshank  Marsh Sandpiper   | Tringa                            | Y                       | RC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common                      | stagnatilis<br>Tringa nebularia   | Y                       | RC                    | V          | V          | ٧.         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V.         | V.         | V.         | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Greenshank                  |                                   |                         | RC                    | •          | v          | V          |            |            |            |            |            |            |            |            |            |            | •          |            |            |            | <u> </u>   |            |            |            |            |            |            |
| Green Sandpiper             | <u> </u>                          | Y                       | -                     | 0.3        | 0.2        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.8        | 0.4        | 0.2        | V          | V          | V 0.4      | 0.0        | 0.0        | 0.0        | 0.0        | 2.4        | 0.8        |
| Wood Sandpiper<br>Common    | Tringa glareola<br>Actitis        |                         | LC                    | 0.0        | 2.2        | V          | V          | V          | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | V          | 0.5        | 0.0        | 0.4        | 0.0        | 0.0        | V          | V          | 0.6        | V          |
| Sandpiper                   | hypoleucos                        | Υ                       | -                     | 0.8        | 1.2        | 3.0        | 2.0        | 2.2        | 0.5        | 0.0        | 0.0        | 0.0        | 0.3        | 1.2        | 0.6        | 0.3        | 1.2        | 1.4        | 0.5        | 0.6        | 1.0        | 1.0        | 0.0        | 0.5        | V          | 0.2        | 1.5        |
| Eurasian<br>Woodcock        | Scolopax<br>rusticola             | Y                       | -                     | 0.0        | 0.0.       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/Swinhoe's<br>Snipe^ | Gallinago<br>stenura/G.<br>megala | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe                | Gallinago<br>gallinago            | Y                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Red-necked Stint            | Calidris ruficollis               | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint            | Calidris<br>temminckii            | Y                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint             | Calidris<br>subminuta             | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern              | Chlidonias<br>hybrida             | Υ                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon             | Columba livia                     | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle<br>Dove     | Streptopelia<br>orientalis        | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove             | Streptopelia<br>tranquebarica     | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove                | Spilopelia<br>chinensis           | N                       | -                     | 1.5        | 4.2        | 3.8        | 1.3        | 2.2        | 6.0        | 3.6        | 1.6        | 2.2        | 2.0        | 3.0        | 3.4        | 1.3        | 4.8        | 6.0        | 3.5        | 3.4        | 2.2        | 2.2        | 1.8        | 3.0        | 3.4        | 2.2        | 2.5        |
| Eurasian<br>Collared Dove   | Streptopelia<br>decaocto          | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 4.6        | 11.0       | 0.2        | 0.0        | 0.4        | 0.0        | 0.0        | 0.6        | 0.4        | 0.5        |
| Asian Koel                  | Eudynamys<br>scolopaceus          | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.2        | 0.0        | 0.3        | ٧          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.2        | 0.2        | 0.3        | 0.2        | ٧          | 0.0        |
| Greater Coucal#             | Centropus<br>sinensis             | N                       | -                     | V          | 0.2        | 0.3        | 0.3        | 0.6        | 1.0        | 0.4        | 0.2        | 0.2        | V          | V          | 0.0        | 0.5        | 1.0        | 0.0        | 0.8        | V          | 0.2        | 0.6        | 0.6        | 0.8        | 0.4        | 0.2        | 0.3        |
| Eurasian Eagle<br>Owl       | Bubo bubo                         | N                       | RC                    | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar            | Caprimulgus<br>affinis            | N                       | -                     | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name             | Wetland C<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|------------------------------|-----------------------------|-------------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Pacific Swift                | Apus pacificus              | N                       | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| House Swift                  | Apus nipalensis             | N                       | -                      | 0.0        | 0.0        | 14.51      | 105.8      | 14.4       | 8.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher              | Ceryle rudis                | Υ                       | (LC)                   | 0.0        | 0.4        | 0.5        | 0.3        | 0.2        | 0.0        | 0.2        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.3        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| White-throated<br>Kingfisher | Halcyon<br>smyrnensis       | Υ                       | (LC)                   | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.4        | 0.3        | 0.4        | 0.4        | 0.3        | 0.0        | 0.2        | V          | V          | 0.5        | 0.2        | 0.4        | V          |
| Common<br>Kingfisher         | Alcedo atthis               | Y                       | -                      | 1.3        | 0.8        | 1.8        | 2.8        | 1.4        | 1.5        | 0.8        | 8.0        | 0.2        | 0.5        | 0.6        | 2.2        | 1.5        | 3.0        | 3.0        | 1.3        | 1.6        | 1.4        | 2.0        | 0.6        | 2.0        | 0.2        | 0.6        | 0.8        |
| Eurasian Hoopoe              | Upupa epops                 | N                       | -                      | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow                 | Hirundo rustica             | N                       | -                      | 0.5        | 0.0        | 13.0       | 15.3       | 14.4       | 9.8        | 0.2        | 2.2        | 0.8        | V          | 8.0        | V          | 2.0        | V          | 0.0        | V          | 1.6        | 1.6        | V          | 1.4        | V          | V          | 0.2        | 0.0        |
| Red-rumped<br>Swallow        | Hirundo daurica             | N                       | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.4        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow<br>Wagtail    | Motacilla<br>tschutschensis | Y                       | -                      | 1.8        | 0.4        | 2.0        | 4.3        | 2.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 1.8        | 1.4        | 2.0        | 1.2        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Grey Wagtail                 | Motacilla<br>cinerea        | Y                       | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail                | Motacilla alba              | Y                       | -                      | 4.0        | 5.6        | 6.3        | 9.5        | 4.8        | 3.3        | 1.4        | V          | 0.0        | 0.3        | 0.4        | 0.4        | 0.8        | 3.8        | 4.0        | 2.0        | 1.0        | 1.2        | 0.2        | V          | 0.3        | 0.4        | 0.6        | 1.0        |
| Richard's Pipit              | Anthus richardi             | N                       | -                      | 0.3        | 0.0        | 0.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Olive-backed<br>Pipit        | Anthus<br>hodgsoni          | N                       | -                      | 0.3        | 2.2        | 0.3        | 1.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 2.8        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated<br>Pipit        | Anthus cervinus             | N                       | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit           | Anthus rubescens            | N                       | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered<br>Bulbul      | Pycnonotus<br>jocosus       | N                       | -                      | 0.8        | 3.4        | 7.3        | 1.3        | 0.6        | 0.8        | 1.0        | 2.6        | 5.8        | 4.5        | 1.4        | 1.0        | 5.3        | 11.0       | 20.0       | 6.5        | 1.6        | 4.6        | 2.6        | 4.6        | 1.8        | 4.0        | 4.4        | 8.0        |
| Chinese Bulbul               | Pycnonotus<br>sinensis      | N                       | -                      | 5.3        | 3.0        | 24.8       | 10.0       | 4.8        | 6.3        | 5.6        | 4.6        | 2.6        | 1.8        | 2.6        | 1.4        | 3.0        | 10.2       | 9.0        | 5.8        | 1.0        | 1.8        | 2.2        | 3.0        | 7.8        | 7.8        | 0.4        | 1.5        |
| Sooty-headed<br>Bulbul       | Pycnonotus<br>aurigaster    | N                       | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.4        | 2.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed<br>Shrike        | Lanius<br>bucephalus        | N                       | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike                 | Lanius cristatus            | N                       | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed<br>Shrike        | Lanius schach               | N                       | -                      | 0.0        | 0.2        | 0.8        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | 0.4        | 0.3        | 0.6        | 0.2        | 0.3        | V          | 0.6        | 0.4        | V          | 0.5        | 0.4        | 0.4        | 0.0        |
| Oriental Magpie<br>Robin     | Copsychus<br>saularis       | N                       | -                      | 0.0        | 0.2        | 0.5        | 8.0        | 0.6        | 0.5        | 0.2        | 1.2        | 0.2        | 0.0        | 0.0        | 0.2        | 0.5        | 0.2        | 0.4        | 0.5        | 1.0        | 0.6        | V          | V          | 1.3        | 1.2        | 0.2        | 0.0        |
| Daurian Redstart             | Phoenicurus<br>auroreus     | N                       | -                      | 0.3        | 1.6        | 0.8        | 0.5        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.0        | 0.8        | 0.8        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Stejneger's<br>Stonechat     | Saxicola<br>stejnegeri      | N                       | -                      | 0.3        | 0.2        | 0.3        | 0.8        | 0.8        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.2        | 0.5        | 1.0        | 0.6        | 0.5        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | V          |

| Common name                        | Scientific name            | Wetland (<br>Dependence | Conservation status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|------------------------------------|----------------------------|-------------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Grey-backed thrush                 | Turdus<br>hortulorum       | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked<br>Laughingthrush           | Garrulax<br>perspicillatus | N                       | -                   | 0.0        | 1.2        | 0.0        | 1.5        | 1.0        | 1.3        | 1.2        | 0.4        | 2.4        | 3.0        | 1.2        | V          | V          | 2.6        | 2.0        | 2.5        | 2.6        | 1.6        | 2.8        | 1.6        | 8.0        | 1.4        | 0.4        | 0.0        |
| Lanceolated<br>Warbler             | Locustella<br>lanceolata   | Υ                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's<br>Grasshopper<br>Warbler | Locustella<br>certhiola    | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed<br>Warbler           | Acrocephalus<br>orientalis | Υ                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        |
| Thick-billed<br>Warbler            | Acrocephalus<br>aedon      | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed<br>Reed Warbler       | Acrocephalus bistrigiceps  | Υ                       | -                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Tailorbird               | Orthotomus<br>sutorius     | N                       | -                   | 0.5        | 1.2        | 1.0        | 1.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        |
| Dusky Warbler                      | Phylloscopus<br>fuscatus   | N                       | -                   | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Leaf<br>Warbler           | Phylloscopus<br>proregulus | N                       | -                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler              | Phylloscopus<br>inornatus  | N                       | -                   | 0.3        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola                  | Cisticola<br>juncidis      | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.2        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-bellied<br>Prinia           | Prinia<br>flaviventris     | N                       | -                   | 0.5        | 0.0        | 0.3        | 0.3        | 2.6        | 0.8        | 2.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.8        | 0.6        | 0.8        | 0.0        | 0.2        | 1.3        | 0.2        | ٧          | V          |
| Plain Prinia                       | Prinia inornata            | N                       | -                   | 2.8        | 0.2        | 1.3        | 3.5        | 1.6        | 2.8        | 1.2        | 1.0        | 1.6        | 1.5        | 0.6        | 0.6        | 2.3        | 1.0        | 0.6        | 8.0        | 1.0        | 0.6        | 2.8        | 1.8        | 0.8        | 1.0        | 0.2        | 0.5        |
| Asian Brown<br>Flycatcher          | Muscicapa<br>dauurica      | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Penduline-Tit           | Remiz<br>consobrinus       | Υ                       | RC                  | 0.0        | 0.4        | 1.5        | 4.5        | 3.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Tit**                        | Parus major                | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye             | Zosterops<br>japonica      | N                       | -                   | 0.0        | 1.0        | V          | V          | 0.2        | 0.0        | 0.2        | V          | 3.8        | 4.3        | 0.0        | 0.0        | 0.0        | 0.4        | 3.2        | V          | V          | 0.0        | 1.4        | 0.4        | V          | 8.0        | 8.0        | V          |
| Little Bunting                     | Emberiza<br>pusilla        | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Bunting             | Emberiza<br>spodocephala   | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Grosbeak                | Eophona<br>migratoria      | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                | Scientific name           | Wetland C<br>Dependence | onservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr- |     | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|----------------------------|---------------------------|-------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|-----|------------|------------|------------|------------|------------|
| Scaly-breasted<br>Munia    | Lonchura<br>punctulata    | N                       | -                     | 3.3        | 0.6        | V          | V          | 4.0        | 11.3       | 0.6        | V          | V          | 3.3        | 1.6        | 0.4        | 2.3        | 2.2        | 1.4        | 0.0        | 0.2        | ٧    | 0.0 | 0.0        | 0.0        | 2.2        | V          | 0.0        |
| Eurasian Tree<br>Sparrow   | Passer<br>montanus        | N                       | -                     | 0.0        | ٧          | 4.5        | 4.0        | 1.4        | 0.0        | 0.2        | 0.0        | 0.4        | 0.0        | 0.6        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 1.4 | 1.4        | 0.0        | V          | V          | 0.0        |
| Red-billed<br>Starling     | Spodiopsar<br>sericeus    | Υ                       | (RC)*                 | 0.0        | 0.0        | 0.0        | 24.5       | V          | 0.0        | V          | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.0        | 8.0        | 0.0        | 0.0  | 0.0 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked<br>Starling  | Spodiopsar<br>cineraceus  | Y                       | PRC                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.8  | V   | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling | Gracupica<br>nigricollis  | N                       | -                     | 0.3        | 3.0        | 1.3        | 2.0        | 4.2        | 2.3        | 2.0        | 1.0        | 1.6        | 1.8        | 0.4        | 1.6        | V          | 2.2        | 1.0        | 3.5        | 0.4        | 1.0  | 1.0 | 0.8        | 0.8        | 2.2        | 0.6        | 1.8        |
| White-shouldered Starling  | Sturnia sinensis          | Y                       | (LC)                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | ٧    | 0.2 | V          | 0.0        | V          | 0.0        | V          |
| Common Myna                | Acridotheres<br>tristis   | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0  | 0.0 | 0.0        | 0.5        | V          | 0.0        | 0.0        |
| Crested Myna               | Acridotheres cristatellus | N                       | -                     | 2.8        | 4.0        | 0.0        | 0.5        | 2.2        | 2.3        | 2.8        | 6.8        | 0.4        | 1.8        | 0.2        | 0.6        | V          | 4.8        | 1.2        | 3.8        | 1.2        | 4.6  | 0.6 | 1.8        | 0.3        | 4.4        | 1.0        | 0.0        |
| Black-naped<br>Oriole      | Oriolus<br>chinensis      | Υ                       | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo               | Dicrurus<br>macrocercus   | N                       | -                     | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.3        | 1.6        | 0.6        | 0.0        | V          | 0.2        | 0.3        | 0.0        | 0.0  | 0.0 | 0.0        | 0.0        | 1.0        | 1.2        | 1.5        |
| Azure-winged<br>Magpie     | Cyanopica<br>cyanus       | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie            | Pica pica                 | N                       | -                     | 0.0        | 0.0        | 0.3        | 0.8        | V          | 0.5        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 1.0        | 0.2        | 0.2  | V   | 0.0        | V          | 0.0        | 0.0        | V          |
| Large-billed Crow          | Corvus<br>macrorhynchos   | N                       | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 9.0  | 0.6 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow              | Corvus<br>torquatus       | Υ                       | LC, NT                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.6        | 0.4        | 0.0        | V          | 0.4        | 0.0        | V          | 0.2  | 0.0 | V          | V          | V          | 0.4        | 0.0        |

<sup>(1)</sup> Conservation Status follows that of Fellowes et. al. (2002). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

<sup>^</sup>Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe

V indicates the species is recorded outside regular surveys

DS indicates species recorded during surveys

<sup>#</sup> Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II).

<sup>\*</sup> Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

<sup>\*\*</sup> The species name is updated as Cinereous Tit, Parus cinereus, since June 2017.

Table B7: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2016 and October 2018

| Common name                  | Scientific name           | Wetland<br>Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug- | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|------------------------------|---------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe                 | Tachybaptus<br>ruficollis |                       | LC                  | 1.8        | 3.4        | 2.3        | 4.0        | 5.0        | 1.3        | 0.4        | 0.6        | V          | 0.8  | 2.0        | 0.8        | 1.8        | 3.3        | 0.6        | 1.2        | 1.0        | 2.8        | 2.4        | 1.8        | 2.4        | 4.3        | 2.0        | 3.6        |
| Great Cormorant              | Phalacrocorax<br>carbo    | V                     | PRC                 | 0.8        | 1.8        | 0.3        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | V          | 0.8        | 0.4        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        |
| Grey Heron                   | Ardea cinerea             | Υ                     | PRC                 | 1.4        | 3.4        | 2.3        | 4.2        | 2.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 1.2        | 2.5        | 2.5        | 1.0        | 0.4        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.8        |
| Purple Heron                 | Ardea purpurea            | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Great Egret                  | Ardea alba                | Υ                     | PRC, (RC)           | 8.0        | 2.2        | 1.5        | 2.4        | 1.2        | 1.3        | 2.2        | 8.0        | 0.8        | 0.6  | 0.2        | 0.8        | 2.5        | 1.0        | 0.8        | 1.6        | 1.0        | 0.3        | 0.6        | 1.5        | V          | 0.3        | 0.8        | 1.8        |
| Intermediate<br>Egret        | Egretta<br>intermedia     |                       | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        |
| Little Egret                 | Egretta garzetta          | Υ                     | PRC, (RC)           | 5.8        | 5.6        | 9.3        | 4.2        | 6.4        | 4.0        | 19.4       | 2.4        | 0.3        | 4.6  | 2.6        | 10.2       | 62.3       | 15.0       | 4.0        | 2.8        | 5.8        | 4.0        | 3.8        | 4.0        | 4.4        | 2.3        | 3.8        | 3.4        |
| Eastern Cattle<br>Egret      | Bubulcus<br>coromandus    |                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | V          | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | V          |
| Chinese Pond<br>Heron        | Ardeola bacchus           | Y                     | PRC, (RC)           | 5.6        | 4.4        | 6.5        | 6.2        | 3.6        | 1.0        | 2.0        | 8.0        | 1.5        | 4.0  | 1.6        | 4.2        | 4.0        | 7.0        | 1.0        | 0.6        | 0.3        | 1.3        | 1.0        | 2.0        | 2.4        | 1.8        | 2.3        | 1.6        |
| Yellow Bittern               | lxobrychus<br>sinensis    | Y                     | (LC)                | 0.2        | 0.8        | 0.0        | 0.2        | 0.4        | 0.5        | 0.8        | 2.0        | 0.5        | 1.2  | 0.6        | 0.2        | 0.8        | 0.0        | 0.2        | 0.0        | 0.3        | 0.0        | 0.4        | 0.3        | 0.4        | 0.8        | 0.3        | 0.4        |
| Cinnamon Bittern             | lxobrychus<br>cinnamomeus | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | ٧          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned<br>Night Heron | Nycticorax<br>nycticorax  | Y                     | (LC)                | V          | 0.0        | V          | V          | 0.0        | V          | 0.4        | V          | V          | 0.0  | 0.2        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | V          | V          | 0.3        | V          | 0.0        |
| Eurasian<br>Spoonbill        | Platalea<br>leucorodia    | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Spoonbill     | Platalea minor            | Υ                     | PGC, EN             | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck                | Aix galericulata          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon              | Anas penelope             | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal                | Anas crecca               | Υ                     | RC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail             | Anas acuta                | Y                     | RC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern<br>Shoveler         | Anas clypeata             | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck                  | Aythya fuligula           | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                     | Anas<br>querquedula       | V                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey               | Pandion haliaetus         | Υ                     | RC                  | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Besra                        | Accipiter virgatus        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        |
| Black-winged Kite            | Elanus caeruleus          | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                   | Milvus migrans            | Υ                     | (RC)                | V          | 0.4        | 0.3        | 1.0        | 0.4        | 0.3        | 0.0        | 0.0        | V          | 0.2  | 0.6        | 0.0        | 1.0        | 8.0        | 0.2        | 0.6        | 0.3        | 0.5        | 0.2        | 0.5        | 0.6        | 0.3        | 0.8        | 0.6        |

| Common name                | Scientific name             | Wetland<br>Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|----------------------------|-----------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent Eagle      | Spilornis cheela            | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Goshawk            | Accipiter<br>trivirgatus    | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted<br>Eagle   | Clanga clanga               | Y                     | GC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial<br>Eagle  | Aquila heliaca              | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard            | Buteo japonicus             | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel             | Falco tinnunculus           | N                     | -                   | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon           | Falco peregrinus            | N                     | (LC)                | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby             | Falco subbuteo              | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail             | Coturnix japonica           | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake            | Porzana pusilla             | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted<br>Waterhen | Amaurornis<br>phoenicurus   | Y                     | -                   | 0.0        | 0.4        | 0.3        | 0.2        | 0.6        | 1.0        | 0.6        | 0.2        | 0.5        | 0.2        | 0.4        | 0.0        | 0.3        | 0.3        | 0.0        | V          | 0.3        | 0.3        | 0.2        | 0.3        | 1.0        | 0.5        | 1.0        | 0.2        |
| Watercock                  | Gallicrex cinerea           | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Moorhen          | Gallinula<br>chloropus      | Y                     | -                   | V          | V          | 0.3        | 0.6        | V          | 8.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.0        | V          | V          | V          | V          | 0.0        | V          | V          | 3.5        | 1.3        | 1.2        |
| Pheasant-tailed<br>Jacana  | Hydrophasianus<br>chirurgus | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Greater Painted-<br>snipe  | Rostratula<br>benghalensis  | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt         | Himantopus<br>himantopus    | Υ                     | RC                  | 0.6        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet                | Recurvirostra<br>avosetta   | Y                     | RC                  | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental<br>Pratincole     | Glareola<br>maldivarum      | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Golden<br>Plover   | Pluvialis fulva             | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed<br>Plover    | Charadrius<br>dubius        | Y                     | (LC)                | 0.0        | 1.4        | V          | 0.8        | 8.0        | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | V          | 0.0        | 0.0        | 1.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover             | Charadrius<br>alexandrinus  | Υ                     | RC                  | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted<br>Redshank        | Tringa erythropus           | Υ                     | RC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Redshank         | Tringa totanus              | Υ                     | RC                  | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                   | Wetland<br>Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|---------------------------|-----------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common<br>Greenshank      | Tringa nebularia                  | Υ                     | RC                  | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper           | Tringa stagnatilis                | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper           | Tringa ochropus                   | Υ                     | -                   | 0.6        | 2.0        | 0.8        | 0.8        | 0.4        | 0.8        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | 1.3        | 1.8        | 0.6        | V          | 0.0        | V          | 0.0        | 0.0        |
| Wood Sandpiper            | Tringa glareola                   | Υ                     | LC                  | 0.6        | 0.2        | V          | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.6        | 0.2        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common                    | Actitis                           | V                     | _                   | 0.4        | 0.4        | 0.8        | 2.2        | 0.6        | 1.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.6        | 0.8        | 0.3        | 0.8        | 0.4        | 1.5        | 1.3        | 0.2        | 0.0        | 0.4        | V          | 0.0        | 0.6        |
| Sandpiper                 | hypoleucos                        |                       |                     | 0.1        | 0. 1       | 0.0        |            | 0.0        | 1.0        | 0.0        | 0.0        |            | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.1        | 1.0        | 1.0        | 0.2        | 0.0        | 0.1        | •          | 0.0        | 0.0        |
| Eurasian<br>Woodcock      | Scolopax<br>rusticola             | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^ | Gallinago<br>stenura/G.<br>megala | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe              | Gallinago<br>gallinago            | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          |
| Red-necked Stint          | Calidris ruficollis               | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint          | Calidris<br>temminckii            | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint           | Calidris<br>subminuta             | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-headed<br>Gull      | Chroicocephalus ridibundus        | Y                     | PRC                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern            | Chlidonias<br>hybrida             | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon           | Columba livia                     | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle<br>Dove   | Streptopelia<br>orientalis        | NI.                   | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove           | Streptopelia<br>tranquebarica     | NI.                   | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove              | Spilopelia<br>chinensis           | N                     | -                   | 2.6        | 3.8        | 7.0        | 4.2        | 4.4        | 2.0        | 1.0        | 1.4        | 1.8        | 2.8        | 5.3        | 4.8        | 2.3        | 8.0        | 5.8        | 6.2        | 2.0        | 3.5        | 3.8        | 3.0        | 3.2        | 3.8        | 4.8        | 5.0        |
| Eurasian Collared<br>Dove | Streptopelia<br>decaocto          |                       | -                   | 0.2        | 0.6        | 2.8        | 0.8        | 0.2        | 0.3        | 0.4        | 1.0        | V          | 0.4        | 0.8        | 2.0        | V          | 0.5        | 5.8        | 0.8        | 0.8        | 1.5        | 1.6        | 1.8        | 0.4        | 1.0        | 2.0        | 4.2        |
| Asian Koel                | Eudynamys<br>scolopaceus          |                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.8        | 1.2        | ٧          | 0.4        | V          | 0.0        | 0.0        |
| Greater Coucal#           | Centropus<br>sinensis             | NI.                   | -                   | V          | 0.6        | 0.3        | 0.6        | 0.8        | 0.5        | 0.4        | V          | 0.5        | 0.4        | 0.3        | 0.4        | 0.0        | 0.0        | 0.3        | 0.2        | 0.8        | 1.0        | 0.6        | 0.3        | 0.6        | 0.5        | 0.8        | 0.4        |
| Eurasian Eagle<br>Owl     | Bubo bubo                         | N                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | Caprimulgus<br>affinis            | N                     | -                   | 0.0        | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name             | Wetland Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|------------------------------|-----------------------------|--------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Pacific Swift                | Apus pacificus              | N                  | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift                  | Apus nipalensis             |                    | -                   | V          | V          | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 7.8        | 3.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher              | Ceryle rudis                | Υ                  | (LC)                | 0.2        | 0.6        | 0.5        | V          | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | V          | V          | V          | 0.3        | 0.4        |
| Black-capped<br>Kingfisher   | Halcyon pileata             | Y                  | (LC)                | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-throated<br>Kingfisher | Halcyon<br>smyrnensis       | Υ                  | (LC)                | 0.2        | 0.4        | V          | 0.4        | 0.2        | V          | 0.2        | 0.2        | 0.3        | 0.0        | 0.0        | 0.2        | 0.3        | 0.5        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | 0.3        | V          | 0.2        |
| Common<br>Kingfisher         | Alcedo atthis               | Y                  | -                   | 2.2        | 1.4        | 1.8        | 2.6        | 2.0        | 0.3        | 1.0        | 0.2        | 0.8        | 0.4        | 0.4        | 1.2        | 1.0        | 1.5        | 0.2        | 0.2        | 0.5        | 1.0        | 0.4        | ٧          | 0.4        | 0.5        | 1.0        | 1.6        |
| Eurasian Hoopoe              | Upupa epops                 | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow                 | Hirundo rustica             | N                  | -                   | 0.0        | 0.0        | 0.0        | 1.4        | 1.2        | 1.5        | 1.6        | 0.0        | 8.0        | V          | 1.3        | 0.0        | 1.0        | V          | 2.3        | 13.2       | 4.0        | 4.5        | 2.8        | 8.0        | 2.2        | 2.3        | 1.0        | 0.8        |
| Red-rumped<br>Swallow        | Hirundo daurica             | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow<br>Wagtail    | Motacilla<br>tschutschensis | Y                  | -                   | 0.6        | 0.4        | V          | V          | 0.4        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Wagtail                 | Motacilla cinerea           | Υ                  | -                   | 0.0        | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| White Wagtail                | Motacilla alba              | Υ                  | -                   | 1.6        | 2.2        | V          | 1.0        | 1.0        | 1.0        | 0.6        | 0.4        | V          | 0.0        | 1.4        | 2.0        | 1.5        | 3.5        | 3.2        | 1.6        | 1.5        | 0.3        | V          | 0.0        | 0.2        | V          | 0.0        | 8.0        |
| Richard's Pipit              | Anthus richardi             | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Olive-backed<br>Pipit        | Anthus hodgsoni             | N                  | -                   | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 2.5        | 0.0        | 0.0        | 0.2        | 0.0        | 8.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated<br>Pipit        | Anthus cervinus             | N                  | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit           | Anthus rubescens            | N                  | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered<br>Bulbul      | Pycnonotus<br>jocosus       | N                  | -                   | 1.8        | 3.2        | 4.3        | 1.8        | 1.8        | 2.0        | 1.4        | 1.2        | 1.5        | 0.0        | 6.0        | 7.4        | V          | 2.0        | 2.0        | 4.4        | 4.3        | 6.8        | 1.6        | 2.0        | 1.4        | 5.0        | 4.5        | 10.8       |
| Chinese Bulbul               | Pycnonotus<br>sinensis      | N                  | -                   | 0.4        | 1.4        | 10.8       | 4.0        | 1.6        | 2.8        | 2.0        | 1.2        | 1.5        | 1.2        | 1.8        | 3.6        | V          | 8.0        | 2.8        | 8.2        | 1.8        | 2.5        | 3.8        | 2.5        | 0.4        | 0.5        | 2.0        | 0.8        |
| Sooty-headed<br>Bulbul       | Pycnonotus<br>aurigaster    | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-flanked<br>Bluetail      | Tarsiger<br>cyanurus        |                    | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed<br>Shrike        | Lanius<br>bucephalus        | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike                 | Lanius cristatus            | N                  | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed<br>Shrike        | Lanius schach               |                    | -                   | 0.6        | 0.2        | V          | 0.2        | 0.4        | 0.0        | 0.0        | V          | 0.3        | 1.2        | 0.3        | 2.2        | 2.0        | 1.3        | 0.3        | 1.8        | V          | V          | 0.0        | ٧          | 1.2        | 0.5        | 8.0        | 1.0        |
| Oriental Magpie<br>Robin     | Copsychus<br>saularis       | N                  | -                   | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.6        | 8.0        | 1.3        | 1.2        | 0.0        | 0.0        | 2.0        | V          | 0.0        | 0.0        | 0.5        | 2.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                        | Scientific name              | Wetland<br>Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|------------------------------------|------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Daurian Redstart                   | Phoenicurus<br>auroreus      | N                     | -                   | 0.2        | 0.4        | V          | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.8        | 2.0        | 0.8        | 0.8        | 0.5        | 0.0        | 0.0        | 0.0        | 2.4        | 0.0        | 0.0        | 0.0        |
| Stejneger's<br>Stonechat           | Saxicola<br>stejnegeri       | N                     | -                   | 0.2        | 0.6        | 0.3        | 0.4        | 0.4        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.3        | 1.8        | 0.3        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        |
| Chinese<br>Blackbird               | Turdus<br>mandarinus         | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Grey-backed thrush                 | Turdus<br>hortulorum         | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked<br>Laughingthrush           | Garrulax<br>perspicillatus   | N                     | -                   | 0.2        | 0.6        | 1.5        | 0.8        | V          | 0.8        | 1.2        | 1.0        | 0.5        | 0.2        | 0.0        | 0.4        | 2.3        | 2.0        | 1.3        | 1.2        | 1.5        | 6.5        | 3.2        | 0.3        | 3.0        | 0.5        | 0.0        | V          |
| Lanceolated<br>Warbler             | Locustella<br>lanceolata     | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's<br>Grasshopper<br>Warbler | Locustella<br>certhiola      | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed<br>Warbler           | Acrocephalus<br>orientalis   | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Thick-billed<br>Warbler            | Acrocephalus<br>aedon        | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed<br>Reed Warbler       | Acrocephalus<br>bistrigiceps | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Common<br>Tailorbird               | Orthotomus<br>sutorius       | N                     | -                   | V          | 0.0        | 0.3        | 0.2        | 0.6        | 0.5        | 0.0        | V          | V          | V          | 0.0        | 1.4        | 1.8        | 0.0        | 1.8        | 8.0        | V          | 6.3        | 2.0        | 0.8        | V          | V          | V          | 0.0        |
| Dusky Warbler                      | Phylloscopus<br>fuscatus     | N                     | -                   | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Pallas's Leaf<br>Warbler           | Phylloscopus<br>proregulus   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed<br>warbler           | Phylloscopus inornatus       | N                     |                     | 0.0        | V          | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bluethroat                         | Luscinia svecica             | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola Yellow-bellied   | Cisticola juncidis           | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Prinia                             | Prinia flaviventris          | N                     | -                   | 0.6        | 0.0        | 0.0        | 1.4        | 1.0        | 1.0        | 1.8        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.5        | 0.0        | V          | 0.5        | 0.6        | 1.3        | 0.0        | 0.0        | 0.0        | 8.0        |
| Plain Prinia                       | Prinia inornata              | N                     | -                   | 0.4        | 0.2        | 1.0        | 8.0        | 0.2        | 0.5        | 0.6        | 8.0        | 0.3        | 0.2        | V          | 0.0        | 0.8        | 0.3        | 1.0        | 0.6        | 8.0        | 0.0        | 0.0        | 8.0        | 0.0        | V          | 0.0        | 0.0        |
| Asian Brown<br>Flycatcher          | Muscicapa<br>dauurica        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Penduline-Tit           | Remiz<br>consobrinus         | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinereous Tit                      | Parus cinereus               | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye             | Zosterops<br>japonica        | N                     | -                   | 0.0        | 1.6        | V          | 0.0        | 0.4        | 0.0        | 0.2        | 0.4        | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          |

| Common name                | Scientific name              | Wetland<br>Dependence | Conservation status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|----------------------------|------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Bunting             | Emberiza pusilla             | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Bunting     | Emberiza<br>spodocephala     | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Grosbeak        | Eophona<br>migratoria        | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted<br>Munia    | Lonchura<br>punctulata       | N                     | -                   | 0.8        | 0.0        | V          | 0.0        | 0.0        | 2.8        | 0.0        | V          | 1.5        | 0.0        | 4.5        | 1.2        | 0.0        | 4.0        | 3.3        | V          | V          | 2.8        | 3.6        | 3.5        | 5.0        | 0.8        | 1.0        | 0.0        |
| Eurasian Tree<br>Sparrow   | Passer montanus              | N                     | -                   | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 2.0        | 1.4        | V          | 1.0        | 3.3        | 0.2        | 0.0        | 1.8        | 0.0        | 2.3        | 1.6        | 4.8        | 5.8        | 4.0        |
| Red-billed<br>Starling     | Spodiopsar<br>sericeus       | Υ                     | (RC)*               | V          | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 5.0        | 0.8        | 8.4        | V          | V          | 0.0        | 0.0        | 0.3        | 0.2        | V          | 0.0        | 0.0        |
| White-cheeked<br>Starling  | Spodiopsar<br>cineraceus     | Υ                     | PRC                 | 0.0        | 0.0        | V          | 0.6        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling | Gracupica<br>nigricollis     | N                     | -                   | 0.2        | 0.2        | 0.3        | 0.6        | 0.4        | 0.5        | 0.4        | 0.4        | 1.0        | 1.4        | 1.0        | 2.2        | 0.8        | 2.5        | 3.0        | 1.2        | 0.8        | 0.3        | 0.2        | 0.8        | 3.2        | 0.8        | 0.3        | 11.4       |
| White-shouldered Starling  | Sturnia sinensis             | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 1.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Myna                | Acridotheres<br>tristis      | N                     | -                   | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          |
| Crested Myna               | Acridotheres<br>cristatellus | N                     | -                   | 6.2        | 1.8        | 5.8        | 0.4        | 0.6        | 1.5        | 0.2        | 2.6        | V          | 2.0        | 4.0        | 3.2        | 9.8        | 1.5        | 4.3        | 2.4        | 3.0        | 2.3        | 1.6        | 2.8        | 4.0        | 0.5        | 1.5        | 6.6        |
| Black-naped<br>Oriole      | Oriolus chinensis            | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo               | Dicrurus<br>macrocercus      | N                     | -                   | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.3        | 1.0        | V          | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        |
| Azure-winged<br>Magpie     | Cyanopica<br>cyanus          | N                     | -                   | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 1.0        | 0.4        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        |
| Eurasian Magpie            | Pica pica                    | N                     | -                   | 0.0        | 0.2        | V          | 0.4        | 0.2        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 1.4        | 0.8        | 0.5        | 1.0        | V          | 0.5        | 0.3        | 0.6        | 0.0        | 0.0        | 0.5        | 8.0        | 0.6        |
| Large-billed Crow          | Corvus<br>macrorhynchos      | N                     | -                   | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Collared Crow              | Corvus torquatus             | Υ                     | LC, NT              | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |            | V          | 0.0        | 1.2        |            | V          |            | 0.0        | V          | 0.0        | 8.0        | 0.8        |

Note: Conservation Status follows that of Fellows et. al. (2002) Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

Pintail Snip and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.

V Indicates the species is recorded outside regular surveys.

DS Indicates species recorded during survey.

<sup>#</sup> Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).

<sup>\*</sup> Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B8: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2018 and October 2019

| Common name                  | Scientific name           | Wetland<br>Dependence | Conservation status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|------------------------------|---------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe                 | Tachybaptus<br>ruficollis | Y                     | LC                  | 3.8        | 3.5        | 1.5        | 1.0        | 1.4        | 2.0        | 1.6        | 1.0        | 1.6        | 1.2        | 2.5        | 2.4        | 2.2        | 1.4        | 0.2        | 1.0        | 1.3        | 0.8        |
| Great Cormorant              | Phalacrocorax carbo       | Υ                     | PRC                 | V          | 1.8        | 6.3        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | 0.8        | 0.8        | 0.0        | 0.0        |
| Grey Heron                   | Ardea cinerea             | Y                     | PRC                 | 2.0        | 5.5        | 2.8        | 2.8        | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 1.3        | 1.2        | 5.4        | 1.2        | 1.8        | 2.0        | 0.3        | V          |
| Purple Heron                 | Ardea purpurea            | Y                     | RC                  | 0.5        | V          | V          | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret                  | Ardea alba                | Υ                     | PRC, (RC)           | 1.3        | 3.8        | 2.3        | 2.5        | 0.6        | 1.8        | 1.0        | 2.0        | 0.6        | 1.2        | 0.5        | 1.4        | 1.8        | 1.4        | 3.4        | 3.5        | 0.8        | 0.2        |
| Intermediate<br>Egret        | Egretta intermedia        | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Egret                 | Egretta garzetta          | Y                     | PRC, (RC)           | 3.3        | 7.8        | 7.3        | 8.3        | 3.4        | 5.3        | 3.6        | 7.0        | 6.6        | 5.8        | 5.5        | 4.0        | 6.0        |            | 16.4       | 7.3        | 11.0       | 5.2        |
| Eastern Cattle<br>Egret      | Bubulcus<br>coromandus    | Y                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        |
| Chinese Pond<br>Heron        | Ardeola bacchus           | Y                     | PRC, (RC)           | 1.8        | 4.3        | 4.5        | 2.0        | 1.4        | 1.5        | 1.8        | 5.0        | 3.6        | 2.8        | 2.3        | 2.8        | 5.6        | 5.2        | 3.4        | 2.3        | 2.8        | 1.4        |
| Yellow Bittern               | Ixobrychus sinensis       | Y                     | (LC)                | 0.3        | V          | V          | V          | 0.2        | 0.5        | 0.4        | 1.0        | 1.0        | 0.6        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinnamon Bittern             | lxobrychus<br>cinnamomeus | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned<br>Night Heron | Nycticorax<br>nycticorax  | Y                     | (LC)                | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.2        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Eurasian<br>Spoonbill        | Platalea leucorodia       | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Spoonbill     | Platalea minor            | Y                     | PGC, EN             | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        |
| Mandarin Duck                | Aix galericulata          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon              | Anas penelope             | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal                | Anas crecca               | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail             | Anas acuta                | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler            | Anas clypeata             | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck                  | Aythya fuligula           | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                     | Anas querquedula          | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey               | Pandion haliaetus         | Y                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Besra                        | Accipiter virgatus        | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Kite            | Elanus caeruleus          | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                   | Milvus migrans            | Y                     | (RC)                | 0.5        | 0.3        | 0.0        | 0.3        | 0.2        | 0.5        | 0.2        | 0.0        | 0.2        | 0.2        | 0.3        | 0.4        | 0.2        | 0.0        | V          | V          | V          | V          |
| Crested Serpent<br>Eagle     | Spilornis cheela          | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                | Scientific name             | Wetland<br>Dependence | Conservation status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|----------------------------|-----------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Goshawk            | Accipiter trivirgatus       | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted<br>Eagle   | Clanga clanga               | Υ                     | GC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial<br>Eagle  | Aquila heliaca              | Y                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard            | Buteo japonicus             | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        |
| Common Kestrel             | Falco tinnunculus           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon           | Falco peregrinus            | N                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Asian Barred<br>Owlet      | Glaucidium cuculoides       | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby             | Falco subbuteo              | Y                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail             | Coturnix japonica           | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake            | Porzana pusilla             | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted<br>Waterhen | Amaurornis<br>phoenicurus   | Υ                     | -                   | V          | V          | 0.0        | 0.3        | 0.6        | 0.8        | 1.0        | V          | V          | 0.6        | V          | 0.2        | 0.2        | 0.2        | 0.4        | 0.3        | 0.3        | 1.8        |
| Watercock                  | Gallicrex cinerea           | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Coot              | Fulica atra                 | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Moorhen          | Gallinula chloropus         | Y                     | -                   | 1.5        | V          | V          | 0.3        | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | V          | 0.3        | 0.2        |
| Pheasant-tailed<br>Jacana  | Hydrophasianus<br>chirurgus | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-<br>snipe  | Rostratula<br>benghalensis  | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt         | Himantopus<br>himantopus    | Υ                     | RC                  | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.0        |
| Pied Avocet                | Recurvirostra<br>avosetta   | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental<br>Pratincole     | Glareola maldivarum         | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 4.2        |
| Pacific Golden<br>Plover   | Pluvialis fulva             | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        |
| Little Ringed Plover       | Charadrius dubius           | Υ                     | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.3        | 0.0        |
| Kentish Plover             | Charadrius<br>alexandrinus  | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted<br>Redshank        | Tringa erythropus           | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Redshank         | Tringa totanus              | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                | Scientific name                | Wetland (<br>Dependence | Conservation status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|----------------------------|--------------------------------|-------------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common<br>Greenshank       | Tringa nebularia               | Y                       | RC                  | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        |
| Marsh Sandpiper            | Tringa stagnatilis             | Y                       | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper            | Tringa ochropus                | Y                       | -                   | 0.0        | 0.0        | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        | V          | 0.5        | 1.0        | V          |
| Wood Sandpiper             | Tringa glareola                | Y                       | LC                  | 0.0        | V          | 1.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 2.0        |
| Common<br>Sandpiper        | Actitis hypoleucos             | Υ                       | -                   | V          | V          | 0.3        | 0.8        | 0.4        | 0.5        | 0.2        | V          | 0.0        | 0.2        | 1.3        | 0.0        | V          | 0.4        | V          | 0.8        | 1.5        | 1.2        |
| Eurasian<br>Woodcock       | Scolopax rusticola             | Υ                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/Swinhoe's Snipe^   | Gallinago stenura/G.<br>megala | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe               | Gallinago gallinago            | Y                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-necked Stint           | Calidris ruficollis            | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |
| Temminck's Stint           | Calidris temminckii            | Y                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint            | Calidris subminuta             | Υ                       | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-headed<br>Gull       | Chroicocephalus ridibundus     | Υ                       | PRC                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Whiskered Tern             | Chlidonias hybrida             | Υ                       | =                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon            | Columba livia                  | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle<br>Dove    | Streptopelia<br>orientalis     | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove            | Streptopelia<br>tranquebarica  | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove               | Spilopelia chinensis           | N                       | -                   | 6.3        | 7.0        | 4.8        | 5.0        | 2.2        | 3.0        | 2.6        | 3.5        | 3.2        | 4.0        | 3.5        | 2.8        | 4.2        | 2.4        | 1.2        | 1.0        | 2.3        | 3.2        |
| Eurasian Collared<br>Dove  | Streptopelia<br>decaocto       | N                       | -                   | 3.0        | 2.3        | V          | 1.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.4        | 0.3        | 0.4        | V          | V          | 0.4        | V          | 0.0        | 0.2        |
| Asian Koel                 | Eudynamys<br>scolopaceus       | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.8        | 0.4        | 0.8        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        |
| Greater Coucal#            | Centropus sinensis             | N                       | -                   | 0.5        | 0.3        | 0.0        | 0.0        | 0.4        | V          | V          | 1.0        | 0.2        | 0.2        | 0.5        | 0.6        | 0.6        | 0.0        | 0.6        | V          | 0.5        | 0.8        |
| Eurasian Eagle<br>Owl      | Bubo bubo                      | N                       | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar           | Caprimulgus affinis            | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift              | Apus pacificus                 | N                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| House Swift                | Apus nipalensis                | N                       | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 1.3        | 1.4        |
| Pied Kingfisher            | Ceryle rudis                   | Υ                       | (LC)                | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | V          | 0.0        | 0.0        | 0.2        |
| Black-capped<br>Kingfisher | Halcyon pileata                | Υ                       | (LC)                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name             | Wetland<br>Dependence | Conservation status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|------------------------------|-----------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| White-throated<br>Kingfisher | Halcyon smyrnensis          | Υ                     | (LC)                | 0.3        | 0.3        | V          | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.3        | 0.0        |
| Common<br>Kingfisher         | Alcedo atthis               | Y                     | -                   | 0.5        | 0.3        | 8.0        | 0.5        | 0.6        | 0.5        | 0.2        | 8.0        | 0.2        | 0.4        | 0.5        | 8.0        | 1.2        | 1.2        | 8.0        | 0.5        | 0.3        | 0.2        |
| Blue-tailed Bee-<br>eater    | Merops philippinus          | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hoopoe              | Upupa epops                 | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow                 | Hirundo rustica             | N                     | -                   | 0.0        | 1.8        | V          | 2.5        | 4.8        | 3.8        | 1.8        | 3.5        | 1.2        | 1.8        | V          | 0.0        | 0.0        | 0.0        | 2.0        | V          | 3.0        | 6.6        |
| Red-rumped<br>Swallow        | Hirundo daurica             | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow<br>Wagtail    | Motacilla<br>tschutschensis | Υ                     | -                   | 0.0        | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | V          | 1.2        |
| Grey Wagtail                 | Motacilla cinerea           | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail                | Motacilla alba              | Y                     | -                   | 1.8        | 0.8        | 8.0        | 3.0        | V          | 1.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.4        | 0.6        | 8.0        | 1.2        | 1.0        | 0.3        | 1.8        |
| Richard's Pipit              | Anthus richardi             | N                     | -                   | 0.0        | 0.0        | 0.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.5        | 0.3        | 0.8        |
| Olive-backed Pipit           | Anthus hodgsoni             | N                     | -                   | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.3        | 0.2        |
| Red-throated Pipit           | Anthus cervinus             | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit           | Anthus rubescens            | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered<br>Bulbul      | Pycnonotus jocosus          | N                     | -                   | 2.0        | 4.5        | 0.5        | 8.0        | 1.2        | V          | 1.8        | 1.0        | 0.0        | 3.2        | 1.5        | 0.6        | V          | 4.4        | 3.4        | 2.5        | 2.8        | 1.2        |
| Chinese Bulbul               | Pycnonotus sinensis         | N                     | -                   | V          | 0.5        | 1.8        | 3.8        | 2.0        | 3.5        | 1.0        | 1.3        | 3.4        | 0.6        | 0.5        | 4.0        | 2.8        | 1.6        | 3.4        | 2.3        | 3.5        | 2.0        |
| Sooty-headed<br>Bulbul       | Pycnonotus<br>aurigaster    | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        |
| Red-flanked<br>Bluetail      | Tarsiger cyanurus           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed<br>Shrike        | Lanius bucephalus           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike                 | Lanius cristatus            | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed Shrike           | Lanius schach               | N                     | -                   | 8.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.3        | 0.0        | 0.0        |
| Oriental Magpie<br>Robin     | Copsychus saularis          | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | V          | 0.5        | 1.0        |
| Daurian Redstart             | Phoenicurus<br>auroreus     | N                     | -                   | 0.5        | 2.8        | 1.5        | 8.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 8.0        | 0.4        | V          | 0.5        | V          | 0.0        |
| Stejneger's<br>Stonechat     | Saxicola stejnegeri         | N                     | -                   | 0.8        | 2.8        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | V          | 0.0        | V          | V          | 0.3        | 0.0        |
| Chinese Blackbird            | Turdus mandarinus           | N                     | -                   | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Grey-backed thrush           | Turdus hortulorum           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                        | Scientific name              | Wetland<br>Dependence | Conservation status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|------------------------------------|------------------------------|-----------------------|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Masked<br>Laughingthrush           | Garrulax<br>perspicillatus   | N                     | -                   | 2.0        | 0.0        | 1.0        | 0.3        | V          | 1.3        | 1.0        | 1.3        | 1.8        | 4.4        | V          | 0.0        | V          | V          | 0.8        | 0.5        | 1.0        | 0.4        |
| Lanceolated<br>Warbler             | Locustella lanceolata        | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's<br>Grasshopper<br>Warbler | Locustella certhiola         | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed<br>Warbler           | Acrocephalus<br>orientalis   | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Thick-billed<br>Warbler            | Acrocephalus aedon           | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed<br>Reed Warbler       | Acrocephalus<br>bistrigiceps | Υ                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common<br>Tailorbird               | Orthotomus sutorius          | N                     | -                   |            | 0.3        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | V          | 0.2        |
| Dusky Warbler                      | Phylloscopus<br>fuscatus     | N                     | -                   | 0.3        | 4.3        | 3.0        | 2.8        | V          | V          | 0.0        | 0.5        | 0.2        | 1.0        | 8.0        | 0.2        | V          | 0.0        | V          | V          | 1.0        | 0.4        |
| Pallas's Leaf<br>Warbler           | Phylloscopus<br>proregulus   | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler              | Phylloscopus<br>inornatus    | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Bluethroat                         | Luscinia svecica             | N                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola                  | Cisticola juncidis           | Υ                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-bellied<br>Prinia           | Prinia flaviventris          | N                     | -                   | 0.3        | 3.0        | 2.3        | 1.8        | 0.8        | 0.0        | 0.0        | 0.5        | 0.0        | V          | 0.0        | 0.6        | 0.6        | 0.0        | V          | V          | 1.5        | 1.6        |
| Plain Prinia                       | Prinia inornata              | N                     | -                   | 0.3        | 0.0        | V          | V          | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        | 0.2        | V          | V          | V          | V          | V          | 0.2        |
| Asian Brown Flycatcher             | Muscicapa dauurica           | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Penduline-Tit           | Remiz consobrinus            | Υ                     | RC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Cinereous Tit                      | Parus cinereus               | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Japanese Tit                       | Parus minor                  | N                     | -                   | 0          | 0          | 0          | 0          | 0          | 0          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye             | Zosterops japonica           | N                     | -                   | 1.3        | 0.0        | 0.0        | 6.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | V          | V          | V          | 0.0        |
| Little Bunting                     | Emberiza pusilla             | N                     | -                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Black-faced<br>Bunting             | Emberiza<br>spodocephala     | N                     | -                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese<br>Grosbeak                | Eophona migratoria           | Y                     | LC                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted<br>Munia            | Lonchura punctulata          | N                     | -                   | V          | 5.3        | 2.8        | 0.0        | 1.6        | 0.0        | 1.6        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.6        | 3.0        | 1.8        | 2.3        | 2.0        |

| Common name                | Scientific name              | Wetland Control Dependence | onservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 |
|----------------------------|------------------------------|----------------------------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Eurasian Tree<br>Sparrow   | Passer montanus              | N                          | -                     | 7.3        | 6.5        | 3.0        | 4.0        | V          | 1.5        | 0.0        | 1.0        | 0.0        | 0.8        | 0          | 1.6        | 2.4        | 1.0        | 0.0        | 0.0        | 0.3        | 0.2        |
| Red-billed<br>Starling     | Spodiopsar sericeus          | Y                          | (RC)*                 | 0.0        | V          | V          | 0.0        | 0.0        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked<br>Starling  | Spodiopsar<br>cineraceus     | Y                          | PRC                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling | Gracupica nigricollis        | N                          | -                     | 4.3        | 3.8        | 1.5        | 2.3        | V          | 0.3        | 0.2        | 0.5        | 0.0        | 1.6        | 0.0        | 1.0        | 0.0        | V          | V          | V          | 1.0        | 0.8        |
| White-shouldered Starling  | Sturnia sinensis             | Y                          | (LC)                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Myna                | Acridotheres tristis         | N                          | -                     | 0.5        | 0.5        | 0.5        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Myna               | Acridotheres<br>cristatellus | N                          | -                     | 2.3        | 5.5        | 8.0        | 4.8        | 1.6        | 0.8        | 1.4        | 1.5        | 0.6        | 0.4        | 2.5        | 0.6        | 1.0        | 0.8        | 1.2        | 0.0        | 0.3        | 4.0        |
| Black-naped<br>Oriole      | Oriolus chinensis            | Y                          | LC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo               | Dicrurus<br>macrocercus      | N                          | -                     | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.2        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Hair-crested<br>Drongo     | Dicrurus hottentottus        | N                          | -                     | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Azure-winged<br>Magpie     | Cyanopica cyanus             | N                          | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | V          | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie            | Pica pica                    | N                          | -                     | 1.3        | V          | 0.0        | V          | 8.0        | 0.3        | 0.2        | 0.5        | 0.0        | 0.4        | 0.0        | 0.4        | 0.0        | 0.4        | 0.6        | 0.5        | 0.3        | 0.0        |
| Red-billed Blue<br>Magpie  | Urocissa<br>erythrorhyncha   | N                          | -                     | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        |
| Large-billed Crow          | Corvus<br>macrorhynchos      | N                          | -                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow              | Corvus torquatus             | Υ                          | LC, NT                | 0.0        | 0.0        | 0.8        | 1.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

Note: Conservation Status follows that of Fellows et. al. (2002) Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

<sup>^</sup> Pintail Snip and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.

V Indicates the species is recorded outside regular surveys.

DS Indicates species recorded during survey.

<sup>#</sup> Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).

<sup>\*</sup> Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)