

B. Summary of Bird Surveys

Table B1: Conservation Status Categories of Bird Species

Code	Category	Brief Description	Source
GC	Global Concern	Habitat loss/ damage in Hong Kong would pose significant threat to global survival.	Fellowes <i>et al.</i> (2002)
RC	Regional Concern	Habitat loss/ damage in Hong Kong would pose significant threat to regional survival.	
LC	Local Concern	Habitat loss/ damage in Hong Kong would pose significant threat to local survival.	
PGC	Potential Global Concern	Large, secure population in Hong Kong is of global significance.	
PRC	Potential Regional Concern	Large, secure population in Hong Kong is of regional significance.	
CR	Critically Endangered	Best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinction in the wild.	BirdLife International (2017)
EN	Endangered	Best available evidence indicates that it meets any of the criteria A to E for Endangered, and it is therefore considered to be facing a high risk of extinction in the wild.	
VU	Vulnerable	Best available evidence indicates that it meets any of the criteria A to E for Vulnerable, and it is therefore considered to be facing a high risk of extinction in the wild	
NT	Near Threatened	Does not qualify for Critically Endangered or Vulnerable now; but is close to qualifying for or is likely to qualify for a threatened category in the near future.	

Table B2: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) within the Survey Area (excluding the WRA)

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2024 Mean ⁽³⁾	Dec 2024 Mean ⁽³⁾	Jan 2025 Mean ⁽³⁾	Feb 2025 Mean ⁽³⁾	Mar 2025 Mean ⁽³⁾	Apr 2025 Mean ⁽³⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	9.0	8.8	5.5	8.5	7.8	8.0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	8.8	33.8	24.5	25.3	14.0	0.0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4.0	4.6	4.5	4.5	2.8	0.8
Purple Heron	<i>Ardea purpurea</i>	Y	RC	0.0	0.0	0.0	0.3^	0.5	0.0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	1.8	3.8	7.3	3.0^	0.8	2.8
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	2.5	4.6	3.0	12.3	4.5	12.3
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	1.0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	3.8	2.6	1.3	4.3	3.8	2.8
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.5	0.0	0.0	0.0	0.3	0.3
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	0.3	2.0	2.8	1.3^	1.0	0.8
Northern Shoveler	<i>Anas clypeata</i>	Y	RC	0.0	1.0	0.5	0.8^	0.0	0.0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	0.5	0.6	2.0	17.0^	1.0	0.0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	0.3	0.6	2.0	0.5^	0.5	0.5
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	0.3	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amauromis phoenicurus</i>	Y	-	3.0	0.6	1.0	1.8	1.0	1.0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	1.8	1.2	1.0	4.0	3.3	5.8
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1.0	0.6	5.3	0.0	0.0	0.0

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2024 Mean ⁽³⁾	Dec 2024 Mean ⁽³⁾	Jan 2025 Mean ⁽³⁾	Feb 2025 Mean ⁽³⁾	Mar 2025 Mean ⁽³⁾	Apr 2025 Mean ⁽³⁾
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	0.0	0.0	0.0	0.0	0.8	0.0
Greater Painted Snipe	<i>Rostratula benghalensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.5
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	0.0	0.0	0.3^	3.0	0.8
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	0.0	0.3	0.5^	0.3	0.3
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.0	0.0	0.3	0.0	0.0	0.0
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	0.0	0.3^	0.5	0.8
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.5	1.2	1.8	2.3	0.5	2.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.3	0.0	0.0	0.0	0.0	7.5
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.5	1.4	0.5	0.3^	1.8	2.3
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	0.8	0.4	0.8	0.0	0.3	0.3
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	1.0	1.2	1.8	0.5^	0.5	0.0
White Wagtail	<i>Motacilla alba</i>	Y	-	2.5	2.4	3.0	2.5	3.3	2.3
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	0.5	0.4	0.0	0.3^	0.8	1.8
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	1.8^	1.5	14.5
Red-billed Starling	<i>Spodipsar sericeus</i>	Y	(RC)*	0.0	0.0	0.3	0.3^	4.0	1.0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.0	0.2	0.0	0.0	0.0	0.0
No. of Species Recorded				21	20	21	23	25	23

Notes:

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes.
Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (3) Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA)
- (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection
- (5) 'V' indicates the species is recorded outside regular surveys
- (6) * Red-billed Starling is considered by Fellowes et al. (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered threatened. A listing of Regional Concern (RC), based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate.
- (7) ^ The data has been updated since the corresponding monthly EM&A report


Table B3: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) in the WRA

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2024 Mean ⁽³⁾	Dec 2024 Mean ⁽³⁾	Jan 2025 Mean ⁽³⁾	Feb 2025 Mean ⁽³⁾	Mar 2025 Mean ⁽³⁾	Apr 2025 Mean ⁽³⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	0.3	1.6	3.0	1.0^	0.0	0.0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	0.5	0.8	0.8	1.5^	0.0	0.0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	1.3	1.4	1.5	1.8^	1.0	0.8
Purple Heron	<i>Ardea purpurea</i>	Y	RC	0.0	0.0	0.0	0.3^	0.0	0.0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	0.3	0.6	1.3	1.0^	0.0	0.3
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	0.8	0.4	0.5	0.3^	0.0	0.3
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	1.0	2.0	2.3	1.8^	1.3	4.0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	1.8	2.0	1.0	1.3^	2.5	2.3
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.3	0.0	0.0	0.5^	0.0	0.8
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	0.3	0.2	0.0	0.0	0.0	0.0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	0.3	0.4	0.3	0.8^	0.3	0.3
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	0.3	0.0	0.0	0.0	0.0	0.0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	0.0	0.0	0.0	0.0	0.0	0.3
Eastern Marsh Harrier#	<i>Circus spilonotus</i>	Y	-	0.3	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	1.0	1.0	1.0	0.5^	1.0	1.3
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	0.0	0.4	0.0	0.0	0.8	0.0
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.5

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2024 Mean ⁽³⁾	Dec 2024 Mean ⁽³⁾	Jan 2025 Mean ⁽³⁾	Feb 2025 Mean ⁽³⁾	Mar 2025 Mean ⁽³⁾	Apr 2025 Mean ⁽³⁾
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.5	1.2	0.3	0.0	1.0	1.3
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	0.2	0.0	0.0	0.3	0.8
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.3	0.6	0.0	0.0	0.8	0.8
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	0.0	0.0	0.3	0.5
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.5
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.3	0.0	0.0	0.0	0.3	0.0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.3	0.8	0.5	0.5^	0.0	0.5
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	0.5	0.0	0.8	0.5^	0.3	0.0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.8	0.6	0.5	0.3^	0.0	1.0
White Wagtail	<i>Motacilla alba</i>	Y	-	1.0	0.6	1.3	1.3^	0.8	0.5
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	0.5	0.0	0.0	0.0	0.0	0.0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.8	0.0	0.3	0.0	0.0	0.0
No. of Species Recorded				22	17	15	15	13	18

- Notes:
- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
 - (2) Conservation status follows that of Fellows et al. (2002) and BirdLife international listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002).
 - (3) Refers to mean number of individuals recorded in each survey in the WRA.
 - (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection
 - (5) 'V' indicates the species is recorded outside regular surveys
 - (6) ^ The data has been updated since the corresponding monthly EM&A report

Chart B1: Number of Common Bird Species and Bird Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period



Species Only Found in the WRA
Purple Heron
Intermediate Egret
Eastern Buzzard
Greater Painted-snipe
Pintail/Swinhoe's Snipe*
Common Snipe
Plaintive Cuckoo
Daurian Redstart
Oriental Reed Warbler
Cinereous Tit
Red-billed Blue Magpie
11

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)	
Little Grebe	White-throated Kingfisher
Great Cormorant	Common Kingfisher
Grey Heron	Barn Swallow
Great Egret	White Wagtail
Little Egret	Red-whiskered Bulbul
Eastern Cattle Egret	Light-vented Bulbul
Chinese Pond Heron	Long-tailed Shrike
Yellow Bittern	Oriental Magpie Robin
Black-crowned Night Heron	Stejneger's Stonechat
Crested Goshawk	Chinese Blackbird
Besra	Masked Laughingthrush
Black Kite	Dusky Warbler
White-breasted Waterhen	Yellow-bellied Prinia
Common Moorhen	Plain Prinia
Black-winged Stilt	Red-throated Flycatcher
Common Sandpiper	Swinhoe's White-eye
Whiskered Tern	Black-collared Starling
Spotted Dove	Common Myna
Eurasian Collared Dove	Crested Myna
Asian Koel	Black Drongo
Greater Coucal	Hair-crested Drongo
Indian Cuckoo	Large-billed Crow
Pied Kingfisher	Collared Crow
46	

Species Only Found in the Survey Area (Excluding the WRA)
Peregrine Falcon
Little Ringed Plover
Spotted Redshank
Green Sandpiper
Wood Sandpiper
White-winged Tern
House Swift
Scaly-breasted Munia
Eurasian Tree Sparrow
White-shouldered Starling
Black-naped Oriole
Azure-winged Magpie
12

Table B4: Summary of Bird Species Recorded Annually at the WRA between 2010 and 2025

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Purple Heron	<i>Ardea purpurea</i>	Y	RC	N	Y	N	N	N	Y	N	N	Y	Y	N	Y	Y	Y	Y	Y
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	N	Y	Y	N	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	N	Y	Y	N	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	N
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	Y	LC	N	N	N	N	N	Y	N	Y	Y	N	N	N	N	Y	N	N
Great Bittern	<i>Botaurus stellaris</i>	Y	RC	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	N	N	N
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Black Stork	<i>Ciconia nigra</i>	Y	RC	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Eurasian Spoonbill	<i>Platalea leucorodia</i>	Y	LC	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Black-faced Spoonbill	<i>Platalea minor</i>	Y	PGC, EN	N	Y	Y	N	Y	Y	Y	N	N	N	Y	N	N	N	N	N
Mandarin Duck	<i>Aix galericulata</i>	Y	-	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Eurasian Wigeon	<i>Anas penelope</i>	Y	RC	Y	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Eurasian Teal	<i>Anas crecca</i>	Y	RC	N	Y	N	N	N	N	N	Y	N	Y	N	Y	Y	N	N	N
Northern Pintail	<i>Anas acuta</i>	Y	RC	Y	Y	N	N	N	N	N	Y	N	N	N	N	N	N	N	N
Northern Shoveler	<i>Anas clypeata</i>	Y	RC	N	N	N	Y	Y	N	Y	N	N	N	N	N	N	N	N	N
Garganey	<i>Anas querquedula</i>	Y	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N
Western Osprey	<i>Pandion haliaetus</i>	Y	RC	Y	N	N	N	N	Y	Y	N	N	N	Y	N	Y	Y	N	N
Crested Goshawk	<i>Accipiter trivirgatus</i>	N	-	N	N	N	N	N	N	Y	N	Y	N	Y	N	N	N	Y	N
Besra	<i>Accipiter virgatus</i>	N	-	N	N	N	N	N	N	N	N	Y	N	Y	Y	Y	Y	Y	Y

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Black-winged Kite	<i>Elanus caeruleus</i>	Y	LC	N	N	N	N	N	Y	N	N	N	N	Y	Y	Y	Y	Y	N
Black Kite	<i>Milvus migrans</i>	Y	(RC)	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	N	N	N	N	Y	N	Y	N	Y	Y	Y	Y	N	N	N	N
Greater Spotted Eagle	<i>Clanga clanga</i>	Y	GC	N	N	N	N	N	Y	N	Y	Y	N	Y	Y	Y	N	N	N
Eastern Imperial Eagle	<i>Aquila heliaca</i>	Y	-	N	N	N	N	N	Y	N	Y	N	N	Y	Y	Y	Y	N	N
Eastern Buzzard	<i>Buteo japonicus</i>	Y	-	N	Y	N	N	Y	Y	N	Y	Y	N	Y	Y	Y	Y	Y	Y
Eastern Marsh Harrier	<i>Circus spilonotus</i>	Y	-	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N
Common Kestrel	<i>Falco tinnunculus</i>	N	-	Y	Y	N	N	N	Y	Y	N	N	N	Y	Y	N	Y	Y	Y
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	N	N	Y	Y	N	Y	Y	Y	N	Y	Y	N	Y	N	N	N
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	N	N	N	N	Y	N	Y	N	Y	N	Y	Y	Y	Y	N	N
Japanese Quail	<i>Coturnix japonica</i>	N	LC	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Watercock	<i>Gallicrex cinerea</i>	Y	RC	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	N	Y	N	N	N	Y	N	N	Y	N	Y	N	N	N	N	N
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	N	Y	Y	N	N	N	N	N	Y	Y	N	N	N	N	Y	Y
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	Y	N	Y	N	N	N	Y	N	N	N	N	N	N	N	N	N
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	N	Y	N	N	N	N	Y	Y	Y	N	Y	Y	N	N	N	N
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	N	N	N	N	N	N	Y	N	N	N	Y	Y	N	N	N	N
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	N	Y
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	N	N	N	Y	N	N	Y	N	N	N	N	N	N	N	N	N
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	N	N	N	Y	N	N	Y	Y	N	N	N	N	N	N	N	N

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Common Redshank	<i>Tringa totanus</i>	Y	RC	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	N	N	N	N	N	N	N	Y	N	N	N	Y	N	N	N	N
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/ G. megala</i>	Y	LC	Y	Y	N	Y	N	N	N	N	N	N	Y	N	N	Y	Y	N
Common Snipe	<i>Gallinago gallinago</i>	Y	-	N	Y	Y	Y	N	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	Y	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	Y	Y	N	N	Y	N	N	N	N	N	N	N	N	N	N	N
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	Y	PRC	N	N	N	N	N	N	N	Y	N	N	Y	N	N	N	N	N
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	Y	N
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N
Domestic Pigeon	<i>Columba livia</i>	N	-	N	Y	N	N	N	N	N	N	N	N	Y	Y	Y	N	N	N
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	N	Y	N	N	N	N	Y	N	N	N	N	N	N	Y	N	N
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	Y	N
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	N	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Asian Koel	<i>Eudynamys scolopaceus</i>	N	-	N	N	N	N	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y
Greater Coucal#	<i>Centropus sinensis</i>	N	-	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	N
Large Hawk-Cuckoo	<i>Hierococcyx sparveriioides</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	Y
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	Y	N

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Asian Barred Owlet	<i>Glaucidium cuculoides</i>	N	-	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	Y	N	N
Eurasian Eagle Owl	<i>Bubo bubo</i>	N	RC	N	N	N	Y	Y	Y	N	N	N	N	N	N	N	N	N	N
Savanna Nightjar	<i>Caprimulgus affinis</i>	N	-	N	N	N	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	N
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	N	N	N
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	N	Y	N	N	N	N	Y	N	N	N	Y	N	Y	Y	N	N
House Swift	<i>Apus nipalensis</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y	N	Y
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Black-capped Kingfisher	<i>Halcyon pileata</i>	Y	(LC)	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N
White-throated Kingfisher	<i>Halcyon smymensis</i>	Y	(LC)	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Eurasian Hoopoe	<i>Upupa epops</i>	N	-	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N
Barn Swallow	<i>Hirundo rustica</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-	N	N	Y	N	Y	Y	Y	N	N	N	Y	Y	Y	Y	N	N
Sand Martin	<i>Riparia riparia</i>	Y	-	N	N	N	N	N	N	N	N	N	N	Y	N	Y	Y	N	N
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	Y	Y	Y	N	N	Y	Y	Y	Y	N	N	Y	Y	Y	N	N
White Wagtail	<i>Motacilla alba</i>	Y	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Richard's Pipit	<i>Anthus richardi</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N	-	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	Y	Y	Y	N	N	N	N	N	N	N	N	N	N	Y	N	N
Buff-bellied Pipit	<i>Anthus rubescens</i>	N	LC	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Light-vented Bulbul	<i>Pycnonotus sinensis</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N	-	N	N	N	N	N	N	Y	Y	N	N	Y	Y	Y	N	N	N
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Bull-headed Shrike	<i>Lanius bucephalus</i>	N	-	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N
Brown Shrike	<i>Lanius cristatus</i>	N	-	N	N	N	N	N	Y	N	Y	N	N	Y	Y	Y	N	N	N

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Long-tailed Shrike	<i>Lanius schach</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	N	-	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N
Bluethroat	<i>Luscinia svecica</i>	N	LC	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N
Siberian Rubythroat	<i>Calliope calliope</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N
Daurian Redstart	<i>Phoenicurus aureus</i>	N	-	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Chinese Blackbird	<i>Turdus mandarinus</i>	N	-	N	N	N	N	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	N
Grey-backed thrush	<i>Turdus hortulorum</i>	N	-	N	N	N	N	N	N	Y	N	N	N	N	N	Y	Y	Y	Y
White's Thrush	<i>Zoothera aurea</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	Y
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y	-	N	Y	N	N	N	N	N	Y	N	N	N	N	N	N	N	N
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y	LC	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	N	N	N	N	Y	N	Y	N	Y	Y	Y	Y	Y	Y	Y	N
Thick-billed Warbler	<i>Acrocephalus aedon</i>	Y	LC	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	N	Y	Y	N	Y	Y	N	Y	Y	Y	Y	Y	Y	N	N	N
Manchurian Bush Warbler	<i>Horornis canturians</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	N	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	N	N	N	N	Y	Y	Y	Y	N	N	Y	N	Y	N	N	N
Yellow-browed warbler	<i>Phylloscopus inornatus</i>	N	-	N	N	Y	N	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	N	N	N
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	N	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y	Y	Y	N	N
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Plain Prinia	<i>Prinia inornata</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	N	N	N	N	N	Y	N	N	N	Y	Y	Y	Y	N	N	N
Red-throated Flycatcher	<i>Ficedula albicilla</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	Y	N
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	N	N	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	N	N
Cinereous Tit	<i>Parus cinereus</i>	N	-	N	N	N	N	N	N	Y	Y	N	Y	Y	Y	Y	Y	Y	Y
Japanese Tit	<i>Parus minor</i>	N	-	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	N	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	N	Y	N
Little Bunting	<i>Emberiza pusilla</i>	N	-	Y	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	Y	N
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	N	Y	N	N	Y	Y	Y	N	Y	N	Y	Y	Y	Y	Y	Y
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	N	Y	N	N	N	N	N	N	N	N	N	N	Y	N	N	N
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
White-headed Munia	<i>Lonchura maja</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N

Common name	Scientific name	Wetland Dependence	Conservation status	2010 ⁽³⁾	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025 ⁽⁴⁾
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
Yellow-fronted Canary	<i>Criethra mozambica</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	N	N	N
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	N	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	N	Y	N	N	Y	Y	Y	Y	Y	N	Y	Y	Y	N	N	N
Black-collared Starling	<i>Gracupia nigricollis</i>	N	-	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
Common Myna	<i>Acridotheres tristis</i>	N	-	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Great Myna	<i>Acridotheres grandis</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	N	Y	N	N	N	N	N	Y	N	N	N	N	N	N	N	N
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Hair-crested Drongo	<i>Dicrurus hottentottus</i>	N	-	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	Y	N
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	N	N	N	Y	N	N	N	Y	Y	Y	Y	Y	N	Y	N	N
Oriental Magpie	<i>Pica serica</i>	N	-	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	N	-	N	N	N	N	N	N	N	N	N	N	Y	Y	Y	Y	Y	Y
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
No. of Species Recorded				34	63	56	59	73	85	86	78	76	69	112	102	104	89	76	57

- Notes:
- (1) Conservation Status follows that of *Fellows et. al. (2002)* and *BirdLife International listing (2017)*. See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (*Fellows et al. 2002*)
- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- (3) Species recorded between September and December 2010 only
- (4) Species recorded between January and April 2025 only
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).

* Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B5: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2024 and April 2025

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	0.3	1.6	3	1	0	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	0.5	0.8	0.8	1.5	0	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	1.3	1.4	1.5	1.8	1	0.8
Purple Heron	<i>Ardea purpurea</i>	Y	RC	0	0	0	0.3	0	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	0.3	0.6	1.3	1	0	0.3
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	0.8	0.4	0.5	0.3	0	0.3
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	1	2	2.3	1.8	1.3	4
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	0	0	0	0	0	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	1.8	2	1	1.3	2.5	2.3
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.3	0	0	0.5	0	0.8
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	Y	LC	0	0	0	0	0	0
Great Bittern	<i>Botaurus stellaris</i>	Y	RC	0	0	0	0	0	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	0.3	0.2	0	0	0	0
Black Stork	<i>Ciconia nigra</i>	Y	RC	0	0	0	0	0	0
Eurasian Spoonbill	<i>Platalea leucorodia</i>	Y	LC	0	0	0	0	0	0
Black-faced Spoonbill	<i>Platalea minor</i>	Y	PGC, EN	0	0	0	0	0	0
Mandarin Duck	<i>Aix galericulata</i>	Y	-	0	0	0	0	0	0
Eurasian Wigeon	<i>Anas penelope</i>	Y	RC	0	0	0	0	0	0
Eurasian Teal	<i>Anas crecca</i>	Y	RC	0	0	0	0	0	0
Northern Pintail	<i>Anas acuta</i>	Y	RC	0	0	0	0	0	0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Northern Shoveler	<i>Anas clypeata</i>	Y	RC	0	0	0	0	0	0
Garganey	<i>Anas querquedula</i>	Y	-	0	0	0	0	0	0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	0	0	0	0	0	0
Western Osprey	<i>Pandion haliaetus</i>	Y	RC	0	0	0	0	0	0
Crested Goshawk	<i>Accipiter trivirgatus</i>	N	-	0	0	0	0	0	0
Besra	<i>Accipiter virgatus</i>	N	-	0.3	0	0.3	0	0	0
Black-winged Kite	<i>Elanus caeruleus</i>	Y	LC	0.3	0	0	0	0	0
Black Kite	<i>Milvus migrans</i>	Y	(RC)	0.3	0.4	0.3	0.8	0.3	0.3
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	0	0	0	0	0	0
Greater Spotted Eagle	<i>Clanga clanga</i>	Y	GC	0	0	0	0	0	0
Eastern Imperial Eagle	<i>Aquila heliaca</i>	Y	-	0	0	0	0	0	0
Eastern Buzzard	<i>Buteo japonicus</i>	Y	-	0	0	0	0	0	0.3
Eastern Marsh Harrier	<i>Circus spilonotus</i>	Y	-	0.3	0	0	0	0	0
Common Kestrel	<i>Falco tinnunculus</i>	N	-	0	0.2	0.3	0.3	0	0.3
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	0	0	0	0	0	0
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	0	0	0	0	0	0
Japanese Quail	<i>Coturnix japonica</i>	N	LC	0	0	0	0	0	0
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	0	0	0	0	0	0
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	1	1	1	0.5	1	1.3
Watercock	<i>Gallicrex cinerea</i>	Y	RC	0	0	0	0	0	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	0	0.4	0	0	0.8	0
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	0	0	0	0	0	0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0	0	0	0	0	0.5
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	0	0	0	0	0	0
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	0	0	0	0	0	0
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	0	0	0	0	0	0
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	0	0	0	0	0	0
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	0	0	0	0	0	0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0	0	0	0	0	0.5
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	0	0	0	0	0	0
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0	0	0	0	0	0
Common Redshank	<i>Tringa totanus</i>	Y	RC	0	0	0	0	0	0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0	0.2	0	0	0.3	0.8
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0	0	0	0	0	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.3	0.6	0	0	0.8	0.8
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0	0	0	0	0.3	0.5
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.5	1.2	0.3	0	1	1.3
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC	0	0	0	0	0	0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.3	0	0	0	0.3	0
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	0	0	0	0	0	0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0	0	0	0	0	0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0	0	0	0	0	0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	Y	PRC	0	0	0	0	0	0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0	0	0	0	0	0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0	0	0	0	0	0
Domestic Pigeon	<i>Columba livia</i>	N	-	0	0	0	0.0	0	0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0	0	0	0	0	0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0	0	0	0	0	0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	1.5	0.6	1	3.3	0.5	2
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0	0	0.5	0.8	0.8	0
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0	0	0	0	0	0
Asian Koel	<i>Eudynamys scolopaceus</i>	N	-	0.5	0.2	1.3	0.5	2	1
Greater Coucal#	<i>Centropus sinensis</i>	N	-	0.5	0.6	0.5	1	0.8	0.8
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	0	0	0	0	0	0
Large Hawk-Cuckoo	<i>Hierococcyx sparveroides</i>	N	-	0	0	0	0	0	0.3
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	0	0	0	0	0	0
Asian Barred Owl	<i>Glaucidium cuculoides</i>	N	-	0	0	0	0	0	0
Eurasian Eagle Owl	<i>Bubo bubo</i>	N	RC	0	0	0	0	0	0
Savanna Nightjar	<i>Caprimulgus affinis</i>	N	-	0	0	0	0	0	0
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	N	-	0	0	0	0	0	0
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0	0	0	0	0	0
House Swift	<i>Apus nipalensis</i>	N	-	0	0	3.3	16.5	1.5	1.8
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.3	0.8	0.5	0.5	0	0.5

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Black-capped Kingfisher	<i>Halcyon pileata</i>	Y	(LC)	0	0	0	0	0	0
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	0.5	0	0.8	0.5	0.3	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.8	0.6	0.5	0.3	0	1
Eurasian Hoopoe	<i>Upupa epops</i>	N	-	0	0	0	0	0	0
Barn Swallow	<i>Hirundo rustica</i>	N	-	0.3	0	0	0	8.8	6.8
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-	0	0	0	0	0	0
Sand Martin	<i>Riparia riparia</i>	Y	-	0	0	0	0	0	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	0.5	0	0	0	0	0
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	0	0	0	0	0	0
White Wagtail	<i>Motacilla alba</i>	Y	-	1	0.6	1.3	1.3	0.8	0.5
Richard's Pipit	<i>Anthus richardi</i>	N	-	0	0	0	0	0	0
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N	-	0	1	0.3	3.5	1.5	2.5
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	0	0	0	0	0	0
Buff-bellied Pipit	<i>Anthus rubescens</i>	N	LC	0	0	0	0	0	0
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-	1.3	5.2	9.5	9	2.8	1.8
Light-vented Bulbul	<i>Pycnonotus sinensis</i>	N	-	1	3.2	3	8.8	7.8	2.5
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N	-	0	0	0	0	0	0
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	N	-	0	0	0	0	0	0
Bull-headed Shrike	<i>Lanius bucephalus</i>	N	-	0	0	0	0	0	0
Brown Shrike	<i>Lanius cristatus</i>	N	-	0	0	0	0	0	0
Long-tailed Shrike	<i>Lanius schach</i>	N	-	0.3	0.6	0.3	0.3	0.3	0
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	0.8	1.2	0.8	2	1	0.8

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	N	-	0	0	0	0	0	0
Bluethroat	<i>Luscinia svecica</i>	N	LC	0	0	0	0	0	0
Siberian Rubythroat	<i>Calliope calliope</i>	N	-	0	0	0	0	0	0
Daurian Redstart	<i>Phoenicurus aureus</i>	N	-	2	1.8	1.8	1.3	0.3	0
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-	0.3	1.2	0.8	0.5	1	0.3
Chinese Blackbird	<i>Turdus mandarinus</i>	N	-	0.3	0.2	0	0	0	0
Grey-backed thrush	<i>Turdus hortulorum</i>	N	-	0	0	0.3	0	0.5	0
White's Thrush	<i>Zoothera aurea</i>	N	-	0	0	0	0	0.3	0
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-	2	0	2.5	3	6.3	4
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y	-	0	0	0	0	0	0
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y	LC	0	0	0	0	0	0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0	0	0	0	0	0
Thick-billed Warbler	<i>Acrocephalus aodon</i>	Y	LC	0	0	0	0	0	0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0	0	0	0	0	0
Manchurian Bush Warbler	<i>Horornis canturians</i>	N	-	0	0	0	0	0	0
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	1	0	0	0.3	0.5	0.8
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	1	1	1.3	9	3.5	4.8
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	0	0	0	0	0	0
Yellow-browed warbler	<i>Phylloscopus inornatus</i>	N	-	0	0.4	0	1.3	0.5	0.5
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	0	0	0	0	0	0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	0	0	0	0	0	0
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	N	-	0	0	0	0	0	0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0	0	0	0	0	0
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	0.5	0.8	1.3	4.8	5.3	8.3
Plain Prinia	<i>Prinia inornata</i>	N	-	0.8	1	0.5	1.8	1.8	2.5
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	N	-	0	0	0	0	0	0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0	0	0	0	0	0
Red-throated Flycatcher	<i>Ficedula albicilla</i>	N	-	0	0	0	0	0	0
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0	0	0	0	0	0
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0	0	0	0	0	0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0	0	0	0	0	0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0	0	0	0	0	0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0	0	0	0	0	0
Cinereous Tit	<i>Parus cinereus</i>	N	-	0	1.4	1.3	1	0.3	0
Japanese Tit	<i>Parus minor</i>	N	-	0	0	0	0	0	0
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	0.5	4.8	2.3	5.8	4	0
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0	0	0	0	0	0
Little Bunting	<i>Emberiza pusilla</i>	N	-	0.3	0	0	0	0	0
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0	0.6	0	0	0	1.3
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0	0	0	0	0	0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Apr-25
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	1	0	0	0	0	0.3
White-headed Munia	<i>Lonchura maja</i>	N	-	0	0	0	0	0	0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0	0	0	0	0	0
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	0	0	0	0	0	0
Yellow-fronted Canary	<i>Crithagra mozambica</i>	N	-	0	0	0	0	0	0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	0	0	0	0	0	0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0	0	0	0	0	0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	2.3	0.8	1.3	1.3	4.5	3.5
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0	0	0	0	0	0
Common Myna	<i>Acridotheres tristis</i>	N	-	0	0	0	0	0	0
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	1.8	1.6	0.3	0	0	0.5
Great Myna	<i>Acridotheres grandis</i>	N	-	0	0	0	0	0	0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0	0	0	0	0	0
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0	0	0	0	0	0
Hair-crested Drongo	<i>Dicrurus hottentottus</i>	N	-	0	0	0	0	0	0
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0	0	0	0	0	0
Oriental Magpie	<i>Pica serica</i>	N	-	0	0	0	0	0	0
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	N	-	0.3	0	1.5	1.5	0.3	0
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0	0	0.3	0.5	0.5	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.8	0	0.3	0	0	0

- Notes:
- (1) Conservation Status follows that of *Fellows et. al. (2002) and BirdLife International listing (2017)*. See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (*Fellowes et al. 2002*)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)