



# Air Quality

## 1-hour TSP Level at ASR1




## 1-hour TSP Level at ASR2A




# Air Quality

## 1-hour TSP Level at ASR3




## 1-hour TSP Level at ASR4




# Air Quality

## 24-hour TSP Level at ASR1




## 24-hour TSP Level at ASR2A




# Air Quality

## 24-hour TSP Level at ASR3




## 24-hour TSP Level at ASR4




# Noise

## Noise Level for 30 min, dB(A), at NSR1




## Noise Level for 30 min, dB(A), at NSR3




# Noise

## Noise Level for 30 min, dB(A), at NSR5




## Noise Level for 30 min, dB(A), at NSR7




# Water Quality


### Temperature at MP3




### pH at MP3



### Dissolved Oxygen (DO) at MP3




### Turbidity at MP3




### BOD at MP3

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).




### Suspended Solids (SS) at MP3

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).




# Water Quality


### Temperature at MP4




### pH at MP4



### Dissolved Oxygen (DO) at MP4




### Turbidity at MP4




### BOD at MP4

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).









### Suspended Solids (SS) at MP4

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).




# Water Quality




# Water Quality


### Temperature at MP6




### pH at MP6



### Dissolved Oxygen (DO) at MP6




### Turbidity at MP6




### BOD at MP6

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).



### Suspended Solids (SS) at MP6

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).





## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1507252</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 02-MAR-2015
<i>Order number</i>	: ----			<i>Date of issue</i>	: 11-MAR-2015
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1507252 supersedes any previous reports with this reference. The completion date of analysis is 06-MAR-2015. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1507252 : Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

**This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.**

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[02-MAR-2015]	HK1507252-001		50	11		
MP3-2	[02-MAR-2015]	HK1507252-002		52	10		
MP4-1	[02-MAR-2015]	HK1507252-003		4	2		
MP4-2	[02-MAR-2015]	HK1507252-004		4	2		
MP5-1	[02-MAR-2015]	HK1507252-005		35	6		
MP5-2	[02-MAR-2015]	HK1507252-006		36	6		
MP6-1	[02-MAR-2015]	HK1507252-007		36	6		
MP6-2	[02-MAR-2015]	HK1507252-008		35	6		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3845295)</b>								
HK1506973-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	39	37	5.0
HK1507043-001	Anonymous	EA025: Suspended Solids (SS)	----	3	mg/L	4	4	0.0
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3845296)</b>								
HK1507252-006	MP5-2	EA025: Suspended Solids (SS)	----	2	mg/L	36	37	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3845295)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	92	108	----	----
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3845296)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3847206)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	93.6	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound				
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand			
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[04-MAR-2015]	HK1507565-001	53	8			
MP3-2	[04-MAR-2015]	HK1507565-002	51	9			
MP4-1	[04-MAR-2015]	HK1507565-003	5	3			
MP4-2	[04-MAR-2015]	HK1507565-004	6	2			
MP5-1	[04-MAR-2015]	HK1507565-005	37	6			
MP5-2	[04-MAR-2015]	HK1507565-006	36	7			
MP6-1	[04-MAR-2015]	HK1507565-007	22	5			
MP6-2	[04-MAR-2015]	HK1507565-008	22	4			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3848705)</b>								
HK1507552-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1507575-001	Anonymous	EA025: Suspended Solids (SS)	----	3	mg/L	3	4	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3848705)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	103	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3849023)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	101	----	81	113	----	----
<b>EP: Aggregate Organics (QCLot: 3849024)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	92.1	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[06-MAR-2015]	HK1507854-001	16	<2			
MP3-2	[06-MAR-2015]	HK1507854-002	14	<2			
MP4-1	[06-MAR-2015]	HK1507854-003	27	2			
MP4-2	[06-MAR-2015]	HK1507854-004	30	3			
MP5-1	[06-MAR-2015]	HK1507854-005	20	2			
MP5-2	[06-MAR-2015]	HK1507854-006	27	3			
MP6-1	[06-MAR-2015]	HK1507854-007	30	<2			
MP6-2	[06-MAR-2015]	HK1507854-008	27	<2			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3852457)</b>								
HK1507715-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	2	0.0
HK1507831-001	Anonymous	EA025: Suspended Solids (SS)	----	0.1	mg/L	13	14	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3852457)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.0	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3852870)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	96.8	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

Client sample ID	Client sampling date / time	Laboratory sample ID	Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
			EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[09-MAR-2015]	HK1508144-001		34	7		
MP3-2	[09-MAR-2015]	HK1508144-002		33	7		
MP4-1	[09-MAR-2015]	HK1508144-003		2	<2		
MP4-2	[09-MAR-2015]	HK1508144-004		2	<2		
MP5-1	[09-MAR-2015]	HK1508144-005		25	6		
MP5-2	[09-MAR-2015]	HK1508144-006		36	6		
MP6-1	[09-MAR-2015]	HK1508144-007		13	4		
MP6-2	[09-MAR-2015]	HK1508144-008		12	3		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3856076)</b>								
HK1508060-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	94	94	0.0
HK1508144-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	2	3	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3856076)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3855217)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	96.2	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[11-MAR-2015]	HK1508580-001		40	11		
MP3-2	[11-MAR-2015]	HK1508580-002		41	11		
MP4-1	[11-MAR-2015]	HK1508580-003		10	3		
MP4-2	[11-MAR-2015]	HK1508580-004		11	3		
MP5-1	[11-MAR-2015]	HK1508580-005		21	5		
MP5-2	[11-MAR-2015]	HK1508580-006		23	5		
MP6-1	[11-MAR-2015]	HK1508580-007		32	8		
MP6-2	[11-MAR-2015]	HK1508580-008		30	6		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3857217)</b>								
HK1508577-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	2	0.0
HK1508581-001	Anonymous	EA025: Suspended Solids (SS)	----	3	mg/L	<3	3	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3857217)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	96.5	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3858413)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	97.6	----	81	113	----	----
<b>EP: Aggregate Organics (QCLot: 3858414)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	93.6	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1508903</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 13-MAR-2015
<i>Order number</i>	: ----			<i>Date of issue</i>	: 24-MAR-2015
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1508903 supersedes any previous reports with this reference. The completion date of analysis is 17-MAR-2015. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1508903 : Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[13-MAR-2015]	HK1508903-001	46	7			
MP3-2	[13-MAR-2015]	HK1508903-002	52	7			
MP4-1	[13-MAR-2015]	HK1508903-003	5	<2			
MP4-2	[13-MAR-2015]	HK1508903-004	4	<2			
MP5-1	[13-MAR-2015]	HK1508903-005	36	5			
MP5-2	[13-MAR-2015]	HK1508903-006	38	5			
MP6-1	[13-MAR-2015]	HK1508903-007	37	6			
MP6-2	[13-MAR-2015]	HK1508903-008	38	6			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3861909)</b>								
HK1508903-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	46	48	3.0
HK1508913-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	<2	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3861909)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3860997)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	94.1	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[16-MAR-2015]	HK1509228-001		33	14		
MP3-2	[16-MAR-2015]	HK1509228-002		35	14		
MP4-1	[16-MAR-2015]	HK1509228-003		5	3		
MP4-2	[16-MAR-2015]	HK1509228-004		6	<2		
MP5-1	[16-MAR-2015]	HK1509228-005		20	6		
MP5-2	[16-MAR-2015]	HK1509228-006		18	6		
MP6-1	[16-MAR-2015]	HK1509228-007		25	6		
MP6-2	[16-MAR-2015]	HK1509228-008		26	6		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3865891)</b>								
HK1509220-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	55	59	7.0
HK1509228-008	MP6-2	EA025: Suspended Solids (SS)	----	2	mg/L	26	28	5.4

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3865891)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.5	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3864642)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	94.5	----	81	113	----	----
<b>EP: Aggregate Organics (QCLot: 3864643)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	88.6	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1509431</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 18-MAR-2015
<i>Order number</i>	: ----			<i>Date of issue</i>	: 27-MAR-2015
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1509431 supersedes any previous reports with this reference. The completion date of analysis is 23-MAR-2015. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1509431 : Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

**This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.**

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[18-MAR-2015]	HK1509431-001		40	10		
MP3-2	[18-MAR-2015]	HK1509431-002		35	11		
MP4-1	[18-MAR-2015]	HK1509431-003		11	2		
MP4-2	[18-MAR-2015]	HK1509431-004		10	2		
MP5-1	[18-MAR-2015]	HK1509431-005		42	10		
MP5-2	[18-MAR-2015]	HK1509431-006		41	8		
MP6-1	[18-MAR-2015]	HK1509431-007		27	7		
MP6-2	[18-MAR-2015]	HK1509431-008		31	6		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3869693)</b>								
HK1509430-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	9	0.0
HK1509431-006	MP5-2	EA025: Suspended Solids (SS)	----	2	mg/L	41	40	3.1

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3869693)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	100	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3866502)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	89.2	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[20-MAR-2015]	HK1509697-001		28	5		
MP3-2	[20-MAR-2015]	HK1509697-002		26	6		
MP4-1	[20-MAR-2015]	HK1509697-003		29	3		
MP4-2	[20-MAR-2015]	HK1509697-004		28	3		
MP5-1	[20-MAR-2015]	HK1509697-005		30	4		
MP5-2	[20-MAR-2015]	HK1509697-006		32	4		
MP6-1	[20-MAR-2015]	HK1509697-007		30	4		
MP6-2	[20-MAR-2015]	HK1509697-008		31	4		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3869696)</b>								
HK1509667-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.0
HK1509683-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	54	57	4.5
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3869697)</b>								
HK1509697-002	MP3-2	EA025: Suspended Solids (SS)	----	2	mg/L	26	26	0.0
HK1509752-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	12	11	8.4

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report								Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report			
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)					
						LCS	DCS	Low	High	Value	Control Limit				
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3869696)</b>															
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	92	108	----	----				
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3869697)</b>															
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	92	108	----	----				
<b>EP: Aggregate Organics (QCLot: 3870431)</b>															
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	86.8	----	81	113	----	----				
<b>EP: Aggregate Organics (QCLot: 3870432)</b>															
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	92.6	----	81	113	----	----				

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[23-MAR-2015]	HK1509920-001		50	7		
MP3-2	[23-MAR-2015]	HK1509920-002		50	8		
MP4-1	[23-MAR-2015]	HK1509920-003		16	4		
MP4-2	[23-MAR-2015]	HK1509920-004		17	4		
MP5-1	[23-MAR-2015]	HK1509920-005		43	7		
MP5-2	[23-MAR-2015]	HK1509920-006		42	7		
MP6-1	[23-MAR-2015]	HK1509920-007		32	6		
MP6-2	[23-MAR-2015]	HK1509920-008		34	6		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3873806)</b>								
HK1509897-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1509897-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	9	10	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3873806)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3872796)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	99.2	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[25-MAR-2015]	HK1510197-001		72	7		
MP3-2	[25-MAR-2015]	HK1510197-002		71	6		
MP4-1	[25-MAR-2015]	HK1510197-003		14	3		
MP4-2	[25-MAR-2015]	HK1510197-004		13	<2		
MP5-1	[25-MAR-2015]	HK1510197-005		46	6		
MP5-2	[25-MAR-2015]	HK1510197-006		50	6		
MP6-1	[25-MAR-2015]	HK1510197-007		22	4		
MP6-2	[25-MAR-2015]	HK1510197-008		22	3		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3877657)</b>								
HK1510184-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	9	9	0.0
HK1510197-006	MP5-2	EA025: Suspended Solids (SS)	----	2	mg/L	50	53	5.8

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3877657)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3877945)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	85.4	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1510472</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 27-MAR-2015
<i>Order number</i>	: ----			<i>Date of issue</i>	: 10-APR-2015
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1510472 supersedes any previous reports with this reference. The completion date of analysis is 31-MAR-2015. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1510472 : Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[27-MAR-2015]	HK1510472-001	57	10			
MP3-2	[27-MAR-2015]	HK1510472-002	62	9			
MP4-1	[27-MAR-2015]	HK1510472-003	14	3			
MP4-2	[27-MAR-2015]	HK1510472-004	13	3			
MP5-1	[27-MAR-2015]	HK1510472-005	41	7			
MP5-2	[27-MAR-2015]	HK1510472-006	30	6			
MP6-1	[27-MAR-2015]	HK1510472-007	34	6			
MP6-2	[27-MAR-2015]	HK1510472-008	32	6			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3881888)</b>								
HK1510466-007	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	17	18	8.8
HK1510474-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3881888)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3879133)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	87.6	----	81	113	----	----
<b>EP: Aggregate Organics (QCLot: 3879134)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	93.6	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1510608</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 30-MAR-2015
<i>Order number</i>	: ----			<i>Date of issue</i>	: 09-APR-2015
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1510608 supersedes any previous reports with this reference. The completion date of analysis is 09-APR-2015. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1510608 : Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand			
			LOR Unit	2 mg/L	2 mg/L			
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[30-MAR-2015]	HK1510608-001		48	7			
MP3-2	[30-MAR-2015]	HK1510608-002		41	8			
MP4-1	[30-MAR-2015]	HK1510608-003		17	6			
MP4-2	[30-MAR-2015]	HK1510608-004		15	5			
MP5-1	[30-MAR-2015]	HK1510608-005		29	7			
MP5-2	[30-MAR-2015]	HK1510608-006		25	6			
MP6-1	[30-MAR-2015]	HK1510608-007		31	8			
MP6-2	[30-MAR-2015]	HK1510608-008		30	7			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3882997)</b>								
HK1510438-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1510608-008	MP6-2	EA025: Suspended Solids (SS)	----	2	mg/L	30	30	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 3882997)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.5	----	92	108	----	----
<b>EP: Aggregate Organics (QCLot: 3882072)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	95.0	----	81	113	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.