

Appendix I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	June 2015 Occurrence ⁽²⁾	June 2015 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	5.0	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	3	3.8	✓
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	1	0.2	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	11.2	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	8.2	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	3	1.8	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	-	-	✓
Black Kite	<i>Milvus migrans</i>	Y	RC	1	0.2	
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	4	3.0	✓
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.2	
Little Ringed Plover	<i>Charadrius dubius</i>	Y	LC	1	1.0	
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	-	-	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	1	0.6	✓
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	-	-	-	✓
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	2	0.6	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	LC	2	1.4	
Collared Crow	<i>Corvus torquatus</i>	Y	LC	2	0.8	✓
No. of species recorded:				17		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2011)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2015-4-20).

Table I2: Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	June 2015 Occurrence ⁽²⁾	June 2015 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	4	2.8	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	3	0.6	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	2	0.8	✓

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	June 2015 Occurrence ⁽²⁾	June 2015 Mean ⁽³⁾	Records outside surveys
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	-	-	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	5	1.6	✓
Black Kite	<i>Milvus migrans</i>	Y	RC	1	0.2	
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	-	-	✓
Watercock	<i>Gallinula cinerea</i>	Y	RC	1	0.2	
Little Ringed Plover	<i>Charadrius dubius</i>	Y	LC			✓
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	3	0.8	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	-	-	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	N	LC	1	0.8	
No. of species recorded:				12		

Note:

- (1) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2011)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2015-4-20).

Table I3: Summary of bird species recorded in the WRA

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC
Black Kite	<i>Milvus migrans</i>	Y	RC
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-
Watercock	<i>Gallinula cinerea</i>	Y	RC
Little Ringed Plover	<i>Charadrius dubius</i>	Y	LC
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-
Greater Coucal#	<i>Centropus sinensis</i>	N	-
House Swift	<i>Apus nipalensis</i>	N	-
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Yellow-Bellied Prinia	<i>Prinia Flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Japanese White-eye	<i>Zosterops japonica</i>	N	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-
Red-billed Starling	<i>Spodiopsar sericeus</i>	N	-
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
White-shouldered Starling	<i>Sturnia sinensis</i>	N	LC
Common Myna	<i>Acridotheres tristis</i>	N	-
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
No. of species recorded:			32

Note:

(1) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2011)

(2) Follows HK bird list (dated 2015-4-20)

Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II).