


# Appendix F. Graphical Plots of the Monitoring Results




# Air Quality

## 1-hour TSP Level at ASR1




## 1-hour TSP Level at ASR2A




# Air Quality

## 1-hour TSP Level at ASR3




## 1-hour TSP Level at ASR4




# Air Quality

## 24-hour TSP Level at ASR1




## 24-hour TSP Level at ASR2A




# Air Quality

## 24-hour TSP Level at ASR3




## 24-hour TSP Level at ASR4




# Noise

## Noise Level for 30 min, dB(A), at NSR1




## Noise Level for 30 min, dB(A), at NSR3




# Noise

## Noise Level for 30 min, dB(A), at NSR5




## Noise Level for 30 min, dB(A), at NSR7




# Water Quality


### Temperature at MP3




### pH at MP3



### Dissolved Oxygen (DO) at MP3




### Turbidity at MP3




### BOD at MP3

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).




### Suspended Solids (SS) at MP3

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).




# Water Quality


### Temperature at MP4




### pH at MP4



### Dissolved Oxygen (DO) at MP4




### Turbidity at MP4




### BOD at MP4

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).




### Suspended Solids (SS) at MP4

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).




# Water Quality


### Temperature at MP5




### pH at MP5



### Dissolved Oxygen (DO) at MP5




### Turbidity at MP5




### BOD at MP5

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).




### Suspended Solids (SS) at MP5

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).




# Water Quality


### Temperature at MP6




### pH at MP6



### Dissolved Oxygen (DO) at MP6




### Turbidity at MP6




### BOD at MP6

Note: Zero-plots mean that BOD value is too low to indicate (<2mg/L).



### Suspended Solids (SS) at MP6

Note: Zero-plots mean that SS value is too low to indicate (<2mg/L).





## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1604608</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 01-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 15-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1604608 supersedes any previous reports with this reference. The completion date of analysis is 11-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1604608 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[01-FEB-2016]	HK1604608-001		17	2		
MP3-2	[01-FEB-2016]	HK1604608-002		18	3		
MP4-1	[01-FEB-2016]	HK1604608-003		5	2		
MP4-2	[01-FEB-2016]	HK1604608-004		3	2		
MP5-1	[01-FEB-2016]	HK1604608-005		9	3		
MP5-2	[01-FEB-2016]	HK1604608-006		11	3		
MP6-1	[01-FEB-2016]	HK1604608-007		6	3		
MP6-2	[01-FEB-2016]	HK1604608-008		5	2		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4128160)</b>								
HK1604492-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1604523-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	34	33	0.0
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4128161)</b>								
HK1604635-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	25	25	0.0
HK1604635-007	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	15	14	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4128160)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	96.0	----	87	113	----	----
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4128161)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4128236)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	99.2	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1605600</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 03-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 17-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1605600 supersedes any previous reports with this reference. The completion date of analysis is 12-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1605600 :

Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[03-FEB-2016]	HK1605600-001		26	4		
MP3-2	[03-FEB-2016]	HK1605600-002		26	3		
MP4-1	[03-FEB-2016]	HK1605600-003		7	2		
MP4-2	[03-FEB-2016]	HK1605600-004		6	2		
MP5-1	[03-FEB-2016]	HK1605600-005		17	3		
MP5-2	[03-FEB-2016]	HK1605600-006		18	3		
MP6-1	[03-FEB-2016]	HK1605600-007		13	3		
MP6-2	[03-FEB-2016]	HK1605600-008		13	3		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4134133)</b>								
HK1605599-001	Anonymous	EA025: Suspended Solids (SS)	----	1	mg/L	12	13	0.0
HK1605591-001	Anonymous	EA025: Suspended Solids (SS)	----	0.1	mg/L	5.0	5.1	2.4
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4134134)</b>								
HK1605599-003	Anonymous	EA025: Suspended Solids (SS)	----	1	mg/L	12	11	0.0
HK1605604-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	53	55	3.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4134133)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	87	113	----	----
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4134134)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4134189)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	87.9	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1605601</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 05-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 18-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1605601 supersedes any previous reports with this reference. The completion date of analysis is 12-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1605601 :

Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[05-FEB-2016]	HK1605601-001		12	4		
MP3-2	[05-FEB-2016]	HK1605601-002		12	3		
MP4-1	[05-FEB-2016]	HK1605601-003		3	<2		
MP4-2	[05-FEB-2016]	HK1605601-004		3	<2		
MP5-1	[05-FEB-2016]	HK1605601-005		9	2		
MP5-2	[05-FEB-2016]	HK1605601-006		10	2		
MP6-1	[05-FEB-2016]	HK1605601-007		11	3		
MP6-2	[05-FEB-2016]	HK1605601-008		11	3		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4134134)</b>								
HK1605599-003	Anonymous	EA025: Suspended Solids (SS)	----	1	mg/L	12	11	0.0
HK1605604-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	53	55	3.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4134134)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4134189)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	87.9	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1605871</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 11-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 22-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1605871 supersedes any previous reports with this reference. The completion date of analysis is 17-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1605871 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			<i>Compound</i>			
			<b>EA025: Suspended Solids (SS)</b>	<b>EP030: Biochemical Oxygen Demand</b>		
			<i>LOR Unit</i>	2 mg/L	2 mg/L	
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
<b>MP3-1</b>	[11-FEB-2016]	HK1605871-001	17	14		
<b>MP3-2</b>	[11-FEB-2016]	HK1605871-002	17	14		
<b>MP4-1</b>	[11-FEB-2016]	HK1605871-003	8	4		
<b>MP4-2</b>	[11-FEB-2016]	HK1605871-004	7	5		
<b>MP5-1</b>	[11-FEB-2016]	HK1605871-005	13	7		
<b>MP5-2</b>	[11-FEB-2016]	HK1605871-006	11	7		
<b>MP6-1</b>	[11-FEB-2016]	HK1605871-007	16	9		
<b>MP6-2</b>	[11-FEB-2016]	HK1605871-008	15	9		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4137015)</b>								
HK1606150-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.0
HK1606025-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	55	54	2.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4137015)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.0	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4136105)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	101	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1606090</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 13-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 23-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1606090 supersedes any previous reports with this reference. The completion date of analysis is 18-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1606090 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[13-FEB-2016]	HK1606090-001		13	6		
MP3-2	[13-FEB-2016]	HK1606090-002		14	6		
MP4-1	[13-FEB-2016]	HK1606090-003		9	2		
MP4-2	[13-FEB-2016]	HK1606090-004		7	2		
MP5-1	[13-FEB-2016]	HK1606090-005		14	5		
MP5-2	[13-FEB-2016]	HK1606090-006		14	5		
MP6-1	[13-FEB-2016]	HK1606090-007		13	4		
MP6-2	[13-FEB-2016]	HK1606090-008		12	4		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4137016)</b>								
HK1605985-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	55	56	0.0
HK1606091-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	2	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4137016)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	100	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4137061)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	96.5	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1606180</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 15-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 24-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1606180 supersedes any previous reports with this reference. The completion date of analysis is 22-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1606180 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[15-FEB-2016]	HK1606180-001		26	15		
MP3-2	[15-FEB-2016]	HK1606180-002		27	14		
MP4-1	[15-FEB-2016]	HK1606180-003		8	3		
MP4-2	[15-FEB-2016]	HK1606180-004		8	2		
MP5-1	[15-FEB-2016]	HK1606180-005		21	11		
MP5-2	[15-FEB-2016]	HK1606180-006		20	11		
MP6-1	[15-FEB-2016]	HK1606180-007		18	10		
MP6-2	[15-FEB-2016]	HK1606180-008		18	9		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4137018)</b>								
HK1606155-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	6	0.0
HK1606155-010	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	11	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4137018)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	94.5	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4137062)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	105	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1606510</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 17-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 26-FEB-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1606510 supersedes any previous reports with this reference. The completion date of analysis is 22-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1606510 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[17-FEB-2016]	HK1606510-001		20	19		
MP3-2	[17-FEB-2016]	HK1606510-002		21	20		
MP4-1	[17-FEB-2016]	HK1606510-003		7	3		
MP4-2	[17-FEB-2016]	HK1606510-004		8	4		
MP5-1	[17-FEB-2016]	HK1606510-005		16	14		
MP5-2	[17-FEB-2016]	HK1606510-006		15	14		
MP6-1	[17-FEB-2016]	HK1606510-007		14	12		
MP6-2	[17-FEB-2016]	HK1606510-008		15	12		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4139940)</b>								
HK1606501-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	35	37	5.0
HK1606523-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4139940)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	110	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4139836)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	106	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1606955</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 19-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 01-MAR-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1606955 supersedes any previous reports with this reference. The completion date of analysis is 24-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1606955 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[19-FEB-2016]	HK1606955-001		18	14		
MP3-2	[19-FEB-2016]	HK1606955-002		18	14		
MP4-1	[19-FEB-2016]	HK1606955-003		8	3		
MP4-2	[19-FEB-2016]	HK1606955-004		7	2		
MP5-1	[19-FEB-2016]	HK1606955-005		11	5		
MP5-2	[19-FEB-2016]	HK1606955-006		10	5		
MP6-1	[19-FEB-2016]	HK1606955-007		10	5		
MP6-2	[19-FEB-2016]	HK1606955-008		10	4		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4141941)</b>								
HK1606952-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1607036-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	8	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4141941)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.5	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4142025)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	102	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1607322</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 22-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 02-MAR-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1607322 supersedes any previous reports with this reference. The completion date of analysis is 29-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1607322 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound				
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand			
			LOR Unit	LOR Unit			
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[22-FEB-2016]	HK1607322-001	24	6			
MP3-2	[22-FEB-2016]	HK1607322-002	24	6			
MP4-1	[22-FEB-2016]	HK1607322-003	14	4			
MP4-2	[22-FEB-2016]	HK1607322-004	13	5			
MP5-1	[22-FEB-2016]	HK1607322-005	24	6			
MP5-2	[22-FEB-2016]	HK1607322-006	24	5			
MP6-1	[22-FEB-2016]	HK1607322-007	21	5			
MP6-2	[22-FEB-2016]	HK1607322-008	19	5			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4142720)</b>								
HK1607254-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1607256-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4142721)</b>								
HK1607419-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	3	25.9
HK1607419-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	3	41.7

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4142720)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	103	----	87	113	----	----
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4142721)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.0	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4142841)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	95.6	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1607628</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 24-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 04-MAR-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1607628 supersedes any previous reports with this reference. The completion date of analysis is 29-FEB-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1607628 :

Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[24-FEB-2016]	HK1607628-001		19	5		
MP3-2	[24-FEB-2016]	HK1607628-002		21	5		
MP4-1	[24-FEB-2016]	HK1607628-003		9	2		
MP4-2	[24-FEB-2016]	HK1607628-004		9	2		
MP5-1	[24-FEB-2016]	HK1607628-005		11	3		
MP5-2	[24-FEB-2016]	HK1607628-006		11	4		
MP6-1	[24-FEB-2016]	HK1607628-007		12	4		
MP6-2	[24-FEB-2016]	HK1607628-008		12	3		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4144910)</b>								
HK1607614-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.0
HK1607621-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	3	36.7

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4144910)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	103	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4145224)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	108	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1607943</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: ----	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 26-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 08-MAR-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Site</i>	: ----				- <i>Analysed</i> : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1607943 supersedes any previous reports with this reference. The completion date of analysis is 02-MAR-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1607943 :

Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound				
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand			
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics			
MP3-1	[26-FEB-2016]	HK1607943-001	21	5			
MP3-2	[26-FEB-2016]	HK1607943-002	21	6			
MP4-1	[26-FEB-2016]	HK1607943-003	5	<2			
MP4-2	[26-FEB-2016]	HK1607943-004	5	<2			
MP5-1	[26-FEB-2016]	HK1607943-005	13	3			
MP5-2	[26-FEB-2016]	HK1607943-006	13	3			
MP6-1	[26-FEB-2016]	HK1607943-007	13	3			
MP6-2	[26-FEB-2016]	HK1607943-008	14	3			



**Laboratory Duplicate (DUP) Report**

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4146964)</b>								
HK1607884-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1607912-003	Anonymous	EA025: Suspended Solids (SS)	----	1	mg/L	<1	<1	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4146964)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	109	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4147072)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	93.8	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1608125</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/1653/2014	<i>Date received</i>	: 29-FEB-2016
<i>Order number</i>	: ----			<i>Date of issue</i>	: 07-MAR-2016
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: ----				- Analysed : 8

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1608125 supersedes any previous reports with this reference. The completion date of analysis is 07-MAR-2016. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### Specific Comments for Work Order HK1608125 :

Sample(s) were received in a chilled condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



**Analytical Results**

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand		
			LOR Unit	2 mg/L	2 mg/L		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics		
MP3-1	[29-FEB-2016]	HK1608125-001		24	7		
MP3-2	[29-FEB-2016]	HK1608125-002		26	7		
MP4-1	[29-FEB-2016]	HK1608125-003		10	2		
MP4-2	[29-FEB-2016]	HK1608125-004		9	3		
MP5-1	[29-FEB-2016]	HK1608125-005		22	6		
MP5-2	[29-FEB-2016]	HK1608125-006		22	6		
MP6-1	[29-FEB-2016]	HK1608125-007		18	5		
MP6-2	[29-FEB-2016]	HK1608125-008		19	5		



**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4146965)</b>								
HK1607977-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	61	63	2.4
HK1608056-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	9	0.0
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 4146966)</b>								
HK1608130-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	3	0.0
HK1608130-008	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	38	42	9.7

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4146965)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.5	----	87	113	----	----
<b>EA/ED: Physical and Aggregate Properties (QCLot: 4146966)</b>											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.5	----	87	113	----	----
<b>EP: Aggregate Organics (QCLot: 4147909)</b>											
EP030: Biochemical Oxygen Demand	----	2	mg/L	----	198 mg/L	102	----	87	117	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.