

I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

| Species Name ⁽⁴⁾ | Scientific Name ⁽⁴⁾ | Wetland Dependence | Conservation Status ⁽¹⁾ | Feb 2017 Occurrence ⁽²⁾ | Feb 2017 Mean ⁽³⁾ | Records outside surveys |
|---------------------------------|---------------------------------|--------------------|------------------------------------|------------------------------------|------------------------------|-------------------------|
| Little Grebe | <i>Tachybaptus ruficollis</i> | Y | LC | 5 | 12.8 | ✓ |
| Great Cormorant | <i>Phalacrocorax carbo</i> | Y | PRC | 5 | 24.8 | ✓ |
| Grey Heron | <i>Ardea cinerea</i> | Y | PRC | 4 | 5.4 | ✓ |
| Great Egret | <i>Ardea alba</i> | Y | PRC, (RC) | 4 | 2.4 | ✓ |
| Little Egret | <i>Egretta garzetta</i> | Y | PRC, (RC) | 5 | 6.0 | ✓ |
| Eastern Cattle Egret | <i>Bubulcus coromandus</i> | Y | LC | 1 | 1.0 | |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | Y | PRC, (RC) | 5 | 4.8 | ✓ |
| Tufted Duck | <i>Aythya fuligula</i> | Y | LC | 5 | 13.0 | ✓ |
| Black Kite | <i>Milvus migrans</i> | Y | RC | - | - | ✓ |
| Greater Spotted Eagle | <i>Clanga clanga</i> | Y | GC | 1 | 0.2 | |
| White-breasted Waterhen | <i>Amauromis phoenicurus</i> | Y | - | 4 | 1.4 | ✓ |
| Black-winged Stilt | <i>Himantopus himantopus</i> | Y | (RC) | - | - | ✓ |
| Little Ringed Plover | <i>Charadrius dubius</i> | Y | (LC) | 2 | 0.6 | ✓ |
| Common Sandpiper | <i>Actitis hypoleucos</i> | Y | - | 4 | 1.4 | ✓ |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> | Y | LC | 4 | 0.8 | ✓ |
| Common Kingfisher | <i>Alcedo atthis</i> | Y | - | 1 | 0.2 | ✓ |
| Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | Y | - | 2 | 0.6 | ✓ |
| White Wagtail | <i>Motacilla alba</i> | Y | - | 5 | 2.0 | ✓ |
| Zitting Cisticola | <i>Cisticola juncidis</i> | Y | LC | 1 | 0.4 | |
| Red-billed Starling | <i>Spodiopsar sericeus</i> | N | GC | 3 | 19.0 | ✓ |
| White-cheeked Starling | <i>Spodiopsar cineraceus</i> | Y | PRC | 1 | 1.0 | |
| Collared Crow | <i>Corvus torquatus</i> | Y | LC | 1 | 0.2 | ✓ |
| No. of species recorded: | | | | 22 | | |

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2016-09-05).

Table I2: Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

| Species Name ⁽⁴⁾ | Scientific Name ⁽⁴⁾ | Wetland Dependence | Conservation Status ⁽¹⁾ | Feb 2017 Occurrence ⁽²⁾ | Feb 2017 Mean ⁽³⁾ | Records outside surveys |
|---------------------------------|---------------------------------|--------------------|------------------------------------|------------------------------------|------------------------------|-------------------------|
| Little Grebe | <i>Tachybaptus ruficollis</i> | Y | LC | 5 | 4.0 | ✓ |
| Great Cormorant | <i>Phalacrocorax carbo</i> | Y | PRC | 2 | 0.4 | ✓ |
| Grey Heron | <i>Ardea cinerea</i> | Y | PRC | 5 | 4.2 | ✓ |
| Great Egret | <i>Ardea alba</i> | Y | PRC, (RC) | 5 | 2.4 | ✓ |
| Little Egret | <i>Egretta garzetta</i> | Y | PRC, (RC) | 5 | 4.2 | ✓ |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | Y | PRC, (RC) | 5 | 6.2 | ✓ |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | Y | (LC) | - | - | ✓ |
| Yellow Bittern | <i>Ixobrychus sinensis</i> | Y | LC | 1 | 0.2 | |
| Black Kite | <i>Milvus migrans</i> | Y | RC | 2 | 1.0 | |
| Eastern Buzzard | <i>Buteo japonicus</i> | Y | - | 2 | 0.4 | |
| Peregrine Falcon | <i>Falco peregrinus</i> | N | LC | 1 | 0.2 | ✓ |
| White-breasted Waterhen | <i>Amauromis phoenicurus</i> | Y | - | 1 | 0.2 | ✓ |
| Common Moorhen | <i>Gallinula chloropus</i> | Y | - | 1 | 0.6 | ✓ |
| Oriental Pratincole | <i>Glareola maldivarum</i> | Y | LC | - | - | ✓ |
| Little Ringed Plover | <i>Charadrius dubius</i> | Y | (LC) | 1 | 0.8 | |
| Common Greenshank | <i>Tringa nebularia</i> | Y | RC | - | - | ✓ |
| Green Sandpiper | <i>Tringa ochropus</i> | Y | - | 3 | 0.8 | ✓ |
| Wood Sandpiper | <i>Tringa glareola</i> | Y | (LC) | 1 | 0.2 | ✓ |
| Common Sandpiper | <i>Actitis hypoleucos</i> | Y | - | 3 | 2.2 | ✓ |
| Pied Kingfisher | <i>Ceryle rudis</i> | Y | (LC) | - | - | ✓ |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> | Y | LC | 2 | 0.4 | |
| Common Kingfisher | <i>Alcedo atthis</i> | Y | - | 5 | 2.6 | ✓ |
| Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | Y | - | - | - | ✓ |
| White Wagtail | <i>Motacilla alba</i> | Y | - | 1 | 1.0 | ✓ |
| White-cheeked Starling | <i>Spodiopsar cineraceus</i> | Y | PRC | 1 | 0.6 | |
| No. of species recorded: | | | | 25 | | |

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)
(2) Indicates number of surveys recorded within the reporting period.
(3) Refers to the mean number of individuals recorded in the reporting period in the WRA.
(4) Follows HK bird list (dated 2016-09-05).

Table I3: Summary of bird species recorded in the Survey Area (excluding the WRA) during the reporting month

| Species Name ⁽²⁾ | Scientific Name ⁽²⁾ | Wetland Dependence | Conservation Status ⁽¹⁾ |
|---------------------------------|----------------------------------|--------------------|------------------------------------|
| Little Grebe | <i>Tachybaptus ruficollis</i> | Y | LC |
| Great Cormorant | <i>Phalacrocorax carbo</i> | Y | PRC |
| Grey Heron | <i>Ardea cinerea</i> | Y | PRC |
| Great Egret | <i>Ardea alba</i> | Y | PRC, (RC) |
| Little Egret | <i>Egretta garzetta</i> | Y | PRC, (RC) |
| Eastern Cattle Egret | <i>Bubulcus coromandus</i> | Y | LC |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | Y | PRC, (RC) |
| Tufted Duck | <i>Aythya fuligula</i> | Y | LC |
| Black Kite | <i>Milvus migrans</i> | Y | RC |
| Greater Spotted Eagle | <i>Clanga clanga</i> | Y | GC |
| White-breasted Waterhen | <i>Amauornis phoenicurus</i> | Y | - |
| Black-winged Stilt | <i>Himantopus himantopus</i> | Y | (RC) |
| Little Ringed Plover | <i>Charadrius dubius</i> | Y | (LC) |
| Common Sandpiper | <i>Actitis hypoleucos</i> | Y | - |
| Spotted Dove | <i>Spilopelia chinensis</i> | N | - |
| Eurasian Collared Dove | <i>Streptopelia decaocto</i> | N | - |
| Asian Koel | <i>Eudynamis scolopaceus</i> | N | - |
| #Greater Coucal | <i>Centropus sinensis</i> | N | - |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> | Y | LC |
| Common Kingfisher | <i>Alcedo atthis</i> | Y | - |
| Barn Swallow | <i>Hirundo rustica</i> | N | - |
| Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | Y | - |
| White Wagtail | <i>Motacilla alba</i> | Y | - |
| Richard's Pipit | <i>Anthus richardi</i> | N | - |
| Olive-backed Pipit | <i>Anthus hodgsoni</i> | N | - |
| Chinese Bulbul | <i>Pycnonotus sinensis</i> | N | - |
| Long-tailed Shrike | <i>Lanius schach</i> | N | - |
| Oriental Magpie Robin | <i>Copsychus saularis</i> | N | - |
| Daurian Redstart | <i>Phoenicurus aureoreus</i> | N | - |
| Stejneger's Stonechat | <i>Saxicola stejnegeri</i> | N | - |
| Zitting Cisticola | <i>Cisticola juncidis</i> | Y | LC |
| Plain Prinia | <i>Prinia inornata</i> | N | - |
| Scaly-breasted Munia | <i>Lonchura punctulata</i> | N | - |
| Eurasian Tree Sparrow | <i>Passer montanus</i> | N | - |
| Red-billed Starling | <i>Spodiopsar sericeus</i> | N | GC |
| White-cheeked Starling | <i>Spodiopsar cineraceus</i> | Y | PRC |
| Black-collared Starling | <i>Gracupica nigricollis</i> | N | - |
| Common Myna | <i>Acridotheres tristis</i> | N | - |
| Crested Myna | <i>Acridotheres cristatellus</i> | N | - |
| Eurasian Magpie | <i>Pica pica</i> | N | - |
| Collared Crow | <i>Corvus torquatus</i> | Y | LC |
| No. of species recorded: | | | 41 |

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015).

(2) Follows HK bird list (dated 2016-09-05)

Table I4: Summary of bird species recorded in the WRA during the reporting month

| Species Name ⁽²⁾ | Scientific Name ⁽²⁾ | Wetland Dependence | Conservation Status ⁽¹⁾ |
|-----------------------------|----------------------------------|--------------------|------------------------------------|
| Little Grebe | <i>Tachybaptus ruficollis</i> | Y | LC |
| Great Cormorant | <i>Phalacrocorax carbo</i> | Y | PRC |
| Grey Heron | <i>Ardea cinerea</i> | Y | PRC |
| Great Egret | <i>Ardea alba</i> | Y | PRC, (RC) |
| Little Egret | <i>Egretta garzetta</i> | Y | PRC, (RC) |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | Y | PRC, (RC) |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | Y | (LC) |
| Yellow Bittern | <i>Ixobrychus sinensis</i> | Y | LC |
| Black Kite | <i>Milvus migrans</i> | Y | RC |
| Eastern Buzzard | <i>Buteo japonicus</i> | Y | - |
| Peregrine Falcon | <i>Falco peregrinus</i> | N | LC |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i> | Y | - |
| Common Moorhen | <i>Gallinula chloropus</i> | Y | - |
| Oriental Pratincole | <i>Glareola maldivarum</i> | Y | LC |
| Little Ringed Plover | <i>Charadrius dubius</i> | Y | (LC) |
| Common Greenshank | <i>Tringa nebularia</i> | Y | RC |
| Green Sandpiper | <i>Tringa ochropus</i> | Y | - |
| Wood Sandpiper | <i>Tringa glareola</i> | Y | (LC) |
| Common Sandpiper | <i>Actitis hypoleucos</i> | Y | - |
| Spotted Dove | <i>Spilopelia chinensis</i> | N | - |
| Eurasian Collared Dove | <i>Streptopelia decaocto</i> | N | - |
| #Greater Coucal | <i>Centropus sinensis</i> | N | - |
| Pied Kingfisher | <i>Ceryle rudis</i> | Y | (LC) |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> | Y | LC |
| Common Kingfisher | <i>Alcedo atthis</i> | Y | - |
| Barn Swallow | <i>Hirundo rustica</i> | N | - |
| Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | Y | - |
| White Wagtail | <i>Motacilla alba</i> | Y | - |
| Red-whiskered Bulbul | <i>Pycnonotus jocosus</i> | N | - |
| Chinese Bulbul | <i>Pycnonotus sinensis</i> | N | - |
| Long-tailed Shrike | <i>Lanius schach</i> | N | - |
| Daurian Redstart | <i>Phoenicurus aureoreus</i> | N | - |
| Stejneger's Stonechat | <i>Saxicola stejnegeri</i> | N | - |
| Masked Laughingthrush | <i>Garrulax perspicillatus</i> | N | - |
| Common Tailorbird | <i>Orthotomus sutorius</i> | N | - |
| Dusky Warbler | <i>Phylloscopus fuscatus</i> | N | - |
| Pallas's Leaf Warbler | <i>Phylloscopus proregulus</i> | N | - |
| Yellow-bellied Prinia | <i>Prinia flaviventris</i> | N | - |
| Plain Prinia | <i>Prinia inornata</i> | N | - |
| White-cheeked Starling | <i>Spodiopsar cineraceus</i> | Y | PRC |
| Black-collared Starling | <i>Gracupica nigricollis</i> | N | - |
| Common Myna | <i>Acridotheres tristis</i> | N | - |
| Crested Myna | <i>Acridotheres cristatellus</i> | N | - |
| Eurasian Magpie | <i>Pica pica</i> | N | - |
| Large-billed Crow | <i>Corvus macrorhynchos</i> | N | - |

| Species Name ⁽²⁾ | Scientific Name ⁽²⁾ | Wetland Dependence | Conservation Status ⁽¹⁾ |
|---------------------------------|--------------------------------|--------------------|------------------------------------|
| No. of species recorded: | | | 45 |

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)

(2) Follows HK bird list (dated 2016-09-05)

#Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II).