

I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	May 2017 Occurrence ⁽²⁾	May 2017 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	5.2	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	5	2.2	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	12.4	✓
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	LC	3	8.2	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	5.4	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1	0.4	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	1	0.2	
Black Kite	<i>Milvus migrans</i>	Y	RC	1	0.2	
White-breasted Waterhen	<i>Amauromis phoenicurus</i>	Y	-	2	0.4	✓
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	1	0.8	
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	2	0.4	✓
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	LC	3	1.4	
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	-	-	✓
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	1	0.2	
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	-	-	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	2	1.0	✓
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)	-	-	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)	4	2.8	✓
Collared Crow	<i>Corvus torquatus</i>	Y	LC	2	0.4	✓
No. of species recorded:				19		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2017-01-26).

Table I2: Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	May 2017 Occurrence ⁽²⁾	May 2017 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	2	0.4	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	2.2	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	19.4	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	2	2.0	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1	0.4	
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	2	0.8	✓
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	Y	LC	1	0.2	✓
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	2	0.6	✓
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	LC	1	0.2	✓
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	3	1.0	✓
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	2	0.4	
White Wagtail	<i>Motacilla alba</i>	Y	-	2	0.6	✓
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)	-	-	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)	3	1.2	✓
No. of species recorded:				14		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)
(2) Indicates number of surveys recorded within the reporting period.
(3) Refers to the mean number of individuals recorded in the reporting period in the WRA.
(4) Follows HK bird list (dated 2017-01-26).

Table I3: Summary of bird species recorded in the Survey Area (excluding the WRA) during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	LC
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC
Black Kite	<i>Milvus migrans</i>	Y	RC
Crested Goshawk	<i>Accipiter trivirgatus</i>	N	-
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-
Green Sandpiper	<i>Tringa ochropus</i>	Y	-
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	LC
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-
#Greater Coucal	<i>Centropus sinensis</i>	N	-
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Cinereous Tit	<i>Parus cinereus</i>	N	-
Japanese White-eye	<i>Zosterops japonicus</i>	N	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)
Common Myna	<i>Acridotheres tristis</i>	N	-
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Black Drongo	<i>Dicrurus macrocercus</i>	N	-
Eurasian Magpie	<i>Pica pica</i>	N	-
Collared Crow	<i>Corvus torquatus</i>	Y	LC
No. of species recorded:			40

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015).

(2) Follows HK bird list (dated 2017-01-26)

#Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

Table I4: Summary of bird species recorded in the WRA during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	Y	LC
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
#Greater Coucal	<i>Centropus sinensis</i>	N	-
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	LC
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Japanese White-eye	<i>Zosterops japonicus</i>	N	-
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Eurasian Magpie	<i>Pica pica</i>	N	-
No. of species recorded:			28

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015)

(2) Follows HK bird list (dated 2017-01-26)

#Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II).