

I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	June 2017 Occurrence ⁽²⁾	June 2017 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	5.2	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	5	8.6	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	4.6	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	5.8	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1	0.2	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	2	0.4	✓
Black Kite	<i>Milvus migrans</i>	Y	RC	0	0.0	✓
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	0.8	✓
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	-	-	✓
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	-	-	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	2	0.8	
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)	-	-	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)	2	1.2	✓
Collared Crow	<i>Corvus torquatus</i>	Y	LC	-	-	✓
No. of species recorded:				14		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2017-01-26).

Table I2: Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	June 2017 Occurrence ⁽²⁾	June 2017 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	2	0.6	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	2	0.8	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	2.4	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	3	0.8	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	-	-	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC	5	2.0	✓
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	1	0.2	✓
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	(RC)	-	-	✓
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	-	-	✓
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	LC	1	0.2	✓
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	1	0.2	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	1	0.4	✓
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)	4	1.8	✓
No. of species recorded:				13		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017)
(2) Indicates number of surveys recorded within the reporting period.
(3) Refers to the mean number of individuals recorded in the reporting period in the WRA.
(4) Follows HK bird list (dated 2017-01-26).

Table I3: Summary of bird species recorded in the Survey Area (excluding the WRA) during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC
Black Kite	<i>Milvus migrans</i>	Y	RC
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
#Greater Coucal	<i>Centropus sinensis</i>	N	-
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	(GC)
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)
Common Myna	<i>Acridotheres tristis</i>	N	-
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Collared Crow	<i>Corvus torquatus</i>	Y	LC
No. of species recorded:		29	

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2015).

(2) Follows HK bird list (dated 2017-01-26)

#Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

Table I4: Summary of bird species recorded in the WRA during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	LC
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	(RC)

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
#Greater Coucal	<i>Centropus sinensis</i>	N	-
White-throated Kingfisher	<i>Halcyon smymensis</i>	Y	LC
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Cinereous Tit	<i>Parus cinereus</i>	N	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-
Japanese White-eye	<i>Zosterops japonicus</i>	N	-
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-
No. of species recorded:		30	

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017)

(2) Follows HK bird list (dated 2017-01-26)

#Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II).