

I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	Jan 2018 Occurrence ⁽²⁾	Jan 2018 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	5.2	✓
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	5	17.4	✓
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	5	3.6	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	3	1.0	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	3.2	✓
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	2.8	✓
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	5	24.4	✓
Black Kite	<i>Milvus migrans</i>	Y	(RC)	2	0.4	✓
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	3	1.2	
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	1	1.6	✓
Little Ringed Plover	<i>Charadrius dubius</i>	Y	LC	1	0.4	✓
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	1	0.4	✓
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	2	2.0	✓
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	1	0.2	
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	2	0.4	✓
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	1	0.2	
White Wagtail	<i>Motacilla alba</i>	Y	-	3	2.0	✓
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(GC)	2	1.4	✓
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	1	0.2	✓
No. of species recorded:				19		

Note:

- (1) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017) Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).
- (4) Follows HK bird list (dated 2017-09-05).

Table I2: Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	Jan 2018 Occurrence ⁽²⁾	Jan 2018 Mean ⁽³⁾	Records outside surveys
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	2	0.6	✓
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	2	0.4	✓
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	3	1.0	✓
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	2	0.8	✓
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	4.0	✓
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	1	0.4	
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	2	1.0	✓
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	1	0.2	
Black Kite	<i>Milvus migrans</i>	Y	(RC)	1	0.2	✓
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	-	-	✓
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.4	✓
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	-	-	✓
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	1	0.2	✓
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	2	0.6	✓
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	3	0.8	✓
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	1	0.2	✓
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	1	0.2	✓
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	-	-	✓
White Wagtail	<i>Motacilla alba</i>	Y	-	3	3.2	✓
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(GC)	1	8.4	✓
No. of species recorded:				20		

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002)
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period in the WRA.
- (4) Follows HK bird list (dated 2017-09-05).

Table I3: Summary of bird species recorded in the Survey Area (excluding the WRA) during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC
Grey Heron	<i>Ardea cinerea</i>	Y	PRC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Tufted Duck	<i>Aythya fuligula</i>	Y	LC
Black Kite	<i>Milvus migrans</i>	Y	(RC)
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC
Little Ringed Plover	<i>Charadrius dubius</i>	Y	LC
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Daurian Redstart	<i>Phoenicurus aureoreus</i>	N	-
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(GC)
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Black Drongo	<i>Dicrurus macrocercus</i>	N	-
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-
Eurasian Magpie	<i>Pica pica</i>	N	-
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT
No. of species recorded:		36	

Note:

(1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002)

(2) Follows HK bird list (dated 2017-09-05)

Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

Table I4: Summary of bird species recorded in the WRA during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC
Grey Heron	<i>Ardea cinerea</i>	Y	PRC
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)
Black Kite	<i>Milvus migrans</i>	Y	(RC)
Eastern Buzzard	<i>Buteo japonicus</i>	N	-
Besra	<i>Accipiter virgatus</i>	N	-
Common Moorhen	<i>Gallinula chloropus</i>	Y	-
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC
Common Greenshank	<i>Tringa nebularia</i>	Y	RC
Green Sandpiper	<i>Tringa ochropus</i>	Y	-
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-
Spotted Dove	<i>Spilopelia chinensis</i>	N	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-
Greater Coucal#	<i>Centropus sinensis</i>	N	-
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)
Common Kingfisher	<i>Alcedo atthis</i>	Y	-
Barn Swallow	<i>Hirundo rustica</i>	N	-
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-
White Wagtail	<i>Motacilla alba</i>	Y	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	N	-
Long-tailed Shrike	<i>Lanius schach</i>	N	-
Daurian Redstart	<i>Phoenicurus aureoreus</i>	N	-
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-
Plain Prinia	<i>Prinia inornata</i>	N	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(GC)
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-
Crested Myna	<i>Acridotheres cristatellus</i>	N	-
Black Drongo	<i>Dicrurus macrocercus</i>	N	-
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-
Eurasian Magpie	<i>Pica pica</i>	N	-
No. of species recorded:		43	

Note:

- (1) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002)
- (2) Follows HK bird list (dated 2017-09-05)
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)