




F. Graphical Plots of the Monitoring Results

Air Quality




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1815117
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 02-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 07-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.
Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1815117 supersedes any previous reports with this reference. Testing period is from 02-Feb-2018 to 07-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1815117 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	02-Feb-2018	HK1815117-001	17	6	----	----	----	----
MP3-2	02-Feb-2018	HK1815117-002	18	5	----	----	----	----
MP4-1	02-Feb-2018	HK1815117-003	4	3	----	----	----	----
MP4-2	02-Feb-2018	HK1815117-004	5	3	----	----	----	----
MP5-1	02-Feb-2018	HK1815117-005	7	2	----	----	----	----
MP5-2	02-Feb-2018	HK1815117-006	9	<2	----	----	----	----
MP6-1	02-Feb-2018	HK1815117-007	8	3	----	----	----	----
MP6-2	02-Feb-2018	HK1815117-008	6	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1410825)								
HK1815082-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1815152-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1410825)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1408029)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	110	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT,
SHATIN, N.T. HONG KONG

E-mail : Thomas.wong@eno.com.hk
Telephone : 2242 1020
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG

Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1815455**

Date received : 05-Feb-2018

Date of issue : 12-Feb-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1815455 supersedes any previous reports with this reference. Testing period is from 05-Feb-2018 to 12-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1815455 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	05-Feb-2018	HK1815455-001	19	4	----	----	----	----
MP3-2	05-Feb-2018	HK1815455-002	18	4	----	----	----	----
MP4-1	05-Feb-2018	HK1815455-003	7	<2	----	----	----	----
MP4-2	05-Feb-2018	HK1815455-004	5	<2	----	----	----	----
MP5-1	05-Feb-2018	HK1815455-005	7	<2	----	----	----	----
MP5-2	05-Feb-2018	HK1815455-006	9	<2	----	----	----	----
MP6-1	05-Feb-2018	HK1815455-007	7	<2	----	----	----	----
MP6-2	05-Feb-2018	HK1815455-008	6	<2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1413829)								
HK1815419-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1815422-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	10	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1413829)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	86.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1415071)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	88.3	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1816069
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 07-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 13-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Site</i>	: —				- <i>Analysed</i> : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1816069 supersedes any previous reports with this reference. Testing period is from 07-Feb-2018 to 13-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1816069 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	07-Feb-2018	HK1816069-001	24	20	----	----	----	----
MP3-2	07-Feb-2018	HK1816069-002	25	8	----	----	----	----
MP4-1	07-Feb-2018	HK1816069-003	5	4	----	----	----	----
MP4-2	07-Feb-2018	HK1816069-004	7	4	----	----	----	----
MP5-1	07-Feb-2018	HK1816069-005	7	5	----	----	----	----
MP5-2	07-Feb-2018	HK1816069-006	6	4	----	----	----	----
MP6-1	07-Feb-2018	HK1816069-007	4	4	----	----	----	----
MP6-2	07-Feb-2018	HK1816069-008	4	5	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1420068)								
HK1816086-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	22	23	0.00
HK1816098-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2.7	2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1420068)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	102	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1420470)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	98.6	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site :

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HK/5895/2015

Page : 1 of 4
Work Order : **HK1816718**

Date received : 09-Feb-2018

Date of issue : 15-Feb-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1816718 supersedes any previous reports with this reference. Testing period is from 09-Feb-2018 to 15-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1816718 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[09-Feb-2018]	HK1816718-001	28	8	----	----	----	----
MP3-2	[09-Feb-2018]	HK1816718-002	30	9	----	----	----	----
MP4-1	[09-Feb-2018]	HK1816718-003	9	5	----	----	----	----
MP4-2	[09-Feb-2018]	HK1816718-004	9	5	----	----	----	----
MP5-1	[09-Feb-2018]	HK1816718-005	10	5	----	----	----	----
MP5-2	[09-Feb-2018]	HK1816718-006	8	5	----	----	----	----
MP6-1	[09-Feb-2018]	HK1816718-007	7	5	----	----	----	----
MP6-2	[09-Feb-2018]	HK1816718-008	9	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1427081)								
HK1816667-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	5	26.0
HK1816667-012	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	12	14	15.8
EA/ED: Physical and Aggregate Properties (QC Lot: 1427082)								
HK1816719-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1816735-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	5	22.2

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1427081)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	110	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1427082)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	105	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1425495)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	110	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1817103
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 12-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 21-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1817103 supersedes any previous reports with this reference. Testing period is from 12-Feb-2018 to 20-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1817103 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	12-Feb-2018	HK1817103-001	60	8	----	----	----	----
MP3-2	12-Feb-2018	HK1817103-002	57	8	----	----	----	----
MP4-1	12-Feb-2018	HK1817103-003	16	4	----	----	----	----
MP4-2	12-Feb-2018	HK1817103-004	18	4	----	----	----	----
MP5-1	12-Feb-2018	HK1817103-005	24	4	----	----	----	----
MP5-2	12-Feb-2018	HK1817103-006	25	4	----	----	----	----
MP6-1	12-Feb-2018	HK1817103-007	21	4	----	----	----	----
MP6-2	12-Feb-2018	HK1817103-008	20	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1432842)								
HK1817082-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	12	12	0.00
HK1817087-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1432842)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	109	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1431122)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	102	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1817479
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 14-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 26-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1817479 supersedes any previous reports with this reference. Testing period is from 14-Feb-2018 to 24-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1817479 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	14-Feb-2018	HK1817479-001		20	4	----	----	----
MP3-2	14-Feb-2018	HK1817479-002		22	4	----	----	----
MP4-1	14-Feb-2018	HK1817479-003		19	4	----	----	----
MP4-2	14-Feb-2018	HK1817479-004		20	5	----	----	----
MP5-1	14-Feb-2018	HK1817479-005		9	3	----	----	----
MP5-2	14-Feb-2018	HK1817479-006		9	4	----	----	----
MP6-1	14-Feb-2018	HK1817479-007		20	4	----	----	----
MP6-2	14-Feb-2018	HK1817479-008		22	4	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1452734)								
HK1817382-021	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	17800	18300	2.55
HK1817433-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	8	13.7

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1452734)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1436031)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.1	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1817639**

Date received : 20-Feb-2018

Date of issue : 26-Feb-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1817639 supersedes any previous reports with this reference. Testing period is from 20-Feb-2018 to 26-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1817639 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	20-Feb-2018	HK1817639-001	60	13	----	----	----	----
MP3-2	20-Feb-2018	HK1817639-002	56	13	----	----	----	----
MP4-1	20-Feb-2018	HK1817639-003	15	4	----	----	----	----
MP4-2	20-Feb-2018	HK1817639-004	16	4	----	----	----	----
MP5-1	20-Feb-2018	HK1817639-005	13	3	----	----	----	----
MP5-2	20-Feb-2018	HK1817639-006	12	3	----	----	----	----
MP6-1	20-Feb-2018	HK1817639-007	15	4	----	----	----	----
MP6-2	20-Feb-2018	HK1817639-008	16	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1452736)								
HK1817550-008	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	122	106	14.4
HK1817630-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	49	46	5.05

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1452736)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1447048)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.0	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1817962
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 22-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 27-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1817962 supersedes any previous reports with this reference. Testing period is from 22-Feb-2018 to 27-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1817962 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	22-Feb-2018	HK1817962-001		53	6	----	----	----
MP3-2	22-Feb-2018	HK1817962-002		52	6	----	----	----
MP4-1	22-Feb-2018	HK1817962-003		50	7	----	----	----
MP4-2	22-Feb-2018	HK1817962-004		50	6	----	----	----
MP5-1	22-Feb-2018	HK1817962-005		42	5	----	----	----
MP5-2	22-Feb-2018	HK1817962-006		44	5	----	----	----
MP6-1	22-Feb-2018	HK1817962-007		51	5	----	----	----
MP6-2	22-Feb-2018	HK1817962-008		54	4	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1456006)								
HK1817790-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	11	12.2
HK1817924-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4.9	5	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 1456007)								
HK1817994-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	13	14	0.00
HK1817994-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	7	21.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
Method: Compound	CAS Number	LOR	Unit	Result			LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1456006)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	99.0	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1456007)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	109	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1450287)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	102	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1818185
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 24-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 01-Mar-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatory</u>	<u>Position</u>	<u>Authorised results for:</u>
Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1818185 supersedes any previous reports with this reference. Testing period is from 24-Feb-2018 to 01-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1818185 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	24-Feb-2018	HK1818185-001	52	8	----	----	----	----
MP3-2	24-Feb-2018	HK1818185-002	53	8	----	----	----	----
MP4-1	24-Feb-2018	HK1818185-003	10	2	----	----	----	----
MP4-2	24-Feb-2018	HK1818185-004	9	2	----	----	----	----
MP5-1	24-Feb-2018	HK1818185-005	14	3	----	----	----	----
MP5-2	24-Feb-2018	HK1818185-006	13	5	----	----	----	----
MP6-1	24-Feb-2018	HK1818185-007	18	3	----	----	----	----
MP6-2	24-Feb-2018	HK1818185-008	16	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1459014)								
HK1818088-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<5	<5	0.00
HK1818107-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 1459015)								
HK1818196-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	9	10	0.00
HK1818198-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	144	146	1.38

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
Method: Compound	CAS Number	LOR	Unit	Result			LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1459014)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	88.0	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1459015)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	96.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1454738)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	99.4	----	81	121	----	----
EP: Aggregate Organics (QCLot: 1454839)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	91.1	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1818322**

Date received : 26-Feb-2018

Date of issue : 05-Mar-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1818322 supersedes any previous reports with this reference. Testing period is from 26-Feb-2018 to 05-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1818322 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	26-Feb-2018	HK1818322-001	50	15	----	----	----	----
MP3-2	26-Feb-2018	HK1818322-002	47	16	----	----	----	----
MP4-1	26-Feb-2018	HK1818322-003	37	3	----	----	----	----
MP4-2	26-Feb-2018	HK1818322-004	38	3	----	----	----	----
MP5-1	26-Feb-2018	HK1818322-005	47	6	----	----	----	----
MP5-2	26-Feb-2018	HK1818322-006	51	7	----	----	----	----
MP6-1	26-Feb-2018	HK1818322-007	48	8	----	----	----	----
MP6-2	26-Feb-2018	HK1818322-008	47	8	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1459016)								
HK1818311-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	9	8	0.00
HK1818342-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 1461918)								
HK1818285-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	27	29	8.86
HK1818417-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1459016)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	95.5	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1461918)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	113	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1460448)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	89.4	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1818729
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 28-Feb-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 06-Mar-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1818729 supersedes any previous reports with this reference. Testing period is from 28-Feb-2018 to 06-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1818729 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	28-Feb-2018	HK1818729-001	50	13	----	----	----	----
MP3-2	28-Feb-2018	HK1818729-002	48	14	----	----	----	----
MP4-1	28-Feb-2018	HK1818729-003	48	2	----	----	----	----
MP4-2	28-Feb-2018	HK1818729-004	52	2	----	----	----	----
MP5-1	28-Feb-2018	HK1818729-005	40	7	----	----	----	----
MP5-2	28-Feb-2018	HK1818729-006	41	6	----	----	----	----
MP6-1	28-Feb-2018	HK1818729-007	48	8	----	----	----	----
MP6-2	28-Feb-2018	HK1818729-008	47	7	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1465057)								
HK1818603-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3.2	2.6	0.00
HK1818631-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 1465058)								
HK1818746-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1818748-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1465057)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	109	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1465058)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	96.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1465344)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	109	----	81	121	----	----
EP: Aggregate Organics (QCLot: 1465345)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	103	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.