


## **F. Graphical Plots of the Monitoring Results**




## Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




## Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




## Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




## Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




## Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




## Noise

Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7

















## Water Quality









## Water Quality



## Water Quality



## Water Quality





### CERTIFICATE OF ANALYSIS

*Client* : ENOVATIVE ENVIRONMENTAL SERVICE LTD  
*Contact* : MR THOMAS WONG  
*Address* : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,  
N.T. HONG KONG  
*E-mail* : Thomas.Wong@eno.com.hk  
*Telephone* : ----  
*Facsimile* : ----  
*Project* : PROPOSED COMPREHENSIVE  
DEVELOPMENT AT WO SHANG WAI  
YUEN LONG  
*Order number* : —  
*C-O-C number* : —  
*Site* : —

*Laboratory* : ALS Technichem (HK) Pty Ltd  
*Contact* : Richard Fung  
*Address* : 11/F., Chung Shun Knitting Centre, 1 - 3  
Wing Yip Street, Kwai Chung, N.T.,  
Hong Kong  
*E-mail* : richard.fung@alsglobal.com  
*Telephone* : +852 2610 1044  
*Facsimile* : +852 2610 2021  
*Quote number* : HKE/2894/2017

*Page* : 1 of 4  
*Work Order* : **HK1856842**

*Date received* : 02-Nov-2018

*Date of issue* : 08-Nov-2018

*No. of samples* - *Received* : 8  
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856842 supersedes any previous reports with this reference. Testing period is from 02-Nov-2018 to 08-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856842 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

---



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[02-Nov-2018]	HK1856842-001	28	7	----	----	----	----
MP3-2	[02-Nov-2018]	HK1856842-002	28	6	----	----	----	----
MP4-1	[02-Nov-2018]	HK1856842-003	52	12	----	----	----	----
MP4-2	[02-Nov-2018]	HK1856842-004	45	12	----	----	----	----
MP5-1	[02-Nov-2018]	HK1856842-005	47	8	----	----	----	----
MP5-2	[02-Nov-2018]	HK1856842-006	48	7	----	----	----	----
MP6-1	[02-Nov-2018]	HK1856842-007	51	8	----	----	----	----
MP6-2	[02-Nov-2018]	HK1856842-008	53	8	----	----	----	----





### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2023248)</b>								
HK1856266-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	2	0.00
HK1856266-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	5	24.1

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2023248)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2017003)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	108	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2017452)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	104	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

*Client* : ENOVATIVE ENVIRONMENTAL SERVICE LTD  
*Contact* : MR THOMAS WONG  
*Address* : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,  
N.T. HONG KONG  
*E-mail* : Thomas.Wong@eno.com.hk  
*Telephone* : ----  
*Facsimile* : ----  
*Project* : PROPOSED COMPREHENSIVE  
DEVELOPMENT AT WO SHANG WAI  
YUEN LONG  
*Order number* : —  
*C-O-C number* : —  
*Site* : —

*Laboratory* : ALS Technichem (HK) Pty Ltd  
*Contact* : Richard Fung  
*Address* : 11/F., Chung Shun Knitting Centre, 1 - 3  
Wing Yip Street, Kwai Chung, N.T.,  
Hong Kong  
*E-mail* : richard.fung@alsglobal.com  
*Telephone* : +852 2610 1044  
*Facsimile* : +852 2610 2021  
*Quote number* : HKE/2894/2017

*Page* : 1 of 4  
*Work Order* : **HK1856843**

*Date received* : 05-Nov-2018

*Date of issue* : 13-Nov-2018

*No. of samples* - *Received* : 8  
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856843 supersedes any previous reports with this reference. Testing period is from 05-Nov-2018 to 13-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856843 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[05-Nov-2018]	HK1856843-001	27	6	----	----	----	----
MP3-2	[05-Nov-2018]	HK1856843-002	29	5	----	----	----	----
MP4-1	[05-Nov-2018]	HK1856843-003	30	<2	----	----	----	----
MP4-2	[05-Nov-2018]	HK1856843-004	27	<2	----	----	----	----
MP5-1	[05-Nov-2018]	HK1856843-005	28	4	----	----	----	----
MP5-2	[05-Nov-2018]	HK1856843-006	30	4	----	----	----	----
MP6-1	[05-Nov-2018]	HK1856843-007	30	4	----	----	----	----
MP6-2	[05-Nov-2018]	HK1856843-008	31	4	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2030730)								
HK1857556-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.00
HK1857560-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	4	29.7

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2030730)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2023669)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

*Client* : ENOVATIVE ENVIRONMENTAL SERVICE LTD  
*Contact* : MR THOMAS WONG  
*Address* : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,  
N.T. HONG KONG  
*E-mail* : Thomas.Wong@eno.com.hk  
*Telephone* : ----  
*Facsimile* : ----  
*Project* : PROPOSED COMPREHENSIVE  
DEVELOPMENT AT WO SHANG WAI  
YUEN LONG  
*Order number* : —  
*C-O-C number* : —  
*Site* : —

*Laboratory* : ALS Technichem (HK) Pty Ltd  
*Contact* : Richard Fung  
*Address* : 11/F., Chung Shun Knitting Centre, 1 - 3  
Wing Yip Street, Kwai Chung, N.T.,  
Hong Kong  
*E-mail* : richard.fung@alsglobal.com  
*Telephone* : +852 2610 1044  
*Facsimile* : +852 2610 2021  
*Quote number* : HKE/2894/2017

*Page* : 1 of 4  
*Work Order* : **HK1856844**

*Date received* : 07-Nov-2018

*Date of issue* : 14-Nov-2018

*No. of samples* - *Received* : 8  
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856844 supersedes any previous reports with this reference. Testing period is from 07-Nov-2018 to 13-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856844 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[07-Nov-2018]	HK1856844-001	31	8	----	----	----	----
MP3-2	[07-Nov-2018]	HK1856844-002	36	8	----	----	----	----
MP4-1	[07-Nov-2018]	HK1856844-003	35	2	----	----	----	----
MP4-2	[07-Nov-2018]	HK1856844-004	34	2	----	----	----	----
MP5-1	[07-Nov-2018]	HK1856844-005	38	5	----	----	----	----
MP5-2	[07-Nov-2018]	HK1856844-006	46	4	----	----	----	----
MP6-1	[07-Nov-2018]	HK1856844-007	44	5	----	----	----	----
MP6-2	[07-Nov-2018]	HK1856844-008	44	5	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2030730)								
HK1857556-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.00
HK1857560-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	4	29.7

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2030730)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2026005)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	107	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856845</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 09-Nov-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 14-Nov-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856845 supersedes any previous reports with this reference. Testing period is from 09-Nov-2018 to 14-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856845 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[09-Nov-2018]	HK1856845-001	16	7	----	----	----	----
MP3-2	[09-Nov-2018]	HK1856845-002	14	7	----	----	----	----
MP4-1	[09-Nov-2018]	HK1856845-003	50	5	----	----	----	----
MP4-2	[09-Nov-2018]	HK1856845-004	47	5	----	----	----	----
MP5-1	[09-Nov-2018]	HK1856845-005	38	6	----	----	----	----
MP5-2	[09-Nov-2018]	HK1856845-006	38	7	----	----	----	----
MP6-1	[09-Nov-2018]	HK1856845-007	41	7	----	----	----	----
MP6-2	[09-Nov-2018]	HK1856845-008	50	7	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2033267)</b>								
HK1857965-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	156	147	5.67
HK1858301-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2033267)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	106	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2029073)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	106	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856846</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 12-Nov-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 19-Nov-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856846 supersedes any previous reports with this reference. Testing period is from 12-Nov-2018 to 19-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856846 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[12-Nov-2018]	HK1856846-001	15	6	----	----	----	----
MP3-2	[12-Nov-2018]	HK1856846-002	16	8	----	----	----	----
MP4-1	[12-Nov-2018]	HK1856846-003	37	6	----	----	----	----
MP4-2	[12-Nov-2018]	HK1856846-004	36	6	----	----	----	----
MP5-1	[12-Nov-2018]	HK1856846-005	42	9	----	----	----	----
MP5-2	[12-Nov-2018]	HK1856846-006	43	8	----	----	----	----
MP6-1	[12-Nov-2018]	HK1856846-007	49	9	----	----	----	----
MP6-2	[12-Nov-2018]	HK1856846-008	50	9	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2041015)</b>								
HK1858477-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	5	0.00
HK1859070-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2041015)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	110	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2030876)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	108	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856848</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 14-Nov-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 21-Nov-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856848 supersedes any previous reports with this reference. Testing period is from 14-Nov-2018 to 20-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856848 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[14-Nov-2018]	HK1856848-001	18	5	----	----	----	----
MP3-2	[14-Nov-2018]	HK1856848-002	18	5	----	----	----	----
MP4-1	[14-Nov-2018]	HK1856848-003	37	8	----	----	----	----
MP4-2	[14-Nov-2018]	HK1856848-004	32	8	----	----	----	----
MP5-1	[14-Nov-2018]	HK1856848-005	38	8	----	----	----	----
MP5-2	[14-Nov-2018]	HK1856848-006	32	7	----	----	----	----
MP6-1	[14-Nov-2018]	HK1856848-007	37	7	----	----	----	----
MP6-2	[14-Nov-2018]	HK1856848-008	35	7	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2046341)</b>								
HK1859487-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1859511-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	13	14	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2046341)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2038936)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	98.2	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856850</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 16-Nov-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 23-Nov-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856850 supersedes any previous reports with this reference. Testing period is from 16-Nov-2018 to 23-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856850 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[16-Nov-2018]	HK1856850-001	26	4	----	----	----	----
MP3-2	[16-Nov-2018]	HK1856850-002	29	4	----	----	----	----
MP4-1	[16-Nov-2018]	HK1856850-003	36	7	----	----	----	----
MP4-2	[16-Nov-2018]	HK1856850-004	32	7	----	----	----	----
MP5-1	[16-Nov-2018]	HK1856850-005	37	7	----	----	----	----
MP5-2	[16-Nov-2018]	HK1856850-006	37	7	----	----	----	----
MP6-1	[16-Nov-2018]	HK1856850-007	35	7	----	----	----	----
MP6-2	[16-Nov-2018]	HK1856850-008	35	7	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2051330)</b>								
HK1859702-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1859702-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2051330)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2041156)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	110	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

*Client* : ENOVATIVE ENVIRONMENTAL SERVICE LTD  
*Contact* : MR THOMAS WONG  
*Address* : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,  
N.T. HONG KONG  
*E-mail* : Thomas.Wong@eno.com.hk  
*Telephone* : ----  
*Facsimile* : ----  
*Project* : PROPOSED COMPREHENSIVE  
DEVELOPMENT AT WO SHANG WAI  
YUEN LONG  
*Order number* : —  
*C-O-C number* : —  
*Site* : —

*Laboratory* : ALS Technichem (HK) Pty Ltd  
*Contact* : Richard Fung  
*Address* : 11/F., Chung Shun Knitting Centre, 1 - 3  
Wing Yip Street, Kwai Chung, N.T.,  
Hong Kong  
*E-mail* : richard.fung@alsglobal.com  
*Telephone* : +852 2610 1044  
*Facsimile* : +852 2610 2021  
*Quote number* : HKE/2894/2017

*Page* : 1 of 4  
*Work Order* : **HK1856851**

*Date received* : 19-Nov-2018

*Date of issue* : 26-Nov-2018

*No. of samples* :  
- *Received* : 8  
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

*Signatory*

*Position*

*Authorised results for:*

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856851 supersedes any previous reports with this reference. Testing period is from 19-Nov-2018 to 26-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856851 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[19-Nov-2018]	HK1856851-001	15	8	----	----	----	----
MP3-2	[19-Nov-2018]	HK1856851-002	14	8	----	----	----	----
MP4-1	[19-Nov-2018]	HK1856851-003	36	3	----	----	----	----
MP4-2	[19-Nov-2018]	HK1856851-004	36	3	----	----	----	----
MP5-1	[19-Nov-2018]	HK1856851-005	31	4	----	----	----	----
MP5-2	[19-Nov-2018]	HK1856851-006	30	4	----	----	----	----
MP6-1	[19-Nov-2018]	HK1856851-007	34	4	----	----	----	----
MP6-2	[19-Nov-2018]	HK1856851-008	33	4	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2053998)</b>								
HK1858828-008	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1859949-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2053998)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2044524)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	108	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2045279)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	99.4	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

**Client** : ENOVATIVE ENVIRONMENTAL SERVICE LTD  
**Contact** : MR THOMAS WONG  
**Address** : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,  
N.T. HONG KONG  
**E-mail** : Thomas.Wong@eno.com.hk  
**Telephone** : ----  
**Facsimile** : ----  
**Project** : PROPOSED COMPREHENSIVE  
DEVELOPMENT AT WO SHANG WAI  
YUEN LONG  
**Order number** : —  
**C-O-C number** : —  
**Site** : —

**Laboratory** : ALS Technichem (HK) Pty Ltd  
**Contact** : Richard Fung  
**Address** : 11/F., Chung Shun Knitting Centre, 1 - 3  
Wing Yip Street, Kwai Chung, N.T.,  
Hong Kong  
**E-mail** : richard.fung@alsglobal.com  
**Telephone** : +852 2610 1044  
**Facsimile** : +852 2610 2021  
**Quote number** : HKE/2894/2017

**Page** : 1 of 4  
**Work Order** : HK1856852

**Date received** : 21-Nov-2018

**Date of issue** : 28-Nov-2018

**No. of samples** :  
- Received : 8  
- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

**Signatory**

**Position**

**Authorised results for:**

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856852 supersedes any previous reports with this reference. Testing period is from 21-Nov-2018 to 28-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856852 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[21-Nov-2018]	HK1856852-001	14	7	----	----	----	----
MP3-2	[21-Nov-2018]	HK1856852-002	14	7	----	----	----	----
MP4-1	[21-Nov-2018]	HK1856852-003	44	3	----	----	----	----
MP4-2	[21-Nov-2018]	HK1856852-004	42	3	----	----	----	----
MP5-1	[21-Nov-2018]	HK1856852-005	43	5	----	----	----	----
MP5-2	[21-Nov-2018]	HK1856852-006	45	5	----	----	----	----
MP6-1	[21-Nov-2018]	HK1856852-007	43	4	----	----	----	----
MP6-2	[21-Nov-2018]	HK1856852-008	44	4	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2059262)</b>								
HK1860384-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1860384-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	7	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2059262)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	97.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2051677)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	102	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1856853
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 23-Nov-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 01-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

*Signatory*

*Position*

*Authorised results for:*

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856853 supersedes any previous reports with this reference. Testing period is from 23-Nov-2018 to 30-Nov-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856853 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[23-Nov-2018]	HK1856853-001	17	4	----	----	----	----
MP3-2	[23-Nov-2018]	HK1856853-002	18	5	----	----	----	----
MP4-1	[23-Nov-2018]	HK1856853-003	44	7	----	----	----	----
MP4-2	[23-Nov-2018]	HK1856853-004	44	7	----	----	----	----
MP5-1	[23-Nov-2018]	HK1856853-005	42	7	----	----	----	----
MP5-2	[23-Nov-2018]	HK1856853-006	44	7	----	----	----	----
MP6-1	[23-Nov-2018]	HK1856853-007	51	7	----	----	----	----
MP6-2	[23-Nov-2018]	HK1856853-008	51	7	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2064515)</b>								
HK1861066-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1861066-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	104	106	1.72

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2064515)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	112	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2054419)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.8	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2055430)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	88.8	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856855</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 26-Nov-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 03-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

*Signatory*

*Position*

*Authorised results for:*

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856855 supersedes any previous reports with this reference. Testing period is from 26-Nov-2018 to 03-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856855 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[26-Nov-2018]	HK1856855-001	26	6	----	----	----	----
MP3-2	[26-Nov-2018]	HK1856855-002	27	6	----	----	----	----
MP4-1	[26-Nov-2018]	HK1856855-003	32	<2	----	----	----	----
MP4-2	[26-Nov-2018]	HK1856855-004	34	<2	----	----	----	----
MP5-1	[26-Nov-2018]	HK1856855-005	48	6	----	----	----	----
MP5-2	[26-Nov-2018]	HK1856855-006	40	7	----	----	----	----
MP6-1	[26-Nov-2018]	HK1856855-007	39	6	----	----	----	----
MP6-2	[26-Nov-2018]	HK1856855-008	42	6	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2067364)</b>								
HK1861607-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	8	0.00
HK1861607-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	5	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2067364)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2057926)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	89.8	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.





### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1856856
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 28-Nov-2018
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017	<i>Date of issue</i>	: 05-Dec-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

*Signatory*

*Position*

*Authorised results for:*

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856856 supersedes any previous reports with this reference. Testing period is from 28-Nov-2018 to 05-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856856 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[28-Nov-2018]	HK1856856-001	25	11	----	----	----	----
MP3-2	[28-Nov-2018]	HK1856856-002	27	10	----	----	----	----
MP4-1	[28-Nov-2018]	HK1856856-003	52	6	----	----	----	----
MP4-2	[28-Nov-2018]	HK1856856-004	54	7	----	----	----	----
MP5-1	[28-Nov-2018]	HK1856856-005	41	3	----	----	----	----
MP5-2	[28-Nov-2018]	HK1856856-006	42	2	----	----	----	----
MP6-1	[28-Nov-2018]	HK1856856-007	40	4	----	----	----	----
MP6-2	[28-Nov-2018]	HK1856856-008	41	2	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 2073388)</b>								
HK1861923-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	7	0.00
HK1861923-010	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2073388)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	100	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2065278)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	108	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



### CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1856857</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 30-Nov-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 05-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

*Signatory*

*Position*

*Authorised results for:*

Fung Lim Chee, Richard

General Manager

Inorganics



### **Report Comments**

This report for ALS Technichem (HK) Pty Ltd work order reference HK1856857 supersedes any previous reports with this reference. Testing period is from 30-Nov-2018 to 05-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

#### **Specific Comments for Work Order HK1856857 :**

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



## Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[30-Nov-2018]	HK1856857-001	44	10	----	----	----	----
MP3-2	[30-Nov-2018]	HK1856857-002	45	10	----	----	----	----
MP4-1	[30-Nov-2018]	HK1856857-003	41	5	----	----	----	----
MP4-2	[30-Nov-2018]	HK1856857-004	41	7	----	----	----	----
MP5-1	[30-Nov-2018]	HK1856857-005	39	6	----	----	----	----
MP5-2	[30-Nov-2018]	HK1856857-006	39	6	----	----	----	----
MP6-1	[30-Nov-2018]	HK1856857-007	40	6	----	----	----	----
MP6-2	[30-Nov-2018]	HK1856857-008	39	6	----	----	----	----



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2070315)								
HK1860570-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1860570-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	12	11	11.0

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2070315)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	110	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2067897)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	101	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2068362)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	106	----	81	121	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.