



F. Graphical Plots of the Monitoring Results

Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861748
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 03-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 11-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861748 supersedes any previous reports with this reference. Testing period is from 03-Dec-2018 to 11-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861748 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[03-Dec-2018]	HK1861748-001	26	9	---	---	---	---
MP3-2	[03-Dec-2018]	HK1861748-002	26	8	---	---	---	---
MP4-1	[03-Dec-2018]	HK1861748-003	37	5	---	---	---	---
MP4-2	[03-Dec-2018]	HK1861748-004	37	5	---	---	---	---
MP5-1	[03-Dec-2018]	HK1861748-005	34	7	---	---	---	---
MP5-2	[03-Dec-2018]	HK1861748-006	35	7	---	---	---	---
MP6-1	[03-Dec-2018]	HK1861748-007	34	7	---	---	---	---
MP6-2	[03-Dec-2018]	HK1861748-008	35	7	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2082971)								
HK1861748-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	26	26	0.00
HK1862621-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2082971)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2076917)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	112	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861750
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 05-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 13-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861750 supersedes any previous reports with this reference. Testing period is from 05-Dec-2018 to 12-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861750 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[05-Dec-2018]	HK1861750-001	20	11	----	----	----	----
MP3-2	[05-Dec-2018]	HK1861750-002	18	9	----	----	----	----
MP4-1	[05-Dec-2018]	HK1861750-003	34	7	----	----	----	----
MP4-2	[05-Dec-2018]	HK1861750-004	35	5	----	----	----	----
MP5-1	[05-Dec-2018]	HK1861750-005	31	9	----	----	----	----
MP5-2	[05-Dec-2018]	HK1861750-006	32	9	----	----	----	----
MP6-1	[05-Dec-2018]	HK1861750-007	34	8	----	----	----	----
MP6-2	[05-Dec-2018]	HK1861750-008	35	7	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2087479)								
HK1862868-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	16	15	0.00
HK1862868-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2087479)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2076927)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	107	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2077889)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	114	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861751
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 07-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 15-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861751 supersedes any previous reports with this reference. Testing period is from 07-Dec-2018 to 14-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861751 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	[07-Dec-2018]	HK1861751-001	13	2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	[07-Dec-2018]	HK1861751-002	12	2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	[07-Dec-2018]	HK1861751-003	34	2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	[07-Dec-2018]	HK1861751-004	36	2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	[07-Dec-2018]	HK1861751-005	31	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	[07-Dec-2018]	HK1861751-006	25	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	[07-Dec-2018]	HK1861751-007	32	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	[07-Dec-2018]	HK1861751-008	33	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2092731)								
HK1863792-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	107	101	5.56
HK1863792-007	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	124	124	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 2093781)								
HK1863711-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.00
HK1863711-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	6	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2092731)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.0	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2093781)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	105	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2081635)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	109	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861752
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 10-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 19-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861752 supersedes any previous reports with this reference. Testing period is from 10-Dec-2018 to 18-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861752 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[10-Dec-2018]	HK1861752-001	25	5	---	---	---	---
MP3-2	[10-Dec-2018]	HK1861752-002	25	5	---	---	---	---
MP4-1	[10-Dec-2018]	HK1861752-003	36	<2	---	---	---	---
MP4-2	[10-Dec-2018]	HK1861752-004	37	<2	---	---	---	---
MP5-1	[10-Dec-2018]	HK1861752-005	40	6	---	---	---	---
MP5-2	[10-Dec-2018]	HK1861752-006	41	5	---	---	---	---
MP6-1	[10-Dec-2018]	HK1861752-007	41	5	---	---	---	---
MP6-2	[10-Dec-2018]	HK1861752-008	41	6	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2094358)								
HK1864420-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	4	0.00
HK1864420-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	5	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2094358)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2090004)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	104	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861754
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 12-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 19-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861754 supersedes any previous reports with this reference. Testing period is from 12-Dec-2018 to 18-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861754 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	[12-Dec-2018]	HK1861754-001	35	10	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	[12-Dec-2018]	HK1861754-002	36	10	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	[12-Dec-2018]	HK1861754-003	36	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	[12-Dec-2018]	HK1861754-004	35	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	[12-Dec-2018]	HK1861754-005	57	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	[12-Dec-2018]	HK1861754-006	57	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	[12-Dec-2018]	HK1861754-007	58	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	[12-Dec-2018]	HK1861754-008	58	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2094358)								
HK1864420-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	4	0.00
HK1864420-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	5	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2094358)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2093180)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	98.8	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2093186)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	102	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861755
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 14-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 21-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861755 supersedes any previous reports with this reference. Testing period is from 14-Dec-2018 to 21-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861755 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	[14-Dec-2018]	HK1861755-001	29	8	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	[14-Dec-2018]	HK1861755-002	28	7	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	[14-Dec-2018]	HK1861755-003	41	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	[14-Dec-2018]	HK1861755-004	42	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	[14-Dec-2018]	HK1861755-005	40	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	[14-Dec-2018]	HK1861755-006	42	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	[14-Dec-2018]	HK1861755-007	37	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	[14-Dec-2018]	HK1861755-008	40	4	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2107169)								
HK1864804-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	5	0.00
HK1864804-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	11	11	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2107169)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2097410)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	101	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861756
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 17-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 27-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861756 supersedes any previous reports with this reference. Testing period is from 17-Dec-2018 to 24-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861756 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>LOR Unit</i>			
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			2 mg/L	2 mg/L	----	----	----
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	[17-Dec-2018]	HK1861756-001	17	6	----	----	----
MP3-2	[17-Dec-2018]	HK1861756-002	17	7	----	----	----
MP4-1	[17-Dec-2018]	HK1861756-003	36	3	----	----	----
MP4-2	[17-Dec-2018]	HK1861756-004	36	4	----	----	----
MP5-1	[17-Dec-2018]	HK1861756-005	26	6	----	----	----
MP5-2	[17-Dec-2018]	HK1861756-006	27	7	----	----	----
MP6-1	[17-Dec-2018]	HK1861756-007	28	7	----	----	----
MP6-2	[17-Dec-2018]	HK1861756-008	27	7	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2111589)								
HK1865076-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	8	0.00
HK1865076-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	9	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2111589)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	101	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2099392)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.6	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861759
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 19-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 29-Dec-2018
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861759 supersedes any previous reports with this reference. Testing period is from 19-Dec-2018 to 28-Dec-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861759 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[19-Dec-2018]	HK1861759-001	30	7	---	---	---	---
MP3-2	[19-Dec-2018]	HK1861759-002	28	7	---	---	---	---
MP4-1	[19-Dec-2018]	HK1861759-003	55	5	---	---	---	---
MP4-2	[19-Dec-2018]	HK1861759-004	56	4	---	---	---	---
MP5-1	[19-Dec-2018]	HK1861759-005	42	6	---	---	---	---
MP5-2	[19-Dec-2018]	HK1861759-006	45	6	---	---	---	---
MP6-1	[19-Dec-2018]	HK1861759-007	48	6	---	---	---	---
MP6-2	[19-Dec-2018]	HK1861759-008	46	6	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2116751)								
HK1865815-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.00
HK1865814-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	3	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2116751)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	96.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2107318)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	95.4	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2107339)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	95.8	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1861760
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 21-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 04-Jan-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1861760 supersedes any previous reports with this reference. Testing period is from 21-Dec-2018 to 04-Jan-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1861760 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[21-Dec-2018]	HK1861760-001	52	17	---	---	---	---
MP3-2	[21-Dec-2018]	HK1861760-002	51	20	---	---	---	---
MP4-1	[21-Dec-2018]	HK1861760-003	54	4	---	---	---	---
MP4-2	[21-Dec-2018]	HK1861760-004	49	5	---	---	---	---
MP5-1	[21-Dec-2018]	HK1861760-005	60	9	---	---	---	---
MP5-2	[21-Dec-2018]	HK1861760-006	71	9	---	---	---	---
MP6-1	[21-Dec-2018]	HK1861760-007	62	9	---	---	---	---
MP6-2	[21-Dec-2018]	HK1861760-008	74	9	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2121284)								
HK1861006-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	14	15	10.1
HK1861006-008	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	8	17.3

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER

			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2121284)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	89.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2110796)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	98.6	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1866544
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 24-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 05-Jan-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1866544 supersedes any previous reports with this reference. Testing period is from 24-Dec-2018 to 05-Jan-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1866544 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>LOR Unit</i>			
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			2 mg/L	2 mg/L	----	----	----
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	[24-Dec-2018]	HK1866544-001	21	5	----	----	----
MP3-2	[24-Dec-2018]	HK1866544-002	24	5	----	----	----
MP4-1	[24-Dec-2018]	HK1866544-003	47	3	----	----	----
MP4-2	[24-Dec-2018]	HK1866544-004	49	3	----	----	----
MP5-1	[24-Dec-2018]	HK1866544-005	52	6	----	----	----
MP5-2	[24-Dec-2018]	HK1866544-006	48	8	----	----	----
MP6-1	[24-Dec-2018]	HK1866544-007	63	6	----	----	----
MP6-2	[24-Dec-2018]	HK1866544-008	60	6	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2122790)								
HK1866385-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	77	78	0.00
HK1866439-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2122790)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	109	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2116907)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1866545
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 27-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 08-Jan-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1866545 supersedes any previous reports with this reference. Testing period is from 27-Dec-2018 to 08-Jan-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1866545 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[27-Dec-2018]	HK1866545-001	20	10	---	---	---	---
MP3-2	[27-Dec-2018]	HK1866545-002	22	10	---	---	---	---
MP4-1	[27-Dec-2018]	HK1866545-003	25	2	---	---	---	---
MP4-2	[27-Dec-2018]	HK1866545-004	24	2	---	---	---	---
MP5-1	[27-Dec-2018]	HK1866545-005	23	6	---	---	---	---
MP5-2	[27-Dec-2018]	HK1866545-006	22	6	---	---	---	---
MP6-1	[27-Dec-2018]	HK1866545-007	24	6	---	---	---	---
MP6-2	[27-Dec-2018]	HK1866545-008	24	6	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2124520)								
HK1866478-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.00
HK1866503-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	8	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 2124521)								
HK1866557-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	220	212	3.70
HK1866568-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	9	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2124520)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2124521)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2116907)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2116908)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.7	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1866889
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 29-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 09-Jan-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1866889 supersedes any previous reports with this reference. Testing period is from 29-Dec-2018 to 09-Jan-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1866889 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[29-Dec-2018]	HK1866889-001	19	6	----	----	----	----
MP3-2	[29-Dec-2018]	HK1866889-002	18	6	----	----	----	----
MP4-1	[29-Dec-2018]	HK1866889-003	29	7	----	----	----	----
MP4-2	[29-Dec-2018]	HK1866889-004	28	6	----	----	----	----
MP5-1	[29-Dec-2018]	HK1866889-005	47	6	----	----	----	----
MP5-2	[29-Dec-2018]	HK1866889-006	43	6	----	----	----	----
MP6-1	[29-Dec-2018]	HK1866889-007	40	6	----	----	----	----
MP6-2	[29-Dec-2018]	HK1866889-008	42	7	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2126321)								
HK1866611-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1866680-009	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
EA/ED: Physical and Aggregate Properties (QC Lot: 2126322)								
HK1866899-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1866930-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2126321)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2126322)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2118693)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	86.7	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1867025
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 31-Dec-2018
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 09-Jan-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2894/2017		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1867025 supersedes any previous reports with this reference. Testing period is from 31-Dec-2018 to 09-Jan-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1867025 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	31-Dec-2018	HK1867025-001	36	17	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	31-Dec-2018	HK1867025-002	38	16	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	31-Dec-2018	HK1867025-003	43	<2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	31-Dec-2018	HK1867025-004	44	<2	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	31-Dec-2018	HK1867025-005	39	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	31-Dec-2018	HK1867025-006	37	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	31-Dec-2018	HK1867025-007	37	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	31-Dec-2018	HK1867025-008	37	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2127836)								
HK1900059-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	3	0.00
HK1900074-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2127836)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	94.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 2120196)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	100	----	81	121	----	----
EP: Aggregate Organics (QCLot: 2120197)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.0	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.