



F. Graphical Plots of the Monitoring Results

Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917853
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 02-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 10-May-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917853 supersedes any previous reports with this reference. Testing period is from 02-May-2019 to 10-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917853 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[02-May-2019]	HK1917853-001	47	8	----	----	----	----
MP3-2	[02-May-2019]	HK1917853-002	46	8	----	----	----	----
MP4-1	[02-May-2019]	HK1917853-003	33	4	----	----	----	----
MP4-2	[02-May-2019]	HK1917853-004	33	3	----	----	----	----
MP5-1	[02-May-2019]	HK1917853-005	38	6	----	----	----	----
MP5-2	[02-May-2019]	HK1917853-006	39	6	----	----	----	----
MP6-1	[02-May-2019]	HK1917853-007	39	6	----	----	----	----
MP6-2	[02-May-2019]	HK1917853-008	40	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2336542)								
HK1915183-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	170	158	7.45
HK1915192-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	26	25	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2336542)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2326751)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	114	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917854
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 04-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 14-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917854 supersedes any previous reports with this reference. Testing period is from 04-May-2019 to 14-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917854 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[04-May-2019]	HK1917854-001	36	4	----	----	----	----
MP3-2	[04-May-2019]	HK1917854-002	36	5	----	----	----	----
MP4-1	[04-May-2019]	HK1917854-003	36	<2	----	----	----	----
MP4-2	[04-May-2019]	HK1917854-004	40	<2	----	----	----	----
MP5-1	[04-May-2019]	HK1917854-005	34	2	----	----	----	----
MP5-2	[04-May-2019]	HK1917854-006	36	<2	----	----	----	----
MP6-1	[04-May-2019]	HK1917854-007	34	<2	----	----	----	----
MP6-2	[04-May-2019]	HK1917854-008	34	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2338056)								
HK1917854-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	36	35	0.00
HK1917916-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2338056)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2329966)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	112	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917855
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 06-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 14-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917855 supersedes any previous reports with this reference. Testing period is from 06-May-2019 to 14-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917855 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[06-May-2019]	HK1917855-001	15	5	----	----	----	----
MP3-2	[06-May-2019]	HK1917855-002	16	5	----	----	----	----
MP4-1	[06-May-2019]	HK1917855-003	37	2	----	----	----	----
MP4-2	[06-May-2019]	HK1917855-004	37	2	----	----	----	----
MP5-1	[06-May-2019]	HK1917855-005	25	4	----	----	----	----
MP5-2	[06-May-2019]	HK1917855-006	26	5	----	----	----	----
MP6-1	[06-May-2019]	HK1917855-007	29	5	----	----	----	----
MP6-2	[06-May-2019]	HK1917855-008	31	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2338056)								
HK1917854-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	36	35	0.00
HK1917916-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2338056)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2332275)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	114	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917856
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 08-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 16-May-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917856 supersedes any previous reports with this reference. Testing period is from 08-May-2019 to 15-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917856 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[08-May-2019]	HK1917856-001	30	5	----	----	----	----
MP3-2	[08-May-2019]	HK1917856-002	30	5	----	----	----	----
MP4-1	[08-May-2019]	HK1917856-003	28	2	----	----	----	----
MP4-2	[08-May-2019]	HK1917856-004	27	<2	----	----	----	----
MP5-1	[08-May-2019]	HK1917856-005	30	3	----	----	----	----
MP5-2	[08-May-2019]	HK1917856-006	31	4	----	----	----	----
MP6-1	[08-May-2019]	HK1917856-007	29	3	----	----	----	----
MP6-2	[08-May-2019]	HK1917856-008	31	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2344172)								
HK1917856-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	30	30	0.00
HK1918116-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	7	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2344172)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	110	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2334750)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	110	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917857
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 10-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 20-May-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917857 supersedes any previous reports with this reference. Testing period is from 10-May-2019 to 20-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917857 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[10-May-2019]	HK1917857-001	9	3	----	----	----	----
MP3-2	[10-May-2019]	HK1917857-002	10	5	----	----	----	----
MP4-1	[10-May-2019]	HK1917857-003	42	2	----	----	----	----
MP4-2	[10-May-2019]	HK1917857-004	42	<2	----	----	----	----
MP5-1	[10-May-2019]	HK1917857-005	35	3	----	----	----	----
MP5-2	[10-May-2019]	HK1917857-006	36	3	----	----	----	----
MP6-1	[10-May-2019]	HK1917857-007	41	3	----	----	----	----
MP6-2	[10-May-2019]	HK1917857-008	40	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2352661)								
HK1917858-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	22	22	0.00
HK1917858-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	19	19	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2352661)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	96.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2341114)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	109	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917858
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 14-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 20-May-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917858 supersedes any previous reports with this reference. Testing period is from 14-May-2019 to 20-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917858 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[14-May-2019]	HK1917858-001	22	17	----	----	----	----
MP3-2	[14-May-2019]	HK1917858-002	24	15	----	----	----	----
MP4-1	[14-May-2019]	HK1917858-003	19	3	----	----	----	----
MP4-2	[14-May-2019]	HK1917858-004	19	3	----	----	----	----
MP5-1	[14-May-2019]	HK1917858-005	40	6	----	----	----	----
MP5-2	[14-May-2019]	HK1917858-006	39	8	----	----	----	----
MP6-1	[14-May-2019]	HK1917858-007	38	9	----	----	----	----
MP6-2	[14-May-2019]	HK1917858-008	38	10	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2352661)								
HK1917858-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	22	22	0.00
HK1917858-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	19	19	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2352661)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	96.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2347807)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	100	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917859
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 16-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 23-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917859 supersedes any previous reports with this reference. Testing period is from 16-May-2019 to 23-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917859 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	16-May-2019	HK1917859-001	46	14	----	----	----	----
MP3-2	16-May-2019	HK1917859-002	47	13	----	----	----	----
MP4-1	16-May-2019	HK1917859-003	34	4	----	----	----	----
MP4-2	16-May-2019	HK1917859-004	36	3	----	----	----	----
MP5-1	16-May-2019	HK1917859-005	34	4	----	----	----	----
MP5-2	16-May-2019	HK1917859-006	33	6	----	----	----	----
MP6-1	16-May-2019	HK1917859-007	50	6	----	----	----	----
MP6-2	16-May-2019	HK1917859-008	48	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2361119)								
HK1917859-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	46	49	6.18
HK1920167-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	35	34	3.76

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2361119)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2353357)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	101	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917861
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 18-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 27-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917861 supersedes any previous reports with this reference. Testing period is from 18-May-2019 to 27-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917861 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	[18-May-2019]	HK1917861-001		34	2	----	----	----
MP3-2	[18-May-2019]	HK1917861-002		37	<2	----	----	----
MP4-1	[18-May-2019]	HK1917861-003		56	4	----	----	----
MP4-2	[18-May-2019]	HK1917861-004		61	3	----	----	----
MP5-1	[18-May-2019]	HK1917861-005		47	8	----	----	----
MP5-2	[18-May-2019]	HK1917861-006		52	8	----	----	----
MP6-1	[18-May-2019]	HK1917861-007		69	7	----	----	----
MP6-2	[18-May-2019]	HK1917861-008		71	8	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2362559)								
HK1917861-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	34	33	3.86
HK1921591-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	66	74	12.7

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2362559)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2357101)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	104	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917863
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 20-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 27-May-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917863 supersedes any previous reports with this reference. Testing period is from 20-May-2019 to 27-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917863 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	20-May-2019	HK1917863-001	27	20	----	----	----	----
MP3-2	20-May-2019	HK1917863-002	26	18	----	----	----	----
MP4-1	20-May-2019	HK1917863-003	49	6	----	----	----	----
MP4-2	20-May-2019	HK1917863-004	50	7	----	----	----	----
MP5-1	20-May-2019	HK1917863-005	39	16	----	----	----	----
MP5-2	20-May-2019	HK1917863-006	38	16	----	----	----	----
MP6-1	20-May-2019	HK1917863-007	49	9	----	----	----	----
MP6-2	20-May-2019	HK1917863-008	51	9	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2363629)								
HK1917863-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	27	26	4.05
HK1920760-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2363629)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	96.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2362030)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	95.3	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1921915
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 24-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 31-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1921915 supersedes any previous reports with this reference. Testing period is from 24-May-2019 to 30-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1921915 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	24-May-2019	HK1921915-001		11	4	----	----	----
MP3-2	24-May-2019	HK1921915-002		11	4	----	----	----
MP4-1	24-May-2019	HK1921915-003		21	2	----	----	----
MP4-2	24-May-2019	HK1921915-004		21	<2	----	----	----
MP5-1	24-May-2019	HK1921915-005		12	4	----	----	----
MP5-2	24-May-2019	HK1921915-006		13	4	----	----	----
MP6-1	24-May-2019	HK1921915-007		19	4	----	----	----
MP6-2	24-May-2019	HK1921915-008		19	4	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2375379)								
HK1921809-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	8	0.00
HK1921915-008	MP6-2	EA025: Suspended Solids (SS)	----	2	mg/L	19	20	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2375379)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2366885)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	91.2	----	84	119	----	----
EP: Aggregate Organics (QCLot: 2368307)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	93.2	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917865
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 22-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 30-May-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917865 supersedes any previous reports with this reference. Testing period is from 22-May-2019 to 29-May-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917865 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[22-May-2019]	HK1917865-001	31	14	----	----	----	----
MP3-2	[22-May-2019]	HK1917865-002	29	14	----	----	----	----
MP4-1	[22-May-2019]	HK1917865-003	35	8	----	----	----	----
MP4-2	[22-May-2019]	HK1917865-004	35	7	----	----	----	----
MP5-1	[22-May-2019]	HK1917865-005	23	5	----	----	----	----
MP5-2	[22-May-2019]	HK1917865-006	25	4	----	----	----	----
MP6-1	[22-May-2019]	HK1917865-007	27	11	----	----	----	----
MP6-2	[22-May-2019]	HK1917865-008	26	9	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2372701)								
HK1917865-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	31	32	3.62
HK1921380-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	3	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2372701)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2362073)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	95.8	----	84	119	----	----
EP: Aggregate Organics (QCLot: 2362613)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	88.2	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917868
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 27-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 03-Jun-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917868 supersedes any previous reports with this reference. Testing period is from 27-May-2019 to 01-Jun-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917868 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	27-May-2019	HK1917868-001	13	7	----	----	----	----
MP3-2	27-May-2019	HK1917868-002	13	8	----	----	----	----
MP4-1	27-May-2019	HK1917868-003	25	3	----	----	----	----
MP4-2	27-May-2019	HK1917868-004	24	4	----	----	----	----
MP5-1	27-May-2019	HK1917868-005	30	6	----	----	----	----
MP5-2	27-May-2019	HK1917868-006	53	6	----	----	----	----
MP6-1	27-May-2019	HK1917868-007	29	5	----	----	----	----
MP6-2	27-May-2019	HK1917868-008	29	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2377963)								
HK1917868-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	13	13	0.00
HK1921739-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit	
EA/ED: Physical and Aggregate Properties (QCLot: 2377963)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	102	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2371436)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	103	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917870
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 29-May-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 05-Jun-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917870 supersedes any previous reports with this reference. Testing period is from 29-May-2019 to 05-Jun-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917870 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	29-May-2019	HK1917870-001		32	8	----	----	----
MP3-2	29-May-2019	HK1917870-002		32	7	----	----	----
MP4-1	29-May-2019	HK1917870-003		12	3	----	----	----
MP4-2	29-May-2019	HK1917870-004		13	4	----	----	----
MP5-1	29-May-2019	HK1917870-005		18	4	----	----	----
MP5-2	29-May-2019	HK1917870-006		18	3	----	----	----
MP6-1	29-May-2019	HK1917870-007		18	4	----	----	----
MP6-2	29-May-2019	HK1917870-008		19	4	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2385658)								
HK1922392-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	11	0.00
HK1922392-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	45	44	2.70

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2385658)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	88.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2376601)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	84	119	----	----
EP: Aggregate Organics (QCLot: 2376854)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	103	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1917871
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 31-May-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 06-Jun-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1917871 supersedes any previous reports with this reference. Testing period is from 31-May-2019 to 05-Jun-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1917871 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	31-May-2019	HK1917871-001	20	7	----	----	----	----
MP3-2	31-May-2019	HK1917871-002	21	7	----	----	----	----
MP4-1	31-May-2019	HK1917871-003	37	3	----	----	----	----
MP4-2	31-May-2019	HK1917871-004	36	2	----	----	----	----
MP5-1	31-May-2019	HK1917871-005	49	6	----	----	----	----
MP5-2	31-May-2019	HK1917871-006	48	4	----	----	----	----
MP6-1	31-May-2019	HK1917871-007	47	5	----	----	----	----
MP6-2	31-May-2019	HK1917871-008	46	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2385658)								
HK1922392-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	11	0.00
HK1922392-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	45	44	2.70

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2385658)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	88.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2381127)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.