



F. Graphical Plots of the Monitoring Results

Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality






CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927096
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 02-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 08-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927096 supersedes any previous reports with this reference. Testing period is from 02-Jul-2019 to 08-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927096 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>LOR Unit</i>			
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			2 mg/L	2 mg/L	----	----	----
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	02-Jul-2019	HK1927096-001	52	16	----	----	----
MP3-2	02-Jul-2019	HK1927096-002	52	17	----	----	----
MP4-1	02-Jul-2019	HK1927096-003	35	4	----	----	----
MP4-2	02-Jul-2019	HK1927096-004	36	4	----	----	----
MP5-1	02-Jul-2019	HK1927096-005	49	10	----	----	----
MP5-2	02-Jul-2019	HK1927096-006	50	10	----	----	----
MP6-1	02-Jul-2019	HK1927096-007	49	10	----	----	----
MP6-2	02-Jul-2019	HK1927096-008	50	10	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2445420)								
HK1927880-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	85	86	1.64
HK1927787-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2445420)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	112	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2443334)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927098
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 04-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 09-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927098 supersedes any previous reports with this reference. Testing period is from 04-Jul-2019 to 09-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927098 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	----	----	----
			<i>LOR Unit</i>	2 mg/L	2 mg/L	----	----	----
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[04-Jul-2019]	HK1927098-001	19	18	----	----	----	----
MP3-2	[04-Jul-2019]	HK1927098-002	18	15	----	----	----	----
MP4-1	[04-Jul-2019]	HK1927098-003	26	3	----	----	----	----
MP4-2	[04-Jul-2019]	HK1927098-004	27	4	----	----	----	----
MP5-1	[04-Jul-2019]	HK1927098-005	24	11	----	----	----	----
MP5-2	[04-Jul-2019]	HK1927098-006	23	12	----	----	----	----
MP6-1	[04-Jul-2019]	HK1927098-007	23	12	----	----	----	----
MP6-2	[04-Jul-2019]	HK1927098-008	23	14	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2448119)								
HK1928135-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	33	33	0.00
HK1928135-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	20	19	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2448119)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	113	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2445915)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	102	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927099
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 06-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 15-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927099 supersedes any previous reports with this reference. Testing period is from 06-Jul-2019 to 15-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927099 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	06-Jul-2019	HK1927099-001	17	16	---	---	---	---
MP3-2	06-Jul-2019	HK1927099-002	16	16	---	---	---	---
MP4-1	06-Jul-2019	HK1927099-003	30	6	---	---	---	---
MP4-2	06-Jul-2019	HK1927099-004	30	6	---	---	---	---
MP5-1	06-Jul-2019	HK1927099-005	19	10	---	---	---	---
MP5-2	06-Jul-2019	HK1927099-006	20	9	---	---	---	---
MP6-1	06-Jul-2019	HK1927099-007	19	11	---	---	---	---
MP6-2	06-Jul-2019	HK1927099-008	20	9	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2451578)								
HK1928024-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	3	0.00
HK1928096-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2451578)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2452304)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927101
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 08-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 15-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

General Manager

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927101 supersedes any previous reports with this reference. Testing period is from 08-Jul-2019 to 15-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927101 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[08-Jul-2019]	HK1927101-001	14	11	----	----	----	----
MP3-2	[08-Jul-2019]	HK1927101-002	16	11	----	----	----	----
MP4-1	[08-Jul-2019]	HK1927101-003	44	5	----	----	----	----
MP4-2	[08-Jul-2019]	HK1927101-004	44	5	----	----	----	----
MP5-1	[08-Jul-2019]	HK1927101-005	36	12	----	----	----	----
MP5-2	[08-Jul-2019]	HK1927101-006	38	12	----	----	----	----
MP6-1	[08-Jul-2019]	HK1927101-007	39	12	----	----	----	----
MP6-2	[08-Jul-2019]	HK1927101-008	40	11	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2456777)								
HK1928639-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1928445-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2456777)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	90.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2454841)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927102
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 10-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 17-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927102 supersedes any previous reports with this reference. Testing period is from 10-Jul-2019 to 16-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927102 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[10-Jul-2019]	HK1927102-001	17	4	----	----	----	----
MP3-2	[10-Jul-2019]	HK1927102-002	16	4	----	----	----	----
MP4-1	[10-Jul-2019]	HK1927102-003	37	4	----	----	----	----
MP4-2	[10-Jul-2019]	HK1927102-004	36	4	----	----	----	----
MP5-1	[10-Jul-2019]	HK1927102-005	29	5	----	----	----	----
MP5-2	[10-Jul-2019]	HK1927102-006	28	5	----	----	----	----
MP6-1	[10-Jul-2019]	HK1927102-007	31	5	----	----	----	----
MP6-2	[10-Jul-2019]	HK1927102-008	32	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2461923)								
HK1928547-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	68	69	0.00
HK1928547-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	137	139	1.31

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2461923)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	111	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2460075)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	99.7	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.




CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927103
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 12-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 18-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	Managing Director	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927103 supersedes any previous reports with this reference. Testing period is from 12-Jul-2019 to 18-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927103 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	12-Jul-2019	HK1927103-001	20	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	12-Jul-2019	HK1927103-002	21	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	12-Jul-2019	HK1927103-003	20	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	12-Jul-2019	HK1927103-004	21	3	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	12-Jul-2019	HK1927103-005	25	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	12-Jul-2019	HK1927103-006	25	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	12-Jul-2019	HK1927103-007	23	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	12-Jul-2019	HK1927103-008	24	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2465120)								
HK1930009-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	14	13	7.81
HK1930047-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	16	17	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2465120)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	91.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2462192)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	94.7	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.




CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927104
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 15-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 22-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	Managing Director	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927104 supersedes any previous reports with this reference. Testing period is from 15-Jul-2019 to 22-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927104 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	15-Jul-2019	HK1927104-001	23	9	---	---	---	---
MP3-2	15-Jul-2019	HK1927104-002	24	10	---	---	---	---
MP4-1	15-Jul-2019	HK1927104-003	26	4	---	---	---	---
MP4-2	15-Jul-2019	HK1927104-004	25	3	---	---	---	---
MP5-1	15-Jul-2019	HK1927104-005	24	6	---	---	---	---
MP5-2	15-Jul-2019	HK1927104-006	22	6	---	---	---	---
MP6-1	15-Jul-2019	HK1927104-007	23	6	---	---	---	---
MP6-2	15-Jul-2019	HK1927104-008	23	6	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2470221)								
HK1927104-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	23	24	0.00
HK1930234-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2290	2310	0.868

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2470221)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2470363)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	99.4	----	84	119	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927106
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 17-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 23-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927106 supersedes any previous reports with this reference. Testing period is from 17-Jul-2019 to 23-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927106 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	17-Jul-2019	HK1927106-001	19	7	----	----	----	----
MP3-2	17-Jul-2019	HK1927106-002	20	7	----	----	----	----
MP4-1	17-Jul-2019	HK1927106-003	15	2	----	----	----	----
MP4-2	17-Jul-2019	HK1927106-004	15	3	----	----	----	----
MP5-1	17-Jul-2019	HK1927106-005	18	5	----	----	----	----
MP5-2	17-Jul-2019	HK1927106-006	19	5	----	----	----	----
MP6-1	17-Jul-2019	HK1927106-007	20	6	----	----	----	----
MP6-2	17-Jul-2019	HK1927106-008	20	5	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2475638)								
HK1925677-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	5	0.00
HK1927106-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	15	15	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2475638)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2473617)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	95.9	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927107
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 19-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 24-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927107 supersedes any previous reports with this reference. Testing period is from 19-Jul-2019 to 24-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927107 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	19-Jul-2019	HK1927107-001	34	8	---	---	---	---
MP3-2	19-Jul-2019	HK1927107-002	33	7	---	---	---	---
MP4-1	19-Jul-2019	HK1927107-003	36	4	---	---	---	---
MP4-2	19-Jul-2019	HK1927107-004	36	4	---	---	---	---
MP5-1	19-Jul-2019	HK1927107-005	38	5	---	---	---	---
MP5-2	19-Jul-2019	HK1927107-006	38	5	---	---	---	---
MP6-1	19-Jul-2019	HK1927107-007	38	6	---	---	---	---
MP6-2	19-Jul-2019	HK1927107-008	38	6	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2478948)								
HK1925679-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	2	0.00
HK1927107-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	36	37	4.13

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2478948)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	106	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2476019)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	101	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.




CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927108
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 22-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 30-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
 Fung Lim Chee, Richard	Managing Director	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927108 supersedes any previous reports with this reference. Testing period is from 22-Jul-2019 to 29-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927108 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			LOR Unit	2 mg/L	2 mg/L	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---	---
MP3-1	[22-Jul-2019]	HK1927108-001	26	4	---	---	---	---
MP3-2	[22-Jul-2019]	HK1927108-002	25	5	---	---	---	---
MP4-1	[22-Jul-2019]	HK1927108-003	21	4	---	---	---	---
MP4-2	[22-Jul-2019]	HK1927108-004	20	3	---	---	---	---
MP5-1	[22-Jul-2019]	HK1927108-005	25	4	---	---	---	---
MP5-2	[22-Jul-2019]	HK1927108-006	25	3	---	---	---	---
MP6-1	[22-Jul-2019]	HK1927108-007	25	4	---	---	---	---
MP6-2	[22-Jul-2019]	HK1927108-008	24	3	---	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2484901)								
HK1927108-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	26	26	0.00
HK1930610-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2484901)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	91.5	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2480214)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	102	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927109
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 24-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 30-Jul-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927109 supersedes any previous reports with this reference. Testing period is from 24-Jul-2019 to 30-Jul-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927109 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>LOR Unit</i>			
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
			2 mg/L	2 mg/L	---	---	---
			EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---
MP3-1	24-Jul-2019	HK1927109-001	17	8	---	---	---
MP3-2	24-Jul-2019	HK1927109-002	18	7	---	---	---
MP4-1	24-Jul-2019	HK1927109-003	24	<2	---	---	---
MP4-2	24-Jul-2019	HK1927109-004	23	<2	---	---	---
MP5-1	24-Jul-2019	HK1927109-005	33	7	---	---	---
MP5-2	24-Jul-2019	HK1927109-006	33	8	---	---	---
MP6-1	24-Jul-2019	HK1927109-007	32	8	---	---	---
MP6-2	24-Jul-2019	HK1927109-008	32	7	---	---	---



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2490303)								
HK1927109-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	17	18	0.00
HK1931074-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2490303)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	89.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2485383)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	103	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927111
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 26-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 03-Aug-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927111 supersedes any previous reports with this reference. Testing period is from 26-Jul-2019 to 01-Aug-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927111 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>EA025: Suspended Solids (SS)</i>	<i>EP030: Biochemical Oxygen Demand</i>	<i>---</i>	<i>---</i>	<i>---</i>
			<i>LOR Unit</i>	2 mg/L	2 mg/L	<i>---</i>	<i>---</i>	<i>---</i>
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-1	26-Jul-2019	HK1927111-001	24	8	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP3-2	26-Jul-2019	HK1927111-002	23	8	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-1	26-Jul-2019	HK1927111-003	44	5	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP4-2	26-Jul-2019	HK1927111-004	44	4	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-1	26-Jul-2019	HK1927111-005	48	7	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP5-2	26-Jul-2019	HK1927111-006	47	7	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-1	26-Jul-2019	HK1927111-007	48	6	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>
MP6-2	26-Jul-2019	HK1927111-008	46	7	<i>---</i>	<i>---</i>	<i>---</i>	<i>---</i>



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2496202)								
HK1927111-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	24	24	0.00
HK1927112-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	27	28	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2496202)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2491040)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	115	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927112
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 29-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 05-Aug-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927112 supersedes any previous reports with this reference. Testing period is from 29-Jul-2019 to 05-Aug-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927112 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			<i>Compound</i>	<i>LOR Unit</i>			
			EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			2 mg/L	2 mg/L	----	----	----
<i>Client sample ID</i>	<i>Client sampling date / time</i>	<i>Laboratory sample ID</i>	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	29-Jul-2019	HK1927112-001	10	4	----	----	----
MP3-2	29-Jul-2019	HK1927112-002	11	4	----	----	----
MP4-1	29-Jul-2019	HK1927112-003	27	<2	----	----	----
MP4-2	29-Jul-2019	HK1927112-004	28	<2	----	----	----
MP5-1	29-Jul-2019	HK1927112-005	22	<2	----	----	----
MP5-2	29-Jul-2019	HK1927112-006	21	<2	----	----	----
MP6-1	29-Jul-2019	HK1927112-007	29	2	----	----	----
MP6-2	29-Jul-2019	HK1927112-008	29	2	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2496202)								
HK1927111-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	24	24	0.00
HK1927112-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	27	28	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2496202)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2498745)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.7	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1927113
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 31-Jul-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 07-Aug-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1927113 supersedes any previous reports with this reference. Testing period is from 31-Jul-2019 to 07-Aug-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1927113 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	[31-Jul-2019]	HK1927113-001	44	6	----	----	----	----
MP3-2	[31-Jul-2019]	HK1927113-002	46	7	----	----	----	----
MP4-1	[31-Jul-2019]	HK1927113-003	31	<2	----	----	----	----
MP4-2	[31-Jul-2019]	HK1927113-004	30	<2	----	----	----	----
MP5-1	[31-Jul-2019]	HK1927113-005	40	4	----	----	----	----
MP5-2	[31-Jul-2019]	HK1927113-006	41	4	----	----	----	----
MP6-1	[31-Jul-2019]	HK1927113-007	49	5	----	----	----	----
MP6-2	[31-Jul-2019]	HK1927113-008	48	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2504814)								
HK1932954-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	130	127	2.18
HK1932954-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	8	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2504814)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.0	----	81	120	----	----
EP: Aggregate Organics (QCLot: 2503302)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	94.7	----	84	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.