I. Summary of Bird Surveys conducted

Table I1: Summary of bird species of conservation importance and/or wetlanddependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	Sep 2019 Occurrence ⁽²⁾	Sep 2019 Mean ⁽³⁾	Records outside surveys ⁽⁵⁾
Little Grebe	Tachybaptus ruficollis	Y	LC	4	5.8	V
Grey Heron	Ardea cinerea	Y	PRC	2	0.5	V
Great Egret	Ardea alba	Y	PRC, (RC)	4	5.8	V
Little Egret	Egretta garzetta	Y	PRC, (RC)	4	15.3	V
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	3	4.8	V
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	4	7.8	V
Yellow Bittern	lxobrychus sinensis	Y	(LC)	1	0.3	0
White-breasted Waterhen	Amaurornis phoenicurus	Y	-	2	1.0	V
Common Sandpiper	Actitis hypoleucos	Y	-	2	0.8	V
Pied Kingfisher	Ceryle rudis	Y	(LC)	0	0.0	V
White-throated Kingfisher	Halcyon smyrnensis	Y	(LC)	0	0.0	V
Common Kingfisher	Alcedo atthis	Y	-	2	0.5	V
White Wagtail	Motacilla alba	Y	-	1	0.3	V
			No. of species recorded:	13		

Note:

(1) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA).

(4) Follows HK bird list (dated 2017-09-05).

(5) Includes observations during other surveys and/or site visits.

(6) Four regular surveys and two outside surveys were conducted

* Red-billed Starling is considered by Fellowes et al. (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

V Indicates the species is recorded outside regular surveys

55

Table I2: Summary of bird species of conservation importance and/or wetlanddependence recorded in the WRA

Species Name ⁽⁴⁾	Scientific Name ⁽⁴⁾	Wetland Dependence	Conservation Status ⁽¹⁾	Sep 2019 Occurrence ⁽²⁾		Records outside surveys ⁽⁵⁾
Little Grebe	Tachybaptus ruficollis	Y	LC	4	2.5	V
Grey Heron	Ardea cinerea	Y	PRC	2	1.3	V
Great Egret	Ardea alba	Y	PRC, (RC)	2	0.5	V
Little Egret	Egretta garzetta	Y	PRC, (RC)	4	5.5	V
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	3	2.3	V
Yellow Bittern	lxobrychus sinensis	Y	(LC)	1	0.3	0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	0	0.0	V
Black Kite	Milvus migrans	Y	(RC)	1	0.3	V
Eurasian Hobby	Falco subbuteo	Y	(LC)	0	0.0	V
White-breasted Waterhen	Amaurornis phoenicurus	Y	-	0	0.0	V
Common Moorhen	Gallinula chloropus	Y	-	0	0.0	V
Common Sandpiper	Actitis hypoleucos	Y	-	2	1.3	0
Common Snipe	Gallinago gallinago	Y	-	0	0.0	V
Common Kingfisher	Alcedo atthis	Y	-	2	0.5	V
Oriental Reed Warbler	Acrocephalus orientalis	Y	-	0	0.0	V
			No. of species recorded:	15		

Note:

(1) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the mean number of individuals recorded in the reporting period in the WRA.

(4) Follows HK bird list (dated 2017-09-05).

(5) Includes observations during other surveys and/or site visits.

(6) Four regular surveys and three outside surveys were conducted

Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

* Red-billed Starling is considered by Fellowes *et al.* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

V Indicates the species is recorded outside regular surveys

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	Tachybaptus ruficollis	Y	LC
Grey Heron	Ardea cinerea	Y	PRC
Great Egret	Ardea alba	Y	PRC, (RC)
Little Egret	Egretta garzetta	Y	PRC, (RC)
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)
Yellow Bittern	Ixobrychus sinensis	Y	(LC)
White-breasted Waterhen	Amaurornis phoenicurus	Y	-
Common Sandpiper	Actitis hypoleucos	Y	-
Spotted Dove	Spilopelia chinensis	Ν	-
Eurasian Collared Dove	Streptopelia decaocto	Ν	-
Asian Koel	Eudynamys scolopaceus	Ν	-
Greater Coucal#	Centropus sinensis	Ν	-
Pied Kingfisher	Ceryle rudis	Y	(LC)
White-throated Kingfisher	Halcyon smyrnensis	Y	(LC)
Common Kingfisher	Alcedo atthis	Y	-
Barn Swallow	Hirundo rustica	Ν	-
White Wagtail	Motacilla alba	Y	-
Red-whiskered Bulbul	Pycnonotus jocosus	Ν	-
Chinese Bulbul	Pycnonotus sinensis	Ν	-
Long-tailed Shrike	Lanius schach	Ν	-
Masked Laughingthrush	Garrulax perspicillatus	Ν	-
Plain Prinia	Prinia inornata	Ν	-
Eurasian Tree Sparrow	Passer montanus	Ν	-
Black-collared Starling	Gracupica nigricollis	Ν	-
Common Myna	Acridotheres tristis	Ν	-
Crested Myna	Acridotheres cristatellus	Ν	-
Eurasian Magpie	Pica pica	Ν	-
Large-billed Crow	Corvus macrorhynchos	Ν	-
	No. of species recorded:	29	

Table I3: Summary of bird species recorded in the Survey Area (excluding the WRA) during the reporting month

Note:

 Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002)

(2) Follows HK bird list (dated 2017-09-05)

(3) Four regular surveys and two outside surveys were conducted

Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

* Red-billed Starling is considered by Fellowes et al. (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table I4: Summary of bird species recorded in the WRA during the reporting month

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Grebe	Tachybaptus ruficollis	Y	LC
Grey Heron	Ardea cinerea	Y	PRC
Great Egret	Ardea alba	Y	PRC, (RC)

Species Name ⁽²⁾	Scientific Name ⁽²⁾	Wetland Dependence	Conservation Status ⁽¹⁾
Little Egret	Egretta garzetta	Y	PRC, (RC)
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)
Yellow Bittern	lxobrychus sinensis	Y	(LC)
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)
Black Kite	Milvus migrans	Y	(RC)
Eurasian Hobby	Falco subbuteo	Y	(LC)
White-breasted Waterhen	Amaurornis phoenicurus	Y	-
Common Moorhen	Gallinula chloropus	Y	-
Common Sandpiper	Actitis hypoleucos	Y	-
Common Snipe	Gallinago gallinago	Y	-
Spotted Dove	Spilopelia chinensis	Ν	-
Eurasian Collared Dove	Streptopelia decaocto	Ν	-
Asian Koel	Eudynamys scolopaceus	Ν	-
Greater Coucal#	Centropus sinensis	Ν	-
Common Kingfisher	Alcedo atthis	Y	-
Barn Swallow	Hirundo rustica	Ν	-
Red-whiskered Bulbul	Pycnonotus jocosus	Ν	-
Chinese Bulbul	Pycnonotus sinensis	Ν	-
Stejneger's Stonechat	Saxicola stejnegeri	Ν	-
Chinese Blackbird	Turdus mandarinus	Ν	-
Masked Laughingthrush	Garrulax perspicillatus	Ν	-
Oriental Reed Warbler	Acrocephalus orientalis	Y	-
Dusky Warbler	Phylloscopus fuscatus	Ν	-
Plain Prinia	Prinia inornata	Ν	-
Asian Brown Flycatcher	Muscicapa dauurica	Ν	-
Common Myna	Acridotheres tristis	Ν	-
Crested Myna	Acridotheres cristatellus	Ν	-
Black Drongo	Dicrurus macrocercus	Ν	-
Azure-winged Magpie	Cyanopica cyanus	Ν	-
	No. of species recorded:	32	
Note:			

Note:

 Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes et al. 2002)

(2) Follows HK bird list (dated 2017-09-05)

(3) Four regular surveys and three outside surveys were conducted

Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected under terrestrial wildlife state protection (category II)

* Red-billed Starling is considered by Fellowes et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)