



F. Graphical Plots of the Monitoring Results

Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941472
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 02-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 08-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941472 supersedes any previous reports with this reference. Testing period is from 02-Oct-2019 to 08-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941472 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	02-Oct-2019	HK1941472-001	23	10	----	----	----	----
MP3-2	02-Oct-2019	HK1941472-002	24	9	----	----	----	----
MP4-1	02-Oct-2019	HK1941472-003	35	6	----	----	----	----
MP4-2	02-Oct-2019	HK1941472-004	36	5	----	----	----	----
MP5-1	02-Oct-2019	HK1941472-005	41	11	----	----	----	----
MP5-2	02-Oct-2019	HK1941472-006	41	11	----	----	----	----
MP6-1	02-Oct-2019	HK1941472-007	39	11	----	----	----	----
MP6-2	02-Oct-2019	HK1941472-008	40	11	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2622872)								
HK1941472-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	23	23	0.00
HK1941574-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2622872)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	99.5	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2619219)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	92.6	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941474
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 04-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 10-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941474 supersedes any previous reports with this reference. Testing period is from 04-Oct-2019 to 10-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941474 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	04-Oct-2019	HK1941474-001	10	4	----	----	----	----
MP3-2	04-Oct-2019	HK1941474-002	10	5	----	----	----	----
MP4-1	04-Oct-2019	HK1941474-003	28	8	----	----	----	----
MP4-2	04-Oct-2019	HK1941474-004	29	4	----	----	----	----
MP5-1	04-Oct-2019	HK1941474-005	23	5	----	----	----	----
MP5-2	04-Oct-2019	HK1941474-006	23	5	----	----	----	----
MP6-1	04-Oct-2019	HK1941474-007	24	4	----	----	----	----
MP6-2	04-Oct-2019	HK1941474-008	24	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2629049)								
HK1941474-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	10	10	0.00
HK1941475-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	25	25	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2629049)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	91.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2623985)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	104	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941475
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 08-Oct-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 14-Oct-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941475 supersedes any previous reports with this reference. Testing period is from 08-Oct-2019 to 14-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941475 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	08-Oct-2019	HK1941475-001		32	5	----	----	----
MP3-2	08-Oct-2019	HK1941475-002		32	5	----	----	----
MP4-1	08-Oct-2019	HK1941475-003		25	<2	----	----	----
MP4-2	08-Oct-2019	HK1941475-004		25	<2	----	----	----
MP5-1	08-Oct-2019	HK1941475-005		14	<2	----	----	----
MP5-2	08-Oct-2019	HK1941475-006		14	<2	----	----	----
MP6-1	08-Oct-2019	HK1941475-007		23	5	----	----	----
MP6-2	08-Oct-2019	HK1941475-008		23	5	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2629049)								
HK1941474-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	10	0.00
HK1941475-003	MP4-1	EA025: Suspended Solids (SS)	----	2	mg/L	25	25	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2629049)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	91.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2629343)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.3	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941477
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 10-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 15-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941477 supersedes any previous reports with this reference. Testing period is from 10-Oct-2019 to 15-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941477 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	10-Oct-2019	HK1941477-001	14	4	----	----	----	----
MP3-2	10-Oct-2019	HK1941477-002	13	4	----	----	----	----
MP4-1	10-Oct-2019	HK1941477-003	37	3	----	----	----	----
MP4-2	10-Oct-2019	HK1941477-004	36	2	----	----	----	----
MP5-1	10-Oct-2019	HK1941477-005	28	3	----	----	----	----
MP5-2	10-Oct-2019	HK1941477-006	28	4	----	----	----	----
MP6-1	10-Oct-2019	HK1941477-007	27	3	----	----	----	----
MP6-2	10-Oct-2019	HK1941477-008	26	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2634510)								
HK1941578-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.00
HK1941578-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	17	17	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2634510)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2633004)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	88.9	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941478
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 12-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 18-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941478 supersedes any previous reports with this reference. Testing period is from 12-Oct-2019 to 17-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941478 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	12-Oct-2019	HK1941478-001	6	<2	----	----	----	----
MP3-2	12-Oct-2019	HK1941478-002	6	<2	----	----	----	----
MP4-1	12-Oct-2019	HK1941478-003	38	<2	----	----	----	----
MP4-2	12-Oct-2019	HK1941478-004	39	<2	----	----	----	----
MP5-1	12-Oct-2019	HK1941478-005	32	3	----	----	----	----
MP5-2	12-Oct-2019	HK1941478-006	31	<2	----	----	----	----
MP6-1	12-Oct-2019	HK1941478-007	34	<2	----	----	----	----
MP6-2	12-Oct-2019	HK1941478-008	33	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2637733)								
HK1943978-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	239	232	3.02
HK1944016-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	133	125	6.34

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2637733)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	87.5	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2636487)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	99.2	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941479
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 14-Oct-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 22-Oct-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941479 supersedes any previous reports with this reference. Testing period is from 14-Oct-2019 to 21-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941479 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	14-Oct-2019	HK1941479-001	12	5	----	----	----	----
MP3-2	14-Oct-2019	HK1941479-002	12	5	----	----	----	----
MP4-1	14-Oct-2019	HK1941479-003	29	3	----	----	----	----
MP4-2	14-Oct-2019	HK1941479-004	28	3	----	----	----	----
MP5-1	14-Oct-2019	HK1941479-005	24	4	----	----	----	----
MP5-2	14-Oct-2019	HK1941479-006	25	4	----	----	----	----
MP6-1	14-Oct-2019	HK1941479-007	24	4	----	----	----	----
MP6-2	14-Oct-2019	HK1941479-008	26	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2640995)								
HK1941479-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	12	14	13.0
HK1943638-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	6	20.6

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2640995)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	84.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2644016)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	91.7	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941480
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 16-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 22-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941480 supersedes any previous reports with this reference. Testing period is from 16-Oct-2019 to 21-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941480 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	16-Oct-2019	HK1941480-001	17	4	----	----	----	----
MP3-2	16-Oct-2019	HK1941480-002	17	<2	----	----	----	----
MP4-1	16-Oct-2019	HK1941480-003	29	<2	----	----	----	----
MP4-2	16-Oct-2019	HK1941480-004	30	2	----	----	----	----
MP5-1	16-Oct-2019	HK1941480-005	40	3	----	----	----	----
MP5-2	16-Oct-2019	HK1941480-006	41	3	----	----	----	----
MP6-1	16-Oct-2019	HK1941480-007	38	3	----	----	----	----
MP6-2	16-Oct-2019	HK1941480-008	39	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2646950)								
HK1944627-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	353	342	3.09
HK1944628-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	180	160	12.1

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2646950)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	82.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2644018)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	98.8	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941481
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 18-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 23-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941481 supersedes any previous reports with this reference. Testing period is from 18-Oct-2019 to 23-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941481 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	18-Oct-2019	HK1941481-001	13	4	----	----	----	----
MP3-2	18-Oct-2019	HK1941481-002	12	<2	----	----	----	----
MP4-1	18-Oct-2019	HK1941481-003	35	<2	----	----	----	----
MP4-2	18-Oct-2019	HK1941481-004	36	<2	----	----	----	----
MP5-1	18-Oct-2019	HK1941481-005	20	<2	----	----	----	----
MP5-2	18-Oct-2019	HK1941481-006	19	<2	----	----	----	----
MP6-1	18-Oct-2019	HK1941481-007	20	<2	----	----	----	----
MP6-2	18-Oct-2019	HK1941481-008	18	<2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2653257)								
HK1945000-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	126	128	1.05
HK1945003-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	192	195	1.81

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2653257)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	110	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2650056)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	106	----	83.6	118	----	----
EP: Aggregate Organics (QCLot: 2651752)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	102	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941482
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 21-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 28-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941482 supersedes any previous reports with this reference. Testing period is from 21-Oct-2019 to 26-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941482 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	21-Oct-2019	HK1941482-001		20	4	----	----	----
MP3-2	21-Oct-2019	HK1941482-002		21	4	----	----	----
MP4-1	21-Oct-2019	HK1941482-003		49	5	----	----	----
MP4-2	21-Oct-2019	HK1941482-004		50	5	----	----	----
MP5-1	21-Oct-2019	HK1941482-005		37	6	----	----	----
MP5-2	21-Oct-2019	HK1941482-006		38	6	----	----	----
MP6-1	21-Oct-2019	HK1941482-007		39	7	----	----	----
MP6-2	21-Oct-2019	HK1941482-008		39	7	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2655940)								
HK1943845-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	0.00
HK1943845-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2655940)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	94.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2654308)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	106	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941484
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 23-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 31-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941484 supersedes any previous reports with this reference. Testing period is from 23-Oct-2019 to 30-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941484 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: WATER			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	23-Oct-2019	HK1941484-001	60	4	----	----	----	----
MP3-2	23-Oct-2019	HK1941484-002	60	4	----	----	----	----
MP4-1	23-Oct-2019	HK1941484-003	39	3	----	----	----	----
MP4-2	23-Oct-2019	HK1941484-004	39	3	----	----	----	----
MP5-1	23-Oct-2019	HK1941484-005	50	3	----	----	----	----
MP5-2	23-Oct-2019	HK1941484-006	49	3	----	----	----	----
MP6-1	23-Oct-2019	HK1941484-007	50	3	----	----	----	----
MP6-2	23-Oct-2019	HK1941484-008	51	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2667292)								
HK1945539-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	20	20	0.00
HK1945553-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	196	192	2.27

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2667292)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	93.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2661681)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	109	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941485
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 25-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 31-Oct-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- <i>Analysed</i> : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941485 supersedes any previous reports with this reference. Testing period is from 25-Oct-2019 to 31-Oct-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941485 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	25-Oct-2019	HK1941485-001	19	4	----	----	----	----
MP3-2	25-Oct-2019	HK1941485-002	18	3	----	----	----	----
MP4-1	25-Oct-2019	HK1941485-003	18	2	----	----	----	----
MP4-2	25-Oct-2019	HK1941485-004	18	2	----	----	----	----
MP5-1	25-Oct-2019	HK1941485-005	17	3	----	----	----	----
MP5-2	25-Oct-2019	HK1941485-006	18	2	----	----	----	----
MP6-1	25-Oct-2019	HK1941485-007	17	2	----	----	----	----
MP6-2	25-Oct-2019	HK1941485-008	18	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2672248)								
HK1945254-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	6	0.00
HK1945254-005	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	106	103	2.86

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2672248)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	85.5	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2665353)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	98.6	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941487
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>Date received</i>	: 28-Oct-2019
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018	<i>Date of issue</i>	: 04-Nov-2019
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941487 supersedes any previous reports with this reference. Testing period is from 28-Oct-2019 to 04-Nov-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941487 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----
MP3-1	28-Sep-2019	HK1941487-001		45	6	----	----	----
MP3-2	28-Sep-2019	HK1941487-002		44	5	----	----	----
MP4-1	28-Sep-2019	HK1941487-003		37	2	----	----	----
MP4-2	28-Sep-2019	HK1941487-004		38	2	----	----	----
MP5-1	28-Sep-2019	HK1941487-005		54	3	----	----	----
MP5-2	28-Sep-2019	HK1941487-006		55	3	----	----	----
MP6-1	28-Sep-2019	HK1941487-007		53	3	----	----	----
MP6-2	28-Sep-2019	HK1941487-008		54	3	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2669604)								
HK1945173-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	33	33	0.00
HK1945173-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	2	2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 2669604)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	89.0	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2667810)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	91.4	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1941488
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044	<i>Date received</i>	: 30-Oct-2019
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021	<i>Date of issue</i>	: 06-Nov-2019
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			<i>No. of samples</i>	- Received : 8
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/3396/2018		- Analysed : 8
<i>C-O-C number</i>	: —				
<i>Site</i>	: —				

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1941488 supersedes any previous reports with this reference. Testing period is from 30-Oct-2019 to 05-Nov-2019. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1941488 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

Sample information (Project name, Sample ID, Sampling date/ time) is provided by client.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	30-Oct-2019	HK1941488-001	47	4	----	----	----	----
MP3-2	30-Oct-2019	HK1941488-002	46	5	----	----	----	----
MP4-1	30-Oct-2019	HK1941488-003	28	<2	----	----	----	----
MP4-2	30-Oct-2019	HK1941488-004	28	3	----	----	----	----
MP5-1	30-Oct-2019	HK1941488-005	25	<2	----	----	----	----
MP5-2	30-Oct-2019	HK1941488-006	25	3	----	----	----	----
MP6-1	30-Oct-2019	HK1941488-007	39	4	----	----	----	----
MP6-2	30-Oct-2019	HK1941488-008	40	5	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2674821)								
HK1946151-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	28	28	0.00
HK1946151-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	28	28	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2674821)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	92.5	----	81.0	120	----	----
EP: Aggregate Organics (QCLot: 2673009)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	94.4	----	83.6	118	----	----
EP: Aggregate Organics (QCLot: 2673793)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	99.1	----	83.6	118	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.