




F. Graphical Plots of the Monitoring Results

Air Quality




Air Quality




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise


Noise Level for 30 min, dB(A), at NSR5




Noise Level for 30 min, dB(A), at NSR7




Water Quality




Water Quality



Water Quality



Water Quality



**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211112
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 01-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 12-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 01-Apr-2022 to 12-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK221112 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / <i>time</i>	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	01-Apr-2022	HK221112-001	34	3	---	---	---	---
MP3-2	01-Apr-2022	HK221112-002	35	4	---	---	---	---
MP4-1	01-Apr-2022	HK221112-003	41	4	---	---	---	---
MP4-2	01-Apr-2022	HK221112-004	42	4	---	---	---	---
MP5-1	01-Apr-2022	HK221112-005	48	3	---	---	---	---
MP5-2	01-Apr-2022	HK221112-006	49	4	---	---	---	---
MP6-1	01-Apr-2022	HK221112-007	48	4	---	---	---	---
MP6-2	01-Apr-2022	HK221112-008	49	3	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4279628)									
HK221112-001	MP3-1	EA025: Suspended Solids (SS)		---	2	mg/L	34	34	0.0
HK2211155-003	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	118	119	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4279628)												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	94.0	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4263985)												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	106	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211118
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 04-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 13-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 04-Apr-2022 to 13-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK221118 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	04-Apr-2022	HK221118-001	34	2	---	---	---	---
MP3-2	04-Apr-2022	HK221118-002	35	<2	---	---	---	---
MP4-1	04-Apr-2022	HK221118-003	44	4	---	---	---	---
MP4-2	04-Apr-2022	HK221118-004	45	5	---	---	---	---
MP5-1	04-Apr-2022	HK221118-005	42	2	---	---	---	---
MP5-2	04-Apr-2022	HK221118-006	43	<2	---	---	---	---
MP6-1	04-Apr-2022	HK221118-007	41	2	---	---	---	---
MP6-2	04-Apr-2022	HK221118-008	42	2	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4282193)									
HK2211118-001	MP3-1	EA025: Suspended Solids (SS)	---	2	mg/L	34	32	3.0	
HK2211156-003	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	10	12	12.2	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4282193)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	114	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4266912)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	102	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211119
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 06-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 14-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Apr-2022 to 14-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK221119 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / <i>time</i>	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	06-Apr-2022	HK221119-001	30	4	---	---	---	---
MP3-2	06-Apr-2022	HK221119-002	30	3	---	---	---	---
MP4-1	06-Apr-2022	HK221119-003	38	5	---	---	---	---
MP4-2	06-Apr-2022	HK221119-004	40	5	---	---	---	---
MP5-1	06-Apr-2022	HK221119-005	39	2	---	---	---	---
MP5-2	06-Apr-2022	HK221119-006	38	3	---	---	---	---
MP6-1	06-Apr-2022	HK221119-007	49	4	---	---	---	---
MP6-2	06-Apr-2022	HK221119-008	50	3	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4285131)									
HK2211119-001	MP3-1	EA025: Suspended Solids (SS)		---	2	mg/L	30	29	0.0
HK2211984-002	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	88	89	1.9

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4285131)												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	90.0	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4272126)												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	105	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211122
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 08-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 20-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 08-Apr-2022 to 20-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211122 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS) 2 mg/L	EP030: Biochemical Oxygen Demand 2 mg/L	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---
MP3-1	08-Apr-2022	HK2211122-001	11	2	---	---	---	---
MP3-2	08-Apr-2022	HK2211122-002	12	3	---	---	---	---
MP4-1	08-Apr-2022	HK2211122-003	13	3	---	---	---	---
MP4-2	08-Apr-2022	HK2211122-004	13	4	---	---	---	---
MP5-1	08-Apr-2022	HK2211122-005	17	4	---	---	---	---
MP5-2	08-Apr-2022	HK2211122-006	16	4	---	---	---	---
MP6-1	08-Apr-2022	HK2211122-007	20	5	---	---	---	---
MP6-2	08-Apr-2022	HK2211122-008	21	5	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4291608)									
HK2212233-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	600	602	0.3	
HK2212259-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	3510	3530	0.7	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4291608)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	96.5	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4277541)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	90.9	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211123
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 11-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 21-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 11-Apr-2022 to 21-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211123 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	11-Apr-2022	HK2211123-001	24	4	---	---	---	---
MP3-2	11-Apr-2022	HK2211123-002	25	4	---	---	---	---
MP4-1	11-Apr-2022	HK2211123-003	19	4	---	---	---	---
MP4-2	11-Apr-2022	HK2211123-004	18	4	---	---	---	---
MP5-1	11-Apr-2022	HK2211123-005	19	5	---	---	---	---
MP5-2	11-Apr-2022	HK2211123-006	20	4	---	---	---	---
MP6-1	11-Apr-2022	HK2211123-007	29	4	---	---	---	---
MP6-2	11-Apr-2022	HK2211123-008	28	4	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4293854)									
HK2211123-001	MP3-1	EA025: Suspended Solids (SS)	---	2	mg/L	24	25	0.0	
HK2212184-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	5	6	0.0	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4293854)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	104	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4281295)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	88.5	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211124
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 13-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 22-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 13-Apr-2022 to 22-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211124 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / <i>time</i>	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	13-Apr-2022	HK2211124-001	20	7	---	---	---	---
MP3-2	13-Apr-2022	HK2211124-002	21	7	---	---	---	---
MP4-1	13-Apr-2022	HK2211124-003	27	4	---	---	---	---
MP4-2	13-Apr-2022	HK2211124-004	28	4	---	---	---	---
MP5-1	13-Apr-2022	HK2211124-005	26	8	---	---	---	---
MP5-2	13-Apr-2022	HK2211124-006	27	8	---	---	---	---
MP6-1	13-Apr-2022	HK2211124-007	30	12	---	---	---	---
MP6-2	13-Apr-2022	HK2211124-008	31	10	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4296667)									
HK2211124-001	MP3-1	EA025: Suspended Solids (SS)	---	2	mg/L	20	21	6.4	
HK2213050-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	201	207	2.8	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4296667)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	93.5	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4286506)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	89.2	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211126
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 19-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 27-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Richard Fung
Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 19-Apr-2022 to 27-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211126 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	19-Apr-2022	HK2211126-001	11	2	---	---	---	---
MP3-2	19-Apr-2022	HK2211126-002	12	3	---	---	---	---
MP4-1	19-Apr-2022	HK2211126-003	19	2	---	---	---	---
MP4-2	19-Apr-2022	HK2211126-004	18	3	---	---	---	---
MP5-1	19-Apr-2022	HK2211126-005	29	3	---	---	---	---
MP5-2	19-Apr-2022	HK2211126-006	28	4	---	---	---	---
MP6-1	19-Apr-2022	HK2211126-007	35	4	---	---	---	---
MP6-2	19-Apr-2022	HK2211126-008	36	3	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4303189)									
HK2211126-001	MP3-1	EA025: Suspended Solids (SS)	---	2	mg/L	11	12	0.0	
HK2211128-003	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	33	33	0.0	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4303189)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	110	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4294937)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	86.1	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211128
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 21-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 27-Apr-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 21-Apr-2022 to 27-Apr-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211128 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	21-Apr-2022	HK2211128-001	33	3	---	---	---	---
MP3-2	21-Apr-2022	HK2211128-002	32	3	---	---	---	---
MP4-1	21-Apr-2022	HK2211128-003	33	8	---	---	---	---
MP4-2	21-Apr-2022	HK2211128-004	32	6	---	---	---	---
MP5-1	21-Apr-2022	HK2211128-005	38	6	---	---	---	---
MP5-2	21-Apr-2022	HK2211128-006	39	5	---	---	---	---
MP6-1	21-Apr-2022	HK2211128-007	48	6	---	---	---	---
MP6-2	21-Apr-2022	HK2211128-008	47	7	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4303189)									
HK2211126-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	11	12	0.0	
HK2211128-003	MP4-1	EA025: Suspended Solids (SS)	---	2	mg/L	33	33	0.0	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4303189)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	110	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4297727)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	90.6	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211129
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 23-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 03-May-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 23-Apr-2022 to 03-May-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211129 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	23-Apr-2022	HK2211129-001	18	4	---	---	---	---
MP3-2	23-Apr-2022	HK2211129-002	18	4	---	---	---	---
MP4-1	23-Apr-2022	HK2211129-003	21	4	---	---	---	---
MP4-2	23-Apr-2022	HK2211129-004	21	4	---	---	---	---
MP5-1	23-Apr-2022	HK2211129-005	23	3	---	---	---	---
MP5-2	23-Apr-2022	HK2211129-006	22	4	---	---	---	---
MP6-1	23-Apr-2022	HK2211129-007	23	3	---	---	---	---
MP6-2	23-Apr-2022	HK2211129-008	24	4	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4311258)									
HK2211129-001	MP3-1	EA025: Suspended Solids (SS)		---	2	mg/L	18	18	0.0
HK2211131-003	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	21	21	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4311258)												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	90.5	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4301983)												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	92.6	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211131
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 25-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 03-May-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 25-Apr-2022 to 03-May-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211131 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	25-Apr-2022	HK2211131-001	26	4	---	---	---	---
MP3-2	25-Apr-2022	HK2211131-002	25	5	---	---	---	---
MP4-1	25-Apr-2022	HK2211131-003	21	4	---	---	---	---
MP4-2	25-Apr-2022	HK2211131-004	22	4	---	---	---	---
MP5-1	25-Apr-2022	HK2211131-005	31	6	---	---	---	---
MP5-2	25-Apr-2022	HK2211131-006	30	6	---	---	---	---
MP6-1	25-Apr-2022	HK2211131-007	30	7	---	---	---	---
MP6-2	25-Apr-2022	HK2211131-008	30	6	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4311258)									
HK2211129-001	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	18	18	18	0.0
HK2211131-003	MP4-1	EA025: Suspended Solids (SS)	---	2	mg/L	21	21	21	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4311258)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	90.5	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4301983)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	92.6	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211133
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 27-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 04-May-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 27-Apr-2022 to 04-May-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211133 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	27-Apr-2022	HK2211133-001	46	8	---	---	---	---
MP3-2	27-Apr-2022	HK2211133-002	47	8	---	---	---	---
MP4-1	27-Apr-2022	HK2211133-003	35	8	---	---	---	---
MP4-2	27-Apr-2022	HK2211133-004	34	8	---	---	---	---
MP5-1	27-Apr-2022	HK2211133-005	40	9	---	---	---	---
MP5-2	27-Apr-2022	HK2211133-006	41	9	---	---	---	---
MP6-1	27-Apr-2022	HK2211133-007	38	9	---	---	---	---
MP6-2	27-Apr-2022	HK2211133-008	37	9	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4315733)									
HK2211134-007	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	31	30	5.2	
HK2211134-008	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	32	31	3.4	

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4315733)												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	92.5	---	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4306727)												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	89.5	---	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

Client	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 4
Contact	: MR THOMAS WONG	Contact	: Richard Fung	Work Order	: HK2211134
Address	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: thomas.wong@eno.com.hk	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG			Date received	: 29-Apr-2022
Order number	: —	Quote number	: HKE/3067/2021	Date of issue	: 04-May-2022
C-O-C number	: —			No. of samples	- Received : 8
Site	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

Managing Director

Authorised results for:

Inorganics

General Comments

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 29-Apr-2022 to 04-May-2022.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2211134 :

Samples(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS) 2 mg/L	EP030: Biochemical Oxygen Demand 2 mg/L	---	---	---
Sample ID	Sampling date / time	Laboratory sample <i>ID</i>		EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	---	---	---
MP3-1	29-Apr-2022	HK2211134-001	21	4	---	---	---	---
MP3-2	29-Apr-2022	HK2211134-002	20	4	---	---	---	---
MP4-1	29-Apr-2022	HK2211134-003	22	4	---	---	---	---
MP4-2	29-Apr-2022	HK2211134-004	22	4	---	---	---	---
MP5-1	29-Apr-2022	HK2211134-005	27	5	---	---	---	---
MP5-2	29-Apr-2022	HK2211134-006	26	6	---	---	---	---
MP6-1	29-Apr-2022	HK2211134-007	31	6	---	---	---	---
MP6-2	29-Apr-2022	HK2211134-008	32	6	---	---	---	---

Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 4315733)									
HK2211134-007	MP6-1	EA025: Suspended Solids (SS)		---	2	mg/L	31	30	5.2
HK2211134-008	MP6-2	EA025: Suspended Solids (SS)		---	2	mg/L	32	31	3.4

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 4315733)												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	92.5	---	76.9	120	---	---
EP: Aggregate Organics (QC Lot: 4312294)												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	87.7	---	78.6	118	---	---

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.