



F. Graphical Plots of the Monitoring Results

Air Quality

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise







Noise Level for 30 min, dB(A), at NSR5









Noise Level for 30 min, dB(A), at NSR7









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2532765 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 01-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 07-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 01-Aug-2025 to 06-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2532765 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 01-Aug-2025 | HK2532765-001 | 17 | 3 | ---- | ---- | ---- |
| MP3-2 | 01-Aug-2025 | HK2532765-002 | 18 | 3 | ---- | ---- | ---- |
| MP4-1 | 01-Aug-2025 | HK2532765-003 | 52 | 3 | ---- | ---- | ---- |
| MP4-2 | 01-Aug-2025 | HK2532765-004 | 48 | 3 | ---- | ---- | ---- |
| MP5-1 | 01-Aug-2025 | HK2532765-005 | 34 | 2 | ---- | ---- | ---- |
| MP5-2 | 01-Aug-2025 | HK2532765-006 | 33 | 2 | ---- | ---- | ---- |
| MP6-1 | 01-Aug-2025 | HK2532765-007 | 50 | 3 | ---- | ---- | ---- |
| MP6-2 | 01-Aug-2025 | HK2532765-008 | 47 | 2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6761104) | | | | | | | | |
| HK2532765-001 | MP3-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 17 | 17 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6761104) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 99.0 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6760693) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 101 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2532965 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 04-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 12-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 04-Aug-2025 to 12-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2532965 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 04-Aug-2025 | HK2532965-001 | 13 | <2 | ---- | ---- | ---- |
| MP3-2 | 04-Aug-2025 | HK2532965-002 | 12 | 2 | ---- | ---- | ---- |
| MP4-1 | 04-Aug-2025 | HK2532965-003 | 19 | 2 | ---- | ---- | ---- |
| MP4-2 | 04-Aug-2025 | HK2532965-004 | 18 | 2 | ---- | ---- | ---- |
| MP5-1 | 04-Aug-2025 | HK2532965-005 | 23 | 2 | ---- | ---- | ---- |
| MP5-2 | 04-Aug-2025 | HK2532965-006 | 24 | 2 | ---- | ---- | ---- |
| MP6-1 | 04-Aug-2025 | HK2532965-007 | 25 | 2 | ---- | ---- | ---- |
| MP6-2 | 04-Aug-2025 | HK2532965-008 | 27 | 2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6768406) | | | | | | | | |
| HK2532807-004 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <3 | <3 | 0.0 |
| HK2532965-003 | MP4-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 19 | 20 | 5.6 |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6768407) | | | | | | | | |
| HK2532965-008 | MP6-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 27 | 28 | 0.0 |
| HK2533044-002 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 116 | 121 | 4.2 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6768406) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 86.5 | ---- | 85.0 | 115 | ---- | ---- |
| EA/ED: Physical and Aggregate Properties (QCLot: 6768407) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 96.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6764213) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 100 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2533263 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 06-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 12-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Aug-2025 to 11-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2533263 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 06-Aug-2025 | HK2533263-001 | 8 | <2 | ---- | ---- | ---- |
| MP3-2 | 06-Aug-2025 | HK2533263-002 | 8 | <2 | ---- | ---- | ---- |
| MP4-1 | 06-Aug-2025 | HK2533263-003 | 26 | <2 | ---- | ---- | ---- |
| MP4-2 | 06-Aug-2025 | HK2533263-004 | 25 | <2 | ---- | ---- | ---- |
| MP5-1 | 06-Aug-2025 | HK2533263-005 | 22 | <2 | ---- | ---- | ---- |
| MP5-2 | 06-Aug-2025 | HK2533263-006 | 25 | <2 | ---- | ---- | ---- |
| MP6-1 | 06-Aug-2025 | HK2533263-007 | 27 | <2 | ---- | ---- | ---- |
| MP6-2 | 06-Aug-2025 | HK2533263-008 | 29 | <2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6771612) | | | | | | | | |
| HK2532642-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 3 | 3 | 0.0 |
| HK2533263-003 | MP4-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 26 | 25 | 4.7 |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6771613) | | | | | | | | |
| HK2533263-008 | MP6-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 29 | 28 | 4.7 |
| HK2533382-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 1300 | 1300 | 0.5 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6771612) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 101 | ---- | 85.0 | 115 | ---- | ---- |
| EA/ED: Physical and Aggregate Properties (QCLot: 6771613) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 90.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6770543) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 95.8 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2533726 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 08-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 15-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 08-Aug-2025 to 13-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2533726 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 08-Aug-2025 | HK2533726-001 | 12 | 3 | ---- | ---- | ---- |
| MP3-2 | 08-Aug-2025 | HK2533726-002 | 10 | 3 | ---- | ---- | ---- |
| MP4-1 | 08-Aug-2025 | HK2533726-003 | 24 | <2 | ---- | ---- | ---- |
| MP4-2 | 08-Aug-2025 | HK2533726-004 | 25 | <2 | ---- | ---- | ---- |
| MP5-1 | 08-Aug-2025 | HK2533726-005 | 22 | <2 | ---- | ---- | ---- |
| MP5-2 | 08-Aug-2025 | HK2533726-006 | 21 | <2 | ---- | ---- | ---- |
| MP6-1 | 08-Aug-2025 | HK2533726-007 | 23 | <2 | ---- | ---- | ---- |
| MP6-2 | 08-Aug-2025 | HK2533726-008 | 22 | <2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6776337) | | | | | | | | |
| HK2533647-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 27 | 26 | 0.0 |
| HK2533726-007 | MP6-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 23 | 22 | 6.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6776337) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 108 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6776263) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 94.8 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2534014 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 11-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 19-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 11-Aug-2025 to 19-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2534014 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 11-Aug-2025 | HK2534014-001 | 10 | 3 | ---- | ---- | ---- |
| MP3-2 | 11-Aug-2025 | HK2534014-002 | 9 | 3 | ---- | ---- | ---- |
| MP4-1 | 11-Aug-2025 | HK2534014-003 | 34 | 5 | ---- | ---- | ---- |
| MP4-2 | 11-Aug-2025 | HK2534014-004 | 40 | 4 | ---- | ---- | ---- |
| MP5-1 | 11-Aug-2025 | HK2534014-005 | 29 | 3 | ---- | ---- | ---- |
| MP5-2 | 11-Aug-2025 | HK2534014-006 | 30 | 4 | ---- | ---- | ---- |
| MP6-1 | 11-Aug-2025 | HK2534014-007 | 22 | 3 | ---- | ---- | ---- |
| MP6-2 | 11-Aug-2025 | HK2534014-008 | 20 | 4 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6782718) | | | | | | | | |
| HK2533790-003 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 36 | 36 | 0.0 |
| HK2533896-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 41 | 43 | 4.0 |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6782719) | | | | | | | | |
| HK2534014-004 | MP4-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 40 | 40 | 0.0 |
| HK2534254-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 211 | 215 | 1.9 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6782718) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 104 | ---- | 85.0 | 115 | ---- | ---- |
| EA/ED: Physical and Aggregate Properties (QCLot: 6782719) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 90.0 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6779000) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 103 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2534611 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 13-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 21-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 13-Aug-2025 to 20-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2534611 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 13-Aug-2025 | HK2534611-001 | 9 | 3 | ---- | ---- | ---- |
| MP3-2 | 13-Aug-2025 | HK2534611-002 | 10 | 3 | ---- | ---- | ---- |
| MP4-1 | 13-Aug-2025 | HK2534611-003 | 42 | 6 | ---- | ---- | ---- |
| MP4-2 | 13-Aug-2025 | HK2534611-004 | 45 | 6 | ---- | ---- | ---- |
| MP5-1 | 13-Aug-2025 | HK2534611-005 | 40 | 5 | ---- | ---- | ---- |
| MP5-2 | 13-Aug-2025 | HK2534611-006 | 38 | 5 | ---- | ---- | ---- |
| MP6-1 | 13-Aug-2025 | HK2534611-007 | 38 | 5 | ---- | ---- | ---- |
| MP6-2 | 13-Aug-2025 | HK2534611-008 | 35 | 5 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6788562) | | | | | | | | |
| HK2534611-003 | MP4-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 42 | 40 | 5.1 |
| HK2534611-005 | MP5-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 40 | 40 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6788562) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 102 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6784990) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 94.2 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6785367) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 101 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2534991 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 15-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 22-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 15-Aug-2025 to 20-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2534991 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 15-Aug-2025 | HK2534991-001 | 11 | 2 | ---- | ---- | ---- |
| MP3-2 | 15-Aug-2025 | HK2534991-002 | 10 | 2 | ---- | ---- | ---- |
| MP4-1 | 15-Aug-2025 | HK2534991-003 | 40 | 4 | ---- | ---- | ---- |
| MP4-2 | 15-Aug-2025 | HK2534991-004 | 40 | 4 | ---- | ---- | ---- |
| MP5-1 | 15-Aug-2025 | HK2534991-005 | 27 | 3 | ---- | ---- | ---- |
| MP5-2 | 15-Aug-2025 | HK2534991-006 | 28 | 3 | ---- | ---- | ---- |
| MP6-1 | 15-Aug-2025 | HK2534991-007 | 30 | 3 | ---- | ---- | ---- |
| MP6-2 | 15-Aug-2025 | HK2534991-008 | 32 | 3 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6792198) | | | | | | | | |
| HK2534743-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 368 | 350 | 5.0 |
| HK2534935-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 96 | 95 | 1.0 |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6792199) | | | | | | | | |
| HK2534991-007 | MP6-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 30 | 31 | 0.0 |
| HK2535147-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 15 | 15 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6792198) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 102 | ---- | 85.0 | 115 | ---- | ---- |
| EA/ED: Physical and Aggregate Properties (QCLot: 6792199) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 88.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6791162) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 100 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2535254 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 18-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 25-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 18-Aug-2025 to 23-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2535254 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 18-Aug-2025 | HK2535254-001 | 11 | 3 | ---- | ---- | ---- |
| MP3-2 | 18-Aug-2025 | HK2535254-002 | 11 | 3 | ---- | ---- | ---- |
| MP4-1 | 18-Aug-2025 | HK2535254-003 | 59 | 3 | ---- | ---- | ---- |
| MP4-2 | 18-Aug-2025 | HK2535254-004 | 57 | 3 | ---- | ---- | ---- |
| MP5-1 | 18-Aug-2025 | HK2535254-005 | 120 | <2 | ---- | ---- | ---- |
| MP5-2 | 18-Aug-2025 | HK2535254-006 | 99 | <2 | ---- | ---- | ---- |
| MP6-1 | 18-Aug-2025 | HK2535254-007 | 77 | <2 | ---- | ---- | ---- |
| MP6-2 | 18-Aug-2025 | HK2535254-008 | 78 | <2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6796649) | | | | | | | | |
| HK2535109-003 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 36 | 34 | 4.3 |
| HK2535254-008 | MP6-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 78 | 77 | 2.2 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6796649) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 100 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6795235) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 93.5 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.




CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2535686 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 20-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 26-Aug-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

| <i>Signatory</i> | <i>Position</i> | <i>Authorised results for:</i> |
|---|-------------------|--------------------------------|
|  Fung Lim Chee, Richard | Managing Director | Inorganics |



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 20-Aug-2025 to 25-Aug-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2535686 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 20-Aug-2025 | HK2535686-001 | 8 | <2 | ---- | ---- | ---- |
| MP3-2 | 20-Aug-2025 | HK2535686-002 | 7 | <2 | ---- | ---- | ---- |
| MP4-1 | 20-Aug-2025 | HK2535686-003 | 33 | <2 | ---- | ---- | ---- |
| MP4-2 | 20-Aug-2025 | HK2535686-004 | 32 | <2 | ---- | ---- | ---- |
| MP5-1 | 20-Aug-2025 | HK2535686-005 | 31 | <2 | ---- | ---- | ---- |
| MP5-2 | 20-Aug-2025 | HK2535686-006 | 33 | <2 | ---- | ---- | ---- |
| MP6-1 | 20-Aug-2025 | HK2535686-007 | 32 | 3 | ---- | ---- | ---- |
| MP6-2 | 20-Aug-2025 | HK2535686-008 | 29 | 2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6801897) | | | | | | | | |
| HK2535631-004 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 24 | 25 | 0.0 |
| HK2535671-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 68 | 64 | 5.5 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6801897) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 97.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6801823) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 104 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6801824) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 102 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2536118 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 22-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 01-Sep-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 22-Aug-2025 to 01-Sep-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2536118 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 22-Aug-2025 | HK2536118-001 | 9 | 4 | ---- | ---- | ---- |
| MP3-2 | 22-Aug-2025 | HK2536118-002 | 9 | 3 | ---- | ---- | ---- |
| MP4-1 | 22-Aug-2025 | HK2536118-003 | 25 | <2 | ---- | ---- | ---- |
| MP4-2 | 22-Aug-2025 | HK2536118-004 | 23 | 2 | ---- | ---- | ---- |
| MP5-1 | 22-Aug-2025 | HK2536118-005 | 25 | 2 | ---- | ---- | ---- |
| MP5-2 | 22-Aug-2025 | HK2536118-006 | 24 | 2 | ---- | ---- | ---- |
| MP6-1 | 22-Aug-2025 | HK2536118-007 | 27 | 2 | ---- | ---- | ---- |
| MP6-2 | 22-Aug-2025 | HK2536118-008 | 27 | 2 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6815127) | | | | | | | | |
| HK2536046-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 170 | 171 | 0.6 |
| HK2536118-002 | MP3-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 9 | 8 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6815127) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 106 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6808597) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 92.3 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.




CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2536338 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 25-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 01-Sep-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

| <i>Signatory</i> | <i>Position</i> | <i>Authorised results for:</i> |
|---|-------------------|--------------------------------|
|  Fung Lim Chee, Richard | Managing Director | Inorganics |



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 25-Aug-2025 to 01-Sep-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2536338 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | Compound | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
|-----------|----------------------|----------------------|--|------------------------------|----------------------------------|------|------|------|
| | | | LOR Unit | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| Sample ID | Sampling date / time | Laboratory sample ID | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- | ---- |
| MP3-1 | 25-Aug-2025 | HK2536338-001 | 10 | 3 | ---- | ---- | ---- | ---- |
| MP3-2 | 25-Aug-2025 | HK2536338-002 | 14 | 3 | ---- | ---- | ---- | ---- |
| MP4-1 | 25-Aug-2025 | HK2536338-003 | 35 | 2 | ---- | ---- | ---- | ---- |
| MP4-2 | 25-Aug-2025 | HK2536338-004 | 35 | <2 | ---- | ---- | ---- | ---- |
| MP5-1 | 25-Aug-2025 | HK2536338-005 | 38 | 4 | ---- | ---- | ---- | ---- |
| MP5-2 | 25-Aug-2025 | HK2536338-006 | 37 | 4 | ---- | ---- | ---- | ---- |
| MP6-1 | 25-Aug-2025 | HK2536338-007 | 25 | 4 | ---- | ---- | ---- | ---- |
| MP6-2 | 25-Aug-2025 | HK2536338-008 | 27 | 4 | ---- | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6819534) | | | | | | | | |
| HK2536338-004 | MP4-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 35 | 35 | 0.0 |
| HK2536638-001 | Anonymous | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 130 | 116 | 11.2 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6819534) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 91.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6810743) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 101 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6811858) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 95.9 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2536707 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 27-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 04-Sep-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 27-Aug-2025 to 03-Sep-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2536707 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 27-Aug-2025 | HK2536707-001 | 16 | 3 | ---- | ---- | ---- |
| MP3-2 | 27-Aug-2025 | HK2536707-002 | 15 | 3 | ---- | ---- | ---- |
| MP4-1 | 27-Aug-2025 | HK2536707-003 | 39 | 4 | ---- | ---- | ---- |
| MP4-2 | 27-Aug-2025 | HK2536707-004 | 37 | 4 | ---- | ---- | ---- |
| MP5-1 | 27-Aug-2025 | HK2536707-005 | 15 | 4 | ---- | ---- | ---- |
| MP5-2 | 27-Aug-2025 | HK2536707-006 | 14 | 4 | ---- | ---- | ---- |
| MP6-1 | 27-Aug-2025 | HK2536707-007 | 17 | 4 | ---- | ---- | ---- |
| MP6-2 | 27-Aug-2025 | HK2536707-008 | 16 | 4 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6824207) | | | | | | | | |
| HK2536707-003 | MP4-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 39 | 39 | 0.0 |
| HK2536707-004 | MP4-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 37 | 36 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6824207) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 96.0 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6817895) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 92.1 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

| | | | | | |
|---------------------|---|---------------------|---|-----------------------|--------------------|
| <i>Client</i> | : ENOVATIVE ENVIRONMENTAL SERVICE LTD | <i>Laboratory</i> | : ALS Technichem (HK) Pty Ltd | <i>Page</i> | : 1 of 4 |
| <i>Contact</i> | : MR THOMAS WONG | <i>Contact</i> | : Richard Fung | <i>Work Order</i> | : HK2537226 |
| <i>Address</i> | : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG | <i>Address</i> | : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong | | |
| <i>E-mail</i> | : thomas.wong@eno.com.hk | <i>E-mail</i> | : richard.fung@alsglobal.com | | |
| <i>Telephone</i> | : ---- | <i>Telephone</i> | : +852 2610 1044 | <i>Date received</i> | : 29-Aug-2025 |
| <i>Facsimile</i> | : ---- | <i>Facsimile</i> | : +852 2610 2021 | <i>Date of issue</i> | : 05-Sep-2025 |
| <i>Project</i> | : PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG | | | <i>No. of samples</i> | - Received : 8 |
| <i>Order number</i> | : — | <i>Quote number</i> | : HKE/2368/2024 | | - Analysed : 8 |
| <i>C-O-C number</i> | : — | | | | |
| <i>Site</i> | : — | | | | |

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Fung Lim Chee, Richard

Managing Director

Inorganics



General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 29-Aug-2025 to 04-Sep-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific Comments for Work Order HK2537226 :

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.



Analytical Results

Sub-Matrix: WATER

| | | | <i>Compound</i> | <i>LOR Unit</i> | | | |
|------------------|-----------------------------|-----------------------------|--|----------------------------------|------|------|------|
| | | | EA025: Suspended Solids (SS) | EP030: Biochemical Oxygen Demand | ---- | ---- | ---- |
| | | | 2 mg/L | 2 mg/L | ---- | ---- | ---- |
| <i>Sample ID</i> | <i>Sampling date / time</i> | <i>Laboratory sample ID</i> | EA/ED: Physical and Aggregate Properties | EP: Aggregate Organics | ---- | ---- | ---- |
| MP3-1 | 29-Aug-2025 | HK2537226-001 | 21 | 3 | ---- | ---- | ---- |
| MP3-2 | 29-Aug-2025 | HK2537226-002 | 22 | 3 | ---- | ---- | ---- |
| MP4-1 | 29-Aug-2025 | HK2537226-003 | 38 | 6 | ---- | ---- | ---- |
| MP4-2 | 29-Aug-2025 | HK2537226-004 | 36 | 6 | ---- | ---- | ---- |
| MP5-1 | 29-Aug-2025 | HK2537226-005 | 27 | 6 | ---- | ---- | ---- |
| MP5-2 | 29-Aug-2025 | HK2537226-006 | 26 | 6 | ---- | ---- | ---- |
| MP6-1 | 29-Aug-2025 | HK2537226-007 | 28 | 6 | ---- | ---- | ---- |
| MP6-2 | 29-Aug-2025 | HK2537226-008 | 26 | 5 | ---- | ---- | ---- |

----- END OF REPORT -----



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

| Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | |
|---|-----------|------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) |
| EA/ED: Physical and Aggregate Properties (QC Lot: 6829319) | | | | | | | | |
| HK2537226-003 | MP4-1 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 38 | 37 | 0.0 |
| HK2537226-004 | MP4-2 | EA025: Suspended Solids (SS) | ---- | 2 | mg/L | 36 | 37 | 0.0 |

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

| Matrix: WATER | | | Method Blank (MB) Report | | | Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report | | | | | |
|--|------------|------|--------------------------|--------|---------------------|--|------|---------------------|------|----------|---------------|
| Method: Compound | CAS Number | LOR | Unit | Result | Spike Concentration | Spike Recovery (%) | | Recovery Limits (%) | | RPDs (%) | |
| | | | | | | LCS | DCS | Low | High | Value | Control Limit |
| EA/ED: Physical and Aggregate Properties (QCLot: 6829319) | | | | | | | | | | | |
| EA025: Suspended Solids (SS) | ---- | 2 | mg/L | <2 | 10 mg/L | 95.5 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6824126) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 94.2 | ---- | 85.0 | 115 | ---- | ---- |
| EP: Aggregate Organics (QCLot: 6824641) | | | | | | | | | | | |
| EP030: Biochemical Oxygen Demand | ---- | ---- | mg/L | ---- | 198 mg/L | 111 | ---- | 85.0 | 115 | ---- | ---- |

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.